ELSEVIER

Artificial Intelligence 96 (1997) 3–189

Artificial Intelligence

Index — Volumes 1–89

The numbers mentioned in this Index refer to the Reference List of Indexed Articles (see pp. 191–227).

0-ary 1233
0-1 integer linear programming problem 1034
0-1 knapsack problem 650
1-subdivision transform 254
1-superline transform 254
2-approximation 1253
2-consistency 529
2-DT class of default theories 1343
2-subdivision transform 254
2D contours 1077
2D features 478
2D images 201
2D line drawing 1102
2D representations 1269
3-consistency 529
3-SAT 1301
  formula 929
  problems 1299
  problems, hard random ~ 1299
  satisfiability problem 929
3D edge fragments 1310
3D feature observations 1310
3D features 478
3D geometric models 478
3D images, information from ~ 24
3D interpretation
  of a 2D view 480
  of surface contours 193
3D model of a scene 478
3D models 201
3D MOSAIC system 376, 478
3D motion
  estimation 1279
  parameter 1279
3D object 1102
  classes 1310
  recognition 1271
3D objects 1077
  construction of invariants for ~ 1271
  recovery of ~ 1077
3D recovery equations 484
3D representations 1269
3D scene descriptions 478
3D scenes
  perceiving ~ 54
  reconstruction of ~ 376
3D shape 484, 1001, 1077
  estimation 364
  inference of ~ 1077
  of a textured surface 484
  recovering ~ 456
3D shapes of objects 204
3D space, projective transformation of ~ 1283
3D spatial orientation 262
3D structures 192, 478
  inferring ~ 456
3D surface 193
3D surfaces, natural ~ 364
3D textures 587
3D wire-frame description 376
4 × 4 Othello game 362
50-move rule, FIDE's ~ 562

A
a priori
  calculation 929
  given attributes 347

minimum number of vertices 8
preferences 378
A* 92, 95, 179, 232, 277, 278, 370, 547, 650, 1342
algorithm 92, 95, 215, 277, 370, 914, 965
algorithm, Korf's learning-real-time-~ 1164
algorithm of Hart, Nilsson and Raphael 215
algorithm, real-time-~ 547
complexity of ~ 179
graph search 1342
graph search with ~ 1342
iterative-deepening-~ 972
mean complexity of ~ 232
optimality of ~ 95
search 914, 1128
search procedure 278
search strategy 1389
A-ordered linear resolution 32
abduction 631, 916, 1225
as belief revision 1178
cost-based ~ 1034, 1069, 1391
Horn-clause ~ 1005
in causal theories 684
interpretation as ~ 1059
model of ~ 1178
probabilistic Horn ~ 1005
problems, tractable class of ~ 631
process, efficiency of the ~ 1059
scheme weights and costs in ~ 1059
tasks 1222
to plausible causes 1250
using Horn theories 1225
weighted ~ 1059
abductive
diagnosis 1178
explanations 1222, 1381
explanations, most specific and least specific ~ 916
abductive inference 1059
method 684
reasoning 684, 1175, 1222, 1381
unification 430
view of diagnosis 917
ABEL, expert system 679
Abelson, H. 333
ability
of EBL to learn 1380
to imagine an event and belief 1025
to introspect 1311
to model partial information 1258
to predict the future 1104
to search images 1172
ablation 383
study 584
abnormality
predicate 630
theories 397, 1262
theories, nested ~ 1262
abrupt changes in computational cost 1292
ABSITY semantic interpreter 425
absolute
position 1163
truths 925
abstract
action descriptions 1241
algorithms, implementing ~ 140
assumptions underlying intelligence 600
generalizations 584
knowledge 418
match algorithm 695
minimality 698
model-theoretic interpretation 116
presentations 431
problem descriptions 914
proof checker 927
relations encoding solutions to previous problems 436
repair strategies 583
Rete network 695
solution 1103, 1150
solutions being refinable, probability of ~ 1150
solution spaces 210
specification 238
states 182
abstracting common properties 519
abstraction 181, 342, 407, 437, 927, 1103, 1359
algebraic ~ 1359
analysis of ~ 407
graph oriented view of ~ 1359
hierarchies, automatic generation of ~ 1150
hierarchies in planning 1394
hierarchy 407, 914, 1103, 1150
levels 1150, 1394
levels of ~ 273
mapping 181, 927
mappings, m-~ 181
mechanization of ~ 927
model ~ 1083
of visual information 203
shell ~ 1341
spaces 51
STAR ~ 1359
technique 371, 1359
temporal ~ 662
theory of ~ 927

[See also "abstractions"]
abstraction-derived heuristic 1237
abstractions 436
algorithm for generating ~ 1103
automatically generating ~ 1103
identification of ~ 1144
of a problem 1237
of differential equations 369
abstractly minimal models 698
abstractness 1237
ABSTRIPS
hierarchies 1150
problem solver 51
style abstraction hierarchies in planning 1394
ABTWEAK system 1394
AC-3 algorithm 934, 1125
AC-4 algorithm 688, 934, 1125
AC-5 algorithm 934
AC-6 algorithm 1125
acausal mathematical relations 1083
accent
assignment 1060
assignment, algorithm for ~ 1060
decisions 1060
acceptability of arguments 1194
acceptable
axiomatization 64
explanation 170
sets of beliefs 649
acceptance criteria, explanation ~ 525
accessing concept descriptions 114
ACCORD, expert system 679
accretion model of theory formation 246
accuracy
improvement 1368
measure of ~ 447
of admissible heuristics 1237
of the heuristic function 6
of the parameters 266
parsing ~ 1356
reasoning about model ~ 918
accurate descriptions 1144
Ace
framework 418
knowledge base 418
achieve a given goal, finding a sequence of actions to ~ 1
acidity of chemical solutions 657
acoustic
analysis 50
classification 50
data 50
sensors 1067
signal interpretation 1186
acoustical and phonological information 49
acquiring efficiently-applicable concepts 579
acquisition
knowledge ~ 442, 960, 1242
lexical knowledge ~ 1364
of data 190
of knowledge 504
of new inference rules 141
acquisition tool, knowledge ~ 503
ACT*, computational theory of knowledge origin 524
action 599, 1132, 1223
and time, Allen's theory of ~ 546
and time, theory of ~ 281
descriptions 1223
effects 1223
executability 1223
feasibility 1223
formal theories of ~ 496
human ~ 548
logic for agents with bounded rationality, ALX 1243
logic, modal ~ 1243
logics 1243
reasoning about ~ 441, 448, 496, 1250
representation 1228, 1248
representation, expressive ~ 1228
sequences, long ~ 522
sequences, single-actor ~ 130
theory 1145
theory of ~ 356
[See also "actions"]
action-based
approach 1399
hierarchies 1399
action-oriented perception, systems with ~ 1208
actions 247, 281, 1240
add/delete-list representation for ~ 404
agent's ~ 548
and change, reasoning about ~ 1338
heuristic ~ 1242
nondeterministic ~ 1183
reasoning about ~ 281, 1183
representing ~ 448
single-agent ~ 1351
with many qualifications 448
[See also "action"]
activated processes, involuntarily ~ 43
activation, spreading ~ 923
active
database context 112
perception 1171

processes, beliefs of ~ 149
surface estimation 1284
vision 1165, 1275, 1277
vision architecture 1274
vision systems 1274
activity
patterns, superimposed ~ 590
research 1159
shared cooperative ~ 1351
actor
message passing 106
model of computation 106
actual current states 1171
acyclic
database 502
defeasible inheritance hiearchies 586
Horn defaults 586
inheritance networks 966
semantic network 550
theories 586
Adams 575
Adams' probabilistic semantics 575
adaptation 1033, 1361
and environment 1210
case ~ 1368
of a design 520
strategies 1093
to context 82
to the writer 414
adapting
environments 1159
to an environment 1159
adaptive
agent 1157
behavior 1131
consistency 1110
control 50, 241
fit between an agent and its environment 1158
intelligent systems 1157
problem solving 1386
ADATE automatic functional programming system 1195
add/delete-list representation for actions 404
adding
negation 687
new premises 1396
primitives 376
two histories 908
addition
of redundancies 645
of strict logical links 622
additional information, referring to ~ 318
additive
changes 397
noise 197
probabilities 1258
additivity of imprecision 689
adequacy
criterion of ~ 913
i.d.e.-~ 913
model ~ 1272
of a model 64
adjacency 296
assumptions 203
refinement 254
refinement partition 254
adjacent elements 492
admissibility 1205
of AO* 423
admissible
algorithms 242, 370, 487
bidirectional algorithms 487
bidirectional staged heuristic search algorithm 487
heuristics 1237
lower-bound heuristics 1237
search 1018
search algorithms 95
technique 1128
tree search, optimal ~ 331
advanced reduction rules 648
adversary
planning in real-world situations 189
situations 189
advice 107
aerial photographs of urban scenes 376
affine
constraints 1283
parameter space 481
agency, intelligent ~ 1104
agent 1211
adaptive ~ 1157
architecture 1152, 1157
autonomous ~ 634
behaviors of an ~ 1241
beliefs of an ~ 421
designers 1352
environment, properties required by an ~ 1210
ideally rational ~ 303
intelligent ~ 266, 1011, 1172, 1378, 1399
interpreters 931
legged ~ 1158
search in a graph 1202

searching 1202
searching framework 1202
searching in a tree 1337
self-motivated ~ 1307
societies, artificial ~ 1160
state of an ~ 931
with limited computational capabilities 1090
[See also "agent's", "agents", and "agents'"]
agent's
behavior 1158
belief, mathematical model of an ~ 1025
beliefs 356
beliefs goals actions and intentions 548
beliefs, inconsistencies in the ~ 1348
computational states, informational content of an ~ 1209
control policy 634
environment, procedural model of the ~ 1211
external actions 641
knowledge about the world 890
perceptions 1166
plan, inferring an ~ 1006
proposed actions, effects of an ~ 1104
reactions 1211
understanding of instructions 1166
[See also "agent", "agents", and "agents'"]
agent-environment
interaction 1158, 1161
system 1158
agent-oriented programming, AOP 931
agents 1213, 1285, 1352
analysis of living ~ 1207
artificial ~ 1210
automated synthesis of arbitrary specialized ~ 1210
automated ~ 1174, 1353
autonomous ~ 1158
building integrated cognitive ~ 1012
collaborating autonomous ~ 1177
comprehensive ~ 1157
computational theories of ~ 1207
contractor ~ 1307
contracts between ~ 1307
design of artificial ~ 1207
design of situated ~ 1209
effective interaction of ~ 1174
group of ~ 697
in disagreement about the existence of objects 654
intelligent ~ 1209, 1241
interaction of ~ 1173
manager ~ 1307
multiple ~ 281
operating in real-time domains 1399
post-hoc analysis of ~ 1210
reasoning ~ 1130
recognizing plans of other agents 176
specifications for artificial ~ 548
typical AI ~ 1157
[See also "agent", "agent's", and "agents'"]
agents'
behavior 1166
choice in communicative action 1362
global utility 1353
goals 1285
intentions towards another agent 1351
interactions with their environments 1207
involvements in their environments,
resource limits 1362
workplace 1170
[See also "agent", "agent's", and "agents"]
aggregation 371
model ~ 1083
of rigid and quasi-rigid objects at rest 203
of rigid and quasi-rigid objects in motion 203
spatio-temporal ~ 203
AGM postulates, classic ~ 1096
agreements, efficient ~ 1174
AI 217, 251, 278, 403, 435, 525, 578, 602, 607, 636, 670, 916, 932, 1016, 1034, 1194, 1246, 1264, 1287, 1359, 1376
[See also "artificial intelligence"]
agents, typical ~ 1157
applications 1197
as empirical inquiry 607
contributions to perception 320
core ~ 600
discovery systems 538
foundations of ~ 600
game-playing techniques 230
history of ~ 1287
learning algorithms 460
major findings of ~ 607
major hypotheses of ~ 607
methodology 286
methods 933
planner 668
priorities in ~ 1287
problem solving 1018
problems 1245
problems, fundamental ~ 602
programs 679
programs, large ~ 178
research 545
research, classical ~ 604
robotics challenge to ~ 320

role of formal logic in ~ 628
search algorithms 251
search procedure A* 278
search procedure AO* 278
search programs 1136
spatial representation in ~ 38
strategic approaches to ~ 607
system-building in ~ 604
systems 147, 237
tasks 39
technologies 1161
temporal logics in ~ 408
theory in ~ 600
understanding music with ~ 1328
air traffic control 234
AIS, adaptive intelligent systems 1157
AIS niche 1157
alarm analysis 1196
ALCHEM language 134
ALECSYS, parallel implementation of a learning classifier system 1152
algebra 295, 470, 658
Allen's ~ 693
dominance ~ 1238
inequality ~ 658
qualitative ~ 658
quantitative ~ 658
Vilain and Kautz's point ~ 632
algebraic
abstraction 1359
analysis 119
and differential equations 359
approach to shape-from-image problems 279
difference set 472
equations 957
expressions 185
facts 185
geometry 471
manipulation 185
manipulation program, PRESS 185
method for proving a class of geometry theorems 469
operations, relational ~ 398
program analysis 238
reasoning 479
reasoning algorithms 479
reasoning, qualitative and quantitative ~ 658
representation of a problem 957
sets 472
simplification 26, 107
specification 473
structures of inexact reasoning 906
algebras on signs and reals 658
algorithm 932
A* ~ 92, 95, 277, 370, 914, 965
AC-3 ~ 1125
AC-4 of Mohr and Henderson 934
AC-4 ~ 1125
AC-4, arc consistency ~ 688
AC-6 ~ 1125
admissable ~ 370
alpha–beta ~ 384, 674
alpha–beta pruning ~ 122, 261, 1238
ALPINE ~ 1394
approximation ~ 1105
arc consistency ~ 354, 934
B ~ 277
B* tree search ~ 138, 225
backtrack ~ 250, 618
backtracking ~ 539, 956
based on state space search 143
behavior of an ~ 137
Berlekamp's ~ 86
best-first search ~ 392, 650
best-first ~ 1069
BS* 487
bucket brigade ~ 522
by Hart, Nilsson and Raphael 8
circumscription ~ 485
clause condensing ~ 963
complete inference ~ 433
concept of an ~ 932
conspiracy numbers ~ 559
constraint propagation ~ 265
decidable ~ 301
depth-first ~ 257
depth-first iterative-deepening ~ 331
derivational analogy ~ 1093
diagnosis ~ 395, 528
dialogue ~ 34
distributed ~ 221
EBL*DI ~ 1123
efficient ~ 1026
EM ~ 1410
explanation-based learning ~ 1123
for accent assignment 1060
for arc consistency 953
for computing multilevel counterfactuals 163
for computing multilevel counterfactuals, correctness proof for the ~ 163
for computing probability in Bayesian networks 1366
for Dempsters' rule 416
for estimation of surface orientation, WISP 1026
for finding 3D shape 1001

for finding a loop cutset, MGA 1253
for finding proofs for theorems 4
for generating abstractions 1103
for homing 1269
for inferencing 699
for interpreting image contours 480
for local surface orientation 265
for minimal cost strategies, Smith ~ 645
for model composition, implemented ~ 659
for prediction 971
for probabilistic planning 1240
for qualitative simulation 369
for refinement planning 1229
for search, nonexistence of an overall optimal ~ 277
for searching AND/OR graphs 15
for searching AND/OR graphs, optimality of ~ 15
for skeptical reasoning with binary defaults 637
for the description identification problem 672
for the synthesis of a procedure from example computations 137
for the three-dimensional movers' problem 392
Freuder's synthesis ~ 529
G-~ 1165
game playing ~ 56
genetic ~ 1152
graph parsing ~ 582
graph-circuits ~ 167
greedy ~ 1253
heuristic ~ 929
heuristic search ~ 277, 487, 1266
heuristic tree search ~ 929
HIGHPOINT ~ 1150, 1394
i-th smallest element ~ 167
ID3, learning ~ 1247
IDA*–CR iterative depth-first branch and bound ~ 650
IDA*–CRA 650
incremental depth-first ~ 1192
inference ~ 1263
inheritance theory ~ 550
k-consistency ~ 529
kinematic analysis ~ 665
learning ~ 1121
level 524
linear pattern-matching ~ 167
linear string-matching ~ 167
linear-space best-first search ~ 965
Lion ~ 1165
MA* ~ 534
MAO* ~ 534
match ~ 695
maxn ~ 615
Mellish's description identification ~ 1192
message-passing ~ 413
minimax ~ 143, 252, 558, 615
Mitchell's candidate elimination ~ 1192
model composition ~ 659
model selection ~ 1272
MTD(f) search ~ 1374
negamax ~ 558
non-optimal ~ 1125
of Han and Lee, path-consistency ~ 529
of Hart, Nilsson and Raphael, A* ~ 215
of Kim and Pearl, polytree ~ 626
of Knoblock, ALPINE ~ 1150
of Mohr and Henderson, arc-consistency ~ 529
OPS5 Rete ~ 695
OPT ~ 1308
OPT-2 for optimal pruning of decision trees 1308
optical flow ~ 197
optimal backtrack ~ 1146
optimal plan merging ~ 920
optimal refinement ~ 1359
ordered-search ~ 87
parallel ~ 1102
partial order search ~ 1238
path consistency ~ 97, 457
patterns 82
Pearl's probabilistic-inference ~ 644
perimeter search ~ 1266
plan generation ~ 1211
probabilistic hill-climbing ~ 1288
propagation ~ 1140
pruning ~ 248
Q* ~ 46
query answering ~ 485
QSIM ~ 369, 911
qualitative simulation ~ 369
quiescence search ~ 560
real-number division ~ 57
real-time-A* ~ 547
recursively defined ~ 1141
relative approximation ~ 924
Rete match ~ 219
revised polytree ~ 626
Robinson's unification ~ 57
rule refinement ~ 1143
search ~ 331, 392, 1266, 1340, 1397
selective search ~ 1344
SIMD parallel ~ 1018

spanning-tree ~ 167
SSS* ~ 143, 252, 1374
staged search ~ 487
standard Edmonds' ~ 8
structure matching ~ 68
structure-mapping ~ 526
timetable compilation ~ 27
tractable domain-independent ~ 1103
tractable ~ 433
TWEAK planning ~ 404
unification ~ 463
uniform cost ~ 248
Waltz propagation ~ 1140
Waltz's filtering ~ 104, 302, 934
Watkins' Q-Learning ~ 1164
[See also "algorithmic", "algorithms"]
algorithm-independent 1299
algorithmic
fragments 582
knowledge 82
knowledge, human ~ 82
world knowledge, commonsense ~ 82
[See also "algorithm", "algorithms"]
algorithms
admissable ~ 242
admissible bidirectional ~ 487
admissible search ~ 95
admissible ~ 487
algebraic reasoning ~ 479
anytime ~ 1227
approximation ~ 553, 920
arc consistency ~ 302, 934
assembly ~ 1153
average case ~ 553
behavior of search ~ 1301
best-first search ~ 534
bidirectional ~ 487, 1266
circumscription ~ 699
classical sorting ~ 1141
complete ~ 512
consistency ~ 302
constraint network ~ 948
constraint satisfaction ~ 354, 1257
design strategies for classes of ~ 330
directional ~ 162
distributed ~ 1249
divide-and-conquer ~ 330
EBG ~ 1094
EBL ~ 525
evaluating ~ 1372
evolutionary ~ 1372
fixed-depth minimax ~ 1374
for arc and path consistency 354
for behavior learning 903
for belief revision, distributed ~ 413
for cognitive learning 55
for communication 1362
for communicative choice 1362
for consistent-labeling 250
for constraint satisfaction, efficiency of ~ 1064
for cumulative default logic 1182
for generating representations 1225
for geometric reasoning 470
for learning from examples 673
for order generalization 1094
for parameter learning 1410
for plan merging 920
for plan subsumption 1339
for possible correctness generalization 1094
for precondition generalization 1094
for probabilistic temporal reasoning 1104
for reasoning about time 1169
for searching AND/OR graphs 1054
for searching minimax trees 1206
for standard arithmetical operations 1141
for terrain navigation 475
for testing the complementarity of a matrix 214
for the automatic analysis of machines 1156
for truth maintenance 1249
from control theory 1164
game searching ~ 240
generalization ~ 1094
genetic ~ 522, 961, 1072, 1244, 1387, 1390
geometric ~ 474, 482
graph theoretic ~ 434
graph ~ 1359
greedy ~ 1121
greedy-like approximation ~ 1253
heuristic ~ 920
heuristic search ~ 92, 534, 1018, 1389
high-level reasoning ~ 1204
hybrid ~ 1135
image understanding ~ 255
implementing abstract ~ 140
incorporating non-explicit knowledge into ~ 45
inference ~ 553
knowledge about ~ 1141
labeling ~ 479
learning ~ 460, 1176
linear-space search ~ 1200
linear-time ~ 585
local constraint propagation ~ 462
matching ~ 526

mergesort ~ 330
minimax ~ 384
minimax tree search ~ 240
modelling ~ 1136
network consistency ~ 97, 988
node consistency ~ 302
on graphs, analysis of ~ 1389
parallel search ~ 1018
parameterized ~ 534
parsing ~ 1118
path consistency ~ 302, 632
perfect relaxation ~ 618
planning ~ 1076, 1229
planning and search ~ 914
polynomial time ~ 1122
preprocessing ~ 1110
QSIM-type ~ 911
quicksort ~ 330
recursive state space search ~ 1206
relaxation ~ 618
retrieval ~ 268
RL ~ 1165
SAT testing ~ 1297
satisfiability ~ 1199, 1245
search ~ 92, 162, 251, 362, 530, 674, 1018, 1237, 1372, 1390
serial search ~ 1018
sorting ~ 81
standard reasoning ~ 1204
STATIC's ~ 1004
stereo ~ 202
stored-state ~ 1165
strategic search ~ 242
strategies for the synthesis of ~ 167
termination of ~ 1141
to test for existential misconceptions 654
[See also "algorithm, "algorithmic"]
ALICE
constraint satisfaction system 354
language for combinatorial problems 119
synthesis techniques 354
all-or-none solutions 72
all-or-nothing deals 1352
Allen and McDermott 408
Allen, J. F. 546
Allen's
algebra 693
interval-based approach to temporal reasoning 693
theory of action and time 546
allocate computation time optimally 1227
allocation
of computational resources 1090
of resources 1242
resource ~ 1174
allocations, globally optimal ~ 1227
allowable configurations 476
allowed constraints 1355
almost
existential 1403
existential formulas 1403
linear unification algorithm 463
linear worst-case complexity 463
universal formulas 1403
almost-continuous systems 640
alpha-beta 122, 143, 252, 362, 615, 674,1206, 1344
+ transposition tables = SSS* 1374
algorithm 99, 384, 674
algorithm, quantitative study of the ~ 261
cn search 1066
cutoffs 560
mechanism 560
minimax 1344
procedure 75, 162
pruning 75, 422, 447, 547, 615
pruning algorithm 122, 261, 1238
pruning algorithm, efficiency of the ~ 261
pruning, shallow ~ 615
search 99, 122, 221, 560, 1374
search of games trees 561
search procedure, generalization of ~ 362
search procedures, surpassing ~ 362
technique 75
tree pruning 257
ALPINE
algorithm 1394
algorithm of Knoblock 1150
planning system 1103
altered forms of the noun 76
alternating
opportunism AltO 1359
search direction 1359
alternative
default inferences 633
descriptions of line drawings 59
goals, multiple ~ 72
interpretations 663
systems of beliefs 146
AltO, alternating opportunism 1359
ALX, action logic for agents with bounded rationality 1243
AM
discovery system 538
learning by discovery program 246, 247, 286
paradigm 287

program 227, 287
program for new mathematical concepts and conjectures 115
program, Lenat's ~ 286
Amarel 98
ambiguities 671, 966, 1205
of matching 440
structural ~ 425
ambiguity 622
domain ~ 622
in image description 532
in the interpretation of curved surfaces 484
matching ~ 1270
resolution 1074
resolution of syntactic ~ 1059
resolving ~ 898
semantic ~ 622
sources of ~ 932
ambiguous 111
data 1186
inheritance network 966
words 595
analog retrieval 596
analogical
inference 436
models 492
processing 526
reasoning 504
reasoning, computational approaches to ~ 504
representation 20
representations of naive physics 492
analogies, understanding ~ 436
[See also "analogy"]
analogs retrieved from memory 596
analogue circuits 395
analogy 107, 227, 504
computational studies of ~ 504
derivational ~ 520
Gentner's theory of ~ 526
ANALOGY program, Winston's ~ 383
analogy
programs 526
reasoning by ~ 17
theory of ~ 436
[See also "analogies"]
analogy-based generalization 524
analysis 26
mechanism ~ 915
of algorithms on graphs 1389
of autonomous agents 1158
of exchanges 77
of failures 112
of naturally occurring texts 329
of range data 139
of tenses 25
of complexity 988
of the topological structure of a phase portrait, automatic ~ 1215
problems 660
qualitative ~ 295
analytic
knowledge, complex ~ 65
resolution 90
tableaux 90
techniques, standard ~ 359
analytical
learning technique 955
methods 519
model of search complexity 1150
analyzing
circuits 294
qualitative behaviors 1113
specialization 1210
the environment 289
anaphora 1058
anaphoric inference problems 65
anatomy of consciousness 1056
AND/OR
gates 1366
graph 15, 87, 534, 585, 1054
graph, generalized ~ 87
graphs containing cycles 1054
tree 1259
tree search 251
AND/OR-type subproblem tree 307
Anderson, John R. 355
angle magnitude 262
animal designs 1208
animals to Animats 1131
Animat-like behavior 1152
animate
systems of vision 613
vision 613
animation, human figure ~ 1166
Animats, animals to ~ 1131
annotated
logic 935
predicate calculus APC 347
anomalies 525, 1171
anomalous
extension 450
extension problem in default reasoning 450
anomaly, Sussman's ~ 919
Anselm 636
answering

procedure 129
queries 486, 1338
questions 308
antagonist constraints in a planner 336
antecedent
description language 1101
facts 112
of a clause 1101
of a default 1138
of a production 94
anti-functional constraints 934
antibiotic therapy for bacteremia 93
anticipation of additional constituents of a sentence 595
anytime
algorithms 1227
deduction procedure 1124
modules, reusable ~ 1227
AO* 278
admissibility of ~ 423
search procedure 278
search strategy 1389
AOM, automatic model simplification method 1221
AOP, agent-oriented programming 931
APC, annotated predicate calculus 347
apparent
contour in the image 571
surface-pattern distortion 265
velocity of the brightness pattern 197
appearance
of an object 1271
of scenes 1269
applicability
condition for defaults 649
of Dempster–Shafer theory 619
apprentice programs, learning ~ 1007
apprentice-based approach to knowledge acquisition 1007
approaches to automatic programming 140
approximate
answers 1162
classification 625
consequence relation formulation 1388
descriptions 1144
domain theory 1071
inference with belief networks 924
model 1221
planning 1230
reasoning 381, 1162
reasoning, hardness of ~ 1245
representation 1381
approximately
complete 1230
correct 1230
correct rules 1368
optimal strategy 1259
approximating
Horn theory, best ~ 1225
probabilistic inference 924
approximation 689, 918, 1105, 1162, 1269, 1403
algorithms 553, 920, 1105
algorithms, greedy-like ~ 1253
method in the theory of evidence 1062
methods, Bayesian ~ 1062
methods, consonant ~ 1062
min/max ~ 422
of classical reasoning 1384
of decision reasoning problems 1162
problems 81
theory 1162
to a network 1350
to a relation, Horn ~ 954
to an ideal planner, implemented ~ 1033
to the motion field 1279
approximations 1062, 1144, 1249
causal ~ 1144
complete ~ 1162
Horn ~ 1225
identification of ~ 1144
order-of-magnitude ~ 1338
piecewise linear ~ 540
self-consistent ~ 1221
sound ~ 1162
Arachne distributed operating system 221
arbitrary
association of patterns 695
fluents 599
arc
and path consistency 1357
at the root, best ~ 138
consistency 302, 354, 457, 529, 585, 688, 953, 1125, 1140
consistency algorithm AC-4 688, 934
consistency algorithm AC-5 934
consistency algorithm of Mohr and Henderson 529
consistency algorithms 302, 354, 934
consistency algorithms, optimized ~ 953
consistency, directional ~ 1110
consistency for continuous variables 1140
consistent 462
inconsistencies 97
network ~ 337
architectural requirements for intelligence 932
architecture 634, 1011, 1079, 1368
active vision ~ 1274

agent ~ 1152, 1157
blackboard control ~ 327
cognitive ~ 406
computational ~ 368
connectionist ~ 592, 1181
for adaptive intelligent systems 1157
for general intelligence SOAR 406
highly-parallel dataflow ~ 337
IPUS ~ 1186
learning ~ 634
NON-VON ~ 398
of an intelligent system 932
of cognition 355
of EURISKO 246
of SHUNYATA
parallel marker-passing ~ 550
problem-solving ~ 351
production system ~ 211
reasoning ~ 1345
recognition ~ 1271
Soar ~ 609
SUPREM ~ 343, 493
truth maintenance ~ 352
underlying cognition 600
von Neumann computer ~ 337
[See also "architectures"]
architecture's domain coverage 1368
architectures
control ~ 668, 1161
dataflow ~ 337
flexible control ~ 1073
problem solving ~ 493
[see also "architecture"]
arcs, data connected by ~ 483
ARCS
computational power of ~ 596
program analog retrieval by constraint satisfaction 596
psychological plausibility of ~ 596
ARE, discovery system 538
area surveillance, simulated problem in ~ 234
ARF 2
problem solver ~ 2
argument elimination 247
[See also "arguments"]
argument-based
approach to defeasible reasoning 1092
defeasible reasoning 680, 913
argumentation 1194
as a special form of logic programming 1194
systems generating meta-interpreters for ~ 1194
theory for ~ 1194
arguments, equivalence classes of ~ 680
[See also "argument"]
ARIOSTO2-LEX, large-scale lexical learning system 1364
arithmetic 482
first-order ~ 1081
interval ~ 950
operators 184
qualitative ~ 658
without diagrams 101
arithmetical
hierarchy 1081, 1139
operations 1141
arity 894
arm, computer-controlled ~ 68
arrangement
of items, spatial ~ 1170
tasks, spatial ~ 39
arrangements
generation of two-dimensional ~ 39
of lines 482
array operations 126
arrays 57
arrow puzzle 158
ARS, rule language 112
articulations 1310
of sub-parts 96
artifact 396, 1341
artificial
agent societies 1160
agents 1210
agents, specifications for ~ 548
breadth cutoffs 905
computing networks 1041
artificial intelligence 20, 23, 39, 44, 53, 58, 66, 85, 97, 103, 108, 125, 130, 134, 160, 174, 175, 187, 207, 213, 229, 230, 239, 250, 253, 259, 263, 270, 271, 278, 286, 287, 302, 310, 311, 317, 320, 334, 348, 350, 372, 398, 401, 435, 468, 489, 490, 491, 504, 507, 542, 573, 585, 601, 602, 605, 610, 628, 635, 948, 1011, 1022, 1050, 1105, 1119, 1164, 1168, 1205, 1207, 1287, 1292, 1327, 1335, 1339, 1382
applications of ~ to organic chemistry 263
challenging problems for ~ 601
community 297
distributed ~ 603
frame problem in ~ 458
goal of ~ 108
knowledge representation in ~ 553
machine 398
problems 60

programming 173, 1098, 1099
representations for modeling decisions 1082
research 71, 959
state of affairs of ~ 317
systems 412, 418, 601
systems, large-scale ~ 412
tasks 956
two types of theory in ~ 108
unsolved problems in ~ 70
[See also "AI"]
artificial
life 1134
neural networks 1135
artificial paranoia 11
computer simulation model for ~ 11
theory of ~ 11
reason 1332
sciences of the ~ 267
universes, method of ~ 1247
artificially rotated textured images 565
ask-operations 282
assemblies
language for describing ~ 159
neural ~ 259
of parts 483
assembly 1170
algorithms, planning of ~ 1153
computer-controlled ~ 68
mechanical ~ 1153
operations 1153
product, internal structure of an ~ 1153
assertion of non-unit clauses 686
[See also "assertions"]
assertional
database 268
information 904
knowledge 625
knowledge base 904
assertions
database of ~ 394
entailed by a conditional knowledge base 890
[See also "assertion"]
assessing of positions 280
assignment
of measurements 1067
of parts of speech to words 1356
assignments 1381
of measurements to features 1067
satisfying ~ 1245
truth ~ 1124
association
between concepts 342
heuristic ~ 342
measure 66
of patterns 695
[See also "associations"]
associational reasoning 681
associations
data/hypothesis ~ 237
weakly structured set of if/then ~ 237
[See also association"]
associative
database 112
memory 594, 614, 1070
memory, connectionist-hashed ~ 1070
models 66
pattern recognition machinery 592
retrieval 590
associative–categorical model of word meaning 66
associativity, built-in ~ 107
assumption
retraction 653
sets 653
sets, manipulating ~ 351
[See also "assumptions"]
assumption-based
TMS 351
truth maintenance 396, 516, 527, 987
truth maintenance ATMS 352
truth maintenance system 353
assumptions 527, 660
commit to ~ 1148
disjunctions of ~ 352
independence ~ 304
premisses as ~ 925
underlying intelligence 600
[See also "assumption"]
asymmetric
conditional independence assertions 1263
independence assertions 1263
information 1307
traveling salesman problem 1302
traveling salesman problem, ATSP 1200, 1305
TSP 1302
asymptotic
behavior, uniform ~ 612
behaviour of problems 1300
branching factor 615
fixed point 551
optimality 1200
order of magnitude reasoning 1221
asymptotically equivalent 252
asynchronous 337
DP 1164
evidence 1358

ATMS 353, 682
assumption-based truth maintenance 352
extending the ~ 352
interfacing with the ~ 353
justifications 527
problem solving with the ~ 353
procedure 1222
task 1249
ATN, augmented transition network formalism 155
atomic predicate 669
ATP-methods 214
ATSP, asymmetric traveling salesman problem 1200, 1305
attachment
methods 1095
universal ~ 1095
attention
computational models of ~ 1273
control of perceptual ~ 1277
controlling visual ~ 1277
in machine vision 1273
model, visual ~ 1273
primate visual ~ 1273
attentional
bias 1273
capacity 1362
control 1289
attitudes, propositional ~ 426
attractors in phase space 551
attribute, irrelevant ~ 1247
[See also "attributes"]
attribute-based instance spaces 460
attributes 309, 347
a priori given multi-valued ~ 347
common to positive instances 642
concept as a set of ~ 642
description ~ 1247
tree-structured or linear ~ 460
attributive concept descriptions 611
[See also "attribute"]
augmented
recursive transition network 28
transition networks 28, 155
Aussonderungs axiom of ZF set theory 385
auto-associative encoder networks, three-layer ~ 592
auto-epistemic 282
autocircumscription 461
autoepistemic
and default logic, equivalence of ~ 449
expansion 1154
expansions, generalized ~ 1154
expansions of modal theories 1154
formulas 1365
logic 303, 449, 516, 549, 566, 603, 639, 677, 922, 984, 1096, 1154, 1365
logic, Moore's ~ 1154, 1365
reasoning 449, 922, 1097, 1154
automata
deterministic finite-state ~ 1176
theory 1339
theory, situated-~ 1209
automatable strategies for the formation of iterative loops 316
automate protocol analysis 23
automated
agents 1174, 1353
deduction 504
defeasible reasoner, OSCAR 1092
design 392
design of specialized representations 692
diagnosis 297, 465
diagnosis of hardware faults 372
dictionary construction 1371
discourse generation 1085
engineering 992
generation of multisentence texts 1085
generation of two-dimensional arrangements 39
methodology for understanding planner behavior 1236
model management system 918
negotiation 1352
planning 1085
processing 239
program recognition 582
reasoning 275, 1141, 1381
reasoning about machines 1156
reasoning assistant 275
reasoning systems 328
reasoning under uncertainty 651
replay 520
replay of design plans 520
space planning 39
synthesis 1141
synthesis of arbitrary specialized agents 1210
theorem prover 324
theorem proving 275
automatic analysis
of dynamic systems 540
of ordinary differential equations 612
of phase portaits program PSX2PWL 1215
of the topological structure of a phase portrait 1215
automatic
calibration 1387

chromosome analysis 8
classification 347
combination of features 452
complexity analysis 374
computation of limits 40
construction of SHUNYATA's heuristics 1055
conversion 129
conversion of natural language input 129
creation of a plan taxonomy 1339
debugging 172
debugging of picture drawing programs 73
debugging program, LAURA 172
derivation of rules 263
dictionary creation system, AutoSlog ~ 1371
dynamical analysis 1156
explanation of decisions 1082
functional programming 1195
functional programming system, ADATE 1195
automatic generation
of a plan 153
of a program 153
of abstraction hierarchies 1150
of goal hierarchies 402
of hierarchical partially ordered plans 274
of operators 915
of proofs in English 88
automatic
interpretation of off-line handwritten text 1100
invention of recursive auxiliary functions 1195
kinematic analysis 1156
knowledge base refinement 442, 1071
learning 185
learning of goal hierarchies 402
problem-solving 12
program synthesis 70, 153
programmer 256
automatic programming 238
approaches to ~ 140
framework, LIBRA 238
in CAI 71
knowledge-based ~ 140
of behavior-based robots 903
systems 140, 247
automatic
proof of Gödel's incompleteness theorem 1055
qualitative analysis 540
recognition 50, 1037
recognition of continuous speech 50
refinement 442
selection of models 660, 1144
selection of models, formalization of the problem of ~ 1144
switching of models 660
synthesis 239
synthesis of robot motions 392
synthesis of social laws 1160
text analysis 1060
theorem prover 63
automatic theorem proving 26, 107, 166, 500
heuristics in ~ 13
in set theory 118
reduction heuristics in ~ 13
system, MUSCADET 500
with equality 9
automatic theory refinement 1071
automatically
analyzing qualitative behaviors 1113
answering questions 129
generating abstractions 1103
automating
the acquisition of knowledge 959
the learning of heuristics 3
automation of set theory and its logic 127
automorphism
graph ~ 254
partition 254
partition of a graph 254
automorphisms
coarsening a partition 254
refining a partition 254
autonomous
agents 634, 1152, 1174
agents, analysis of ~ 1158
agents, collaborating ~ 1177
agents, synthesis of ~ 1158
planar systems of ordinary differential equations 612
robots 1153
systems, intelligent ~ 1161
vehicle 475
AutoSlog, automatic dictionary creation system 1371
available evidence 1039
average
case algorithms 553
complexity 1231
complexity of A* 179
efficiency 1018
frequency of satisfiability 1301
Holder constant 565

number of nodes expanded 252
number of solutions 249
number of terminal nodes examined 122
search cost 1184
search efficiency 487
time 249
time complexity 618, 1125
time complexity of AC-6 1125
average-case
analysis 1303
complexity 1305
complexity analysis 920
performance 1146, 1200
situations 572
avoidance
behavior, neural mechanism of ~ 1208
in frogs 1208
avoiding
repeating mistakes 955
repetition of planning effort 896
awareness 421
Awari game 1066
axes of symmetry 357
axiom
existence of situations ~ 1183, 1224
frame ~ 450
list 1220
of ZF set theory, Aussonderungs ~ 385
sets 16
sets for natural-language constructions 16
systems 597, 697
[See also "axioms"]
axiomatic
Herbrand approach 31
set theory 118
theory, theorems in ~ 4
axiomatics for belief 1019
axiomatization 64, 1348
for LL 405
for preference logics 541
of common belief 1198
of only knowing, Levesque's ~ 1256
axiomatizations, complete ~ 697
axiomatizing probability logics 597
axioms 9, 917
closure ~ 684
depiction ~ 532
domain ~ 630
domain-dependent ~ 374
encoding observations 1183
for belief functions 696
image ~ 532
logical ~ 374
of probability theory 368
scene ~ 532
terminological ~ 1385
transitivity ~ 377
[See also "axiom"]
axisymmetry 456

B

B algorithm 277
B&B, branch and bound 251, 278
[See also "BnB"]
B* 362
Hitech 1340
method 138
probability based search algorithm 1340
search 447
search, Berliner's ~ 206
tree search algorithm 138
probabilistic ~ 1340
back chaining theorem prover, sequent-style ~ 535
BACK system 433
back-propagation learning 515
backchaining approach, preimage ~ 667
backgammon 515
computer program 165
world champion 165
24
background knowledge 638, 1101
of the world 1033
problem ~ 235
backjumping 539, 1110
heuristic 1231
backmarking, Gaschnig's ~ 168
backprojection 262, 587
backpropagation 592, 1135
backtrack
algorithm 250, 618
algorithm, optimal ~ 1146
enhancement schemes 1146
information 1192
search 618
search, depth-first ~ 1231
search procedure 1231
[See also "backtracking"]
backtrack-free procedures sequential ~ 502
backtracking 97, 112, 242, 249, 351, 502, 566, 618, 949, 962, 1110, 1129, 1150, 1202, 1357
algorithm 539, 956
dependency-directed ~ 146, 653, 962, 1380
intelligent ~ 1295
limiting ~ 1394
methods 249

procedure 232
procedure, selective ~ 336
schemes 1231
search 168
search without ~ 502
standard ~ 168
strategies 1380
techniques 952, 1231
backward
analysis, logic-centered ~ 134
chaining 62
chaining process 645
chaining rule 101
in time, reasoning ~ 630
inference 507
inference strategies 507
propagation 1367
reasoning 563, 1145
search 563
[See also "backtrack"]
backward-chained reasoning 563
bacterial-organism identification problem 328
Baker, Andrew ~ 1183
Baker's approach to the frame problem 1183
Balaban, M. 1328
balance
assumptions 1221
assumptions, inconsistent ~ 1221
balanced incomplete block designs 254
bandwidth condition 56
restriction on an heuristics 56
Barnden, John A. 1047
barriers 268
base-level problems 914
basic label sets 169
BASIC language 239
basic LISP mutators 247
basins of attractors 612
basis
for a query language 1264
of a knowledge base 1264
basketball game summaries, corpus of ~ 1373
Bayes' rule 186
Bayesian
approach, subjective ~ 964
approximation methods 1062
belief network 912
belief network, discrete ~ 1005
belief networks 553, 644, 924, 1175, 1245, 1289, 1377
data association framework 1067
decision theory 60
diagnosis 689
evidential updating 391
framework 358
learning 452, 556
model 437
model of plan recognition 1006
multinets 1263
multiple hypothesis approach 1067
Bayesian network 1006, 1253
MAP solution 1069
model 1263
structure 1410
Bayesian networks 598, 1005, 1358, 1366, 1367, 1377, 1396, 1397
irrelevance in ~ 1410
parameter learning in ~ 1410
Bayesian
point probability 689
probability theory 1006
scheme for inexact reasoning 683
subnet 1358
theory 1258
updating 186, 304, 683, 1006, 1338
updating methods 366
updating on uncertain evidence 391
upper and lower probability 1065
valuation network 1212
behavior 11, 492, 989, 1274
adaptive ~ 1131
agent's ~ 1158, 1166
Animat-like ~ 1152
causality in device ~ 359, 361
complex visual ~ 1274
context of ~ 1166
correct system ~ 395
critical ~ 1304
cycle's ~ 371
deriving structure from ~ 1265
descriptions of system ~ 371
descriptions, qualitative ~ 369
device ~ 993
economist's approach to system ~ 361
effective language ~ 1362
effective problem-solving ~ 234, 1386
electrical circuit ~ 545
engineer's approach to system ~ 361
exaggerated ~ 570
from structure 293
inferred ~ 298
input/output ~ 1176
instinctive ~ 1208
intelligent ~ 115, 406
interstate ~ 291
intrastate ~ 291

large signal ~ 295
learning 903
long-term ~ 1156
model of cooperative ~ 176
nonmonotonic ~ 575
of a composite device 291
of a composite device from the behavior of its components 298
of a dynamical system, long-term ~ 551
of a scheduling system 955
of a system, characterizing the ~ 581
of alpha-beta pruning 75
of alpha-beta search 122
of an algorithm 137
of classes of problems, typical ~ 1292
of clichés 582
of composite systems 294
of electronic circuits 294
of expert circuit analyzers 112
of game-searching methods 162
of mechanisms 291, 293
of search algorithms 1301
of systems, qualitative analysis of ~ 1215
of the composite device 396
of the individual components 294
original ~ 570
over time 1083
paranoid input–output ~
pathological ~ 229
pattern 1152
patterns of ~ 1236
physical system ~ 663
planned ~ 1241
planner ~ 1236
predicting machine ~ 1156
prediction 396
produced by QSIM, qualitative ~ 369
qualitative ~ 1265
reactive ~ 1211, 1241
reflective ~ 1208
schemas 1241
simple reactive ~ 1152
simulation of ~ 1011
situation-triggered ~ 1157
stabilization ~ 1159
target ~ 1152
verbal ~ 23
visual ~ 613
walking ~ 1158
[See also "behaviour", "behaviors"]
behavior-based robots 903
behavioral
abstraction 371
description 293
goals for intelligent control 327
models 1156
realities 1172
behaviorism, strict ~ 1172
behaviorist
claims 1172
classical ~ 1011
intelligence 1172
methodology 1011
position, computational ~ 1172
behaviors
of an agent 1241
qualitative ~ 1113
unpredictable source ~ 1186
[See also "behavior", "behaviour"]
behaviour
of updating systems 1375
patterns of ~ 1289
[See also "behavior", "behaviors"]
belief
ability to imagine an event and ~ 1025
arguments, construction of ~ 527
arguments, quantitative ~ 527
as defeasible knowledge 1019
as evidence 696
as generalized probability 696
as knowledge-relative-to-assumptions 1019
axiomatics for ~ 1019
base, finite ~ 1254
certainty of ~ 363
commitments 413
coordination 1362
degrees of ~ 413, 597, 1245, 1378
explicit ~ 1213
extended logic of ~ 549
functions 651, 696, 1065, 1258
functions as representing evidence 696
functions, axioms for 696
implication problem for ~ 1151
implicit ~
logic of implicit and explicit ~ 1213
logical problems about ~ 356
logics 1151, 1311
logics for ~ 421
logics of ~ 549
measure of ~ 368
minimal ~ 1142
modal logic system of common ~ 1198
modal logic system of individual ~ 1198
modal logics of ~ 697
model of ~ 1025
model transferable ~ 1065

modeling ~ 1151
monotonicity rule of individual ~ 1198
mutual ~ 1086
belief network 907, 912
Bayesian ~ 912
discrete Bayesian ~ 1005
topology 1175
belief networks 368, 553, 626, 907, 924, 997, 1069, 1212, 1377
Bayesian ~ 924
MAPs for ~ 1175
multiply connected ~ 644
probabilistic ~ 907
robustness of ~ 1377
sensitivity of ~ 1377
belief
operators 931
properties of ~ 1025
reasoning 1154
reasons for ~ 649
representation of ~ 391
belief revision 435, 651, 686, 962, 1038, 1096, 1097, 1178, 1249, 1254, 1338
distributed algorithms for ~ 413
logic for reasoning about ~ 1096
model canonical ~ 962
belief
revision of ~ 413
belief revision
strategy, complete ~ 962
system 435
theory of ~ 651, 1038
belief
set 1250
set, logically closed ~ 1254
systems of others models of the ~ 146
theory of ~ 356
theory, Shafer–Dempster ~ 527
to knowledge, reducing ~ 1019
update 1250
updating 413, 686, 1212
updating a ~ 696
values 577
weak axiomatization of common ~ 1198
[See also "beliefs"]
beliefs 146, 151, 281, 303, 315, 356, 363, 368, 391, 413, 421, 426, 435, 527, 548, 549, 553, 577, 597, 626, 633, 638, 644, 651, 682, 686, 696, 697, 907, 912, 924, 931, 962, 1005, 1019, 1025, 1038, 1065, 1069, 1086, 1096, 1097, 1142, 1151, 1154, 1171, 1175, 1178, 1198, 1212, 1213, 1245, 1249, 1250, 1254, 1258, 1289, 1311, 1338, 1348, 1362, 1377, 1378
about another agent's beliefs 548
about another agent's intentions 548
about beliefs 421
acceptable sets of ~ 649
agent's ~ 548
alternative systems of ~ 146
coherent states of ~ 1338
conflicting ~ 1185
context bounded ~ 682
current set of ~ 146
deductively closed ~ 1338
derived ~ 151
explanations of ~ 146, 527
limited ~ 1311
method of generalization with ~ 145
minimal core of ~ 671
of active processes 149
of an agent 421
of humans 421
prescriptions for extending ~ 682
quantified ~ 1065
reasoning about ~ 356
relevant ~ 548
representation of ~ 1036
validity of ~ 682
[See also "belief"]
BELIEVER system 130
believers out of computers, making ~ 373
Bell laboratories text-to-speech system 1060
benchmark
for chess programs 30
for satisfiability testing procedures 1293
problems 1405
benchmarking satisfiability algorithms 1199
beneficial decoy lies 1352
Berlekamp's algorithm, Wang's implementation of ~ 86
Berliner's B* search 206
best
approximating Horn theory 1225
arc at the root 138
available action 1399
explanation for a given set of observations 1034
explanation inference to the ~ 1059
explanation of a set of data 631
k-Horn approximation to a relation 954
order for processing 507
ordering for a set of conjuncts 323
production rule 580
best-first
algorithm 1069

algorithm for finding least-cost proofs 1069
evaluation criterion 171
extension algorithm, hybrid ~ 1344
fixed-depth game-tree search algorithms 1374
fixed-depth minimax algorithms 1374
heuristic search 331
minimax search 1344
node information 1206
order 965
proof procedure 138
search (BFS) 1200
search 274, 535, 965
search algorithm 392, 534, 650, 1069, 1374
search algorithm linear-space ~ 965
search strategies 1389
tree search 1342
best-match retrieval 1070
best-possible order of training examples 432
beta
distribution 689, 1396
probability distributions 689
beta-binomial distributions 1396
beta-expansion 91
BFS, best-first search 1200
BHPA search algorithm 487
bi-directional search 331
bi-valued variables 894
bias 460
attentional ~ 1273
inductive ~ 460
biasing property of game trees 207
BIDA*, perimeter search algorithm 1266
bidirectional
algorithms 487, 1266
context-free grammar parsing 1118
heuristic search algorithms 487, 1266
interaction 1186
parsing 1118
strategies 1118
tabular parsing 1118
translation 1080
bifurcation
points 612
set, view ~ 571
BILL, Othello program 556
BILL's playing strength 556
binary
clauses theories with ~ 1245
constraint satisfaction problems 168, 1122, 1300
constraint satisfaction problems, random ~ 1296
constraints 632
constraints network of ~ 894
CSP 934
defaults 637
disjunctions of PA-relations 1169
relations 118
strings 1072
tree 248
binding, dynamic variable ~ 613
binocular
channels 202
combination, processes of human ~ 202
combination rules, global ~ 202
image data 456
biochemistry 911
biological
design principles 1208
evolution 247
biology 911
computational ~ 1135
of consciousness 1056
bipartite graph 1143
minimization problem 1143
birds flying example 508
Birkhoff's completeness theorem 382
blackboard
architecture for control 327
control architecture's strengths and weaknesses 327
control system 327
expert systems 679
BLAH, a system which explains its reasoning 170
BLAH, design of ~ 170
blending surfaces 481
blind
alleys 90
search techniques 905
block
designs, balanced incomplete ~ 254
structure 473
block-shaped objects in an urban scene 376
blocking graph, non-directional ~ 1153
blocks and wedges scenes with a few ~ 41
blocks-world 919, 930
operator set 930
operators 163
planning 919
problems 63, 1117
structure 154
BnB, branch and bound 1302, 1305
BnB
depth-first ~ 1305
on random trees, computational complexity

of ~ 1302
[See also "B&B"]
board games 3
board-game method 1193
Bobrow and Webber 672
Bobrow, Daniel G. 1028
Boden, Margaret 1316, 1317, 1319, 1320, 1321
body of evidence 5
Bohanec and Bratko 1308
BoltzCONS connectionist model 590
Boltzmann
machine learning 907
machines 907, 1185
Boolean
algebra canonical term-rewriting system for ~ 314
circuit design knowledge base for ~ 1007
combination of propositions 1240
constraint propagation 653
domains 1121
function, learning of a ~ 1214
function minimization 1105
function of a knowledge base 1105
functions, characterization of ~ 1381
logic 114
satisfiability
satisfiability problem 1305
bootstrapping problem 595
BORIS, experiment in in-depth understanding of narratives 233
Bossu and Siegel 345
bottom-up
heuristics 260
lazy-evaluation 451
processing 1118
boundaries 1077
between regions 551
discontinuity ~ 194
extremal ~ 194
object ~ 195
occluding ~ 196, 1001
topology of ~ 1204
boundary
between two cells 911
conditions 196
locations 1204
representation scheme 1037
surface ~ 194
bounded
indeterminacy 1187
rationality 1243
boundedness 540
bounding
abstractions 918
box for the system state 612
the depth of nesting of modal operators 1267
the number of primitive propositions 1267
bounds
on differences 1257
on position values 560
querying ~ 1257
box pushing task 903
Brachman and Levesque 433
Brachman, Levesque and ~ 625
Brady 255
Brady's smoothed local symmetry representation 383
brain 1015
computational ~ 1383
function 259
view of the ~ 652
brain-gatekeeper-user
hierarchy 1218
three-layer model 1218
brains
of animals 1208
of robots 1208
Braitenberg V. 340
branch and bound 251, 650, 1305
algorithm IDA*–CR, iterative depth-first ~ 650
B&B 251
BnB 1302, 1305
depth-first ~ 1200
general ~ 278
heuristic for ~ 1391
[See also "BnB", "B&B"]
branch
costs 232
costs, unit ~ 179
branch-dependent terminal node scores 99
branching
conditional ~ 83
degree 162, 252, 1249
branching factor 122, 253, 1200
asymptotic ~ 615
non-uniform ~ 1066
of alpha–beta search 122
of SSS* 252
Bratko, Bohanec and ~ 1308
Bratman's
account of shared cooperative activity 1351
three characteristic functional roles for intentions 548
Brazdil's rule-learning program 335
breadth

cutoffs, artificial ~ 905
hypothesis of AI 607
of the game tree 143
breadth-first search 37, 331, 965, 1128
procedure S&M 37
procedure S&R 37
breaking an image into meaningful regions 60
Brewka 1138
Brewka's
CDL 1148
cumulative default logic 1182
brightness
change constraint 1281
image 1001
levels 197
pattern 197
brittleness problem of rule-based models 1181
broken semantic preferences 135
Brooks, Rod 606
Brown 929
Brown, de Kleer and ~ 359, 360, 361
Brown, J.S. 325, 326
brute-force 1340
game-playing programs 561
search 30
searching 561
BS* 487
BS* algorithm ~ 487
BS*'s average search efficiency 487
bubble sort 126
Buchanan et al. 188
bucket brigade algorithm 522
Buffon transform 587
BUILD, computer program for generating building plans 47
BUILD planning 47
[See also "BUILD's"]
builders of expert systems 227
building
a global model of an object 1275
expert systems 305, 306
integrated cognitive agents 1012
large knowledge-based systems 937, 938, 939, 940, 941, 944
of complete intelligent creatures, incremental ~ 605
BUILD's implementation language CONNIVER 47
[See also "BUILD"]
built-in commutativity 107
Bundy, Prieditis, van Harmelen and ~ 1004
BURIDAN, efficiency of ~ 1240
BURIDAN, implemented least-commitment planner 1240
bypassable causal selection networks 82

C
C conditional logic 541
C-13, organic chemistry analysis of ~ 263
C-restricted monotonicity 1198
c.m.i. model 621
CABINS, system of knowledge acquisition and revision for scheduling 1242
cached plans 1230
caching
context-based ~ 1155
knowledge ~ 1155
CAD
databases 1037
description 666
CADUCEUS, expert system 679
CAI
computer-assisted instruction 71
system for computer programs 71
calculating criticalities 1394
calculus 291, 295
limit theorems of elementary ~ 26
of events 1189
calibrated camera 1281
model 54
calibrating computer controlled cameras 54
calibration 1269
automatic ~ 1387
of the camera 1271
techniques 54
camera
calibration of the ~ 1271
model, calibrated ~ 54
observations 1283
orientation of the ~ 1271
parameters 1270
position of the ~ 1271
positions space of ~ 571
cancellation
effects among hypotheses 631
of obstacles 579
cancellations, obstacle ~ 579
candidate
elimination algorithm, Mitchell's ~ 1192
explanations 1006
path 476
space 1040
Candide, system for interactive acquisition of procedural knowledge 643
canonical

belief revision model 962
forms 40
forms of mathematical formulas 40
term-rewriting system for Boolean algebra 314
capabilities 931
mental ~ 932
capability operators 931
car sequencing 951
Carbonell, J.G. 310, 311
carcinogenicity 1370
card game Eleusis 309
cardinality restrictions 1385
on concepts 1385
careful closure procedure 375
completeness of the ~ 375
soundness of the ~ 375
Carnegie-Mellon university 39
carrier grid, spatial frequency ~ 24
carry-chain circuit 1219
Cartesian manipulators 392
cartography 104
cascaded inference 689
case
adaptation 1368
analysis 97
arguments 308
indexing 1368
systems 76
systems for natural language 76
case-based
approach to explanation 525
explainer 525
learning method 1242
planner 583, 1230
planner for cooking, CHEF 583
reasoning 1361, 1368
case-less languages 76
CASNET
causal-associational network 133
expert system in medicine 132
models of disease 133
catalog
of types of distinctions between languages 1080
selection 342
categorical
acceptance 413
and probabilistic reasoning combination of ~ 132
models 66
reasoning 998
reasoning in medical diagnosis 132
categorical–associative model, dual ~ 66
categories 969
of preferences 633
[See also "category"]
categorization, text ~ 1073
category
formation 525
of processes 546
of properties 546
[See also "categories"]
causal
accounts of physical mechanisms 291
analysis 294
approach 630
approaches to system analysis 361
approximations 1144, 1272
calculus, qualitative ~ 359
connections 412, 1145
dependency relations 1083
explanations 573, 583, 1144
explanations, generating ~ 1272
explanations, generation of ~ 545
inferences 524, 908
information, complete ~ 525
linking 679
links 1129
links, multi-contributor ~ 1129
minimisation 1189
minimization 1262
model progressions 545
modeling 1338
models 400
causal ordering 360, 361, 1083, 1144
approach 361
around feedback loops 360
definition of ~ 1083
theories of ~ 360, 361
causal
organizations, modularity of ~ 1338
projections, reasoning about ~ 1338
causal reasoning 292, 445, 681, 1145
qualitative ~ 369
systems, qualitative ~ 369
causal relations 231, 1144
entailed by a model 1144
causal relationship 295, 363
among constraints 295
causal
relationships 188, 1034
rules 1338
selection networks bypassable ~ 82
simulation 371
causal structure

of networks 1289
of plans 896
plan ~ 1129
representations 1129
causal structures 1129
multi-contributor ~ 1129
single-contributor ~ 1129
causal theories 464, 621, 684
propositional ~ 621
causal theory imperfect ~ 1104
causal-associational network CASNET 133
causality 291, 293, 308, 360, 445, 630, 993, 1083
formal characterizations of ~ 359
in device behavior 359, 361
intuitive concepts of ~ 359
mythical ~ 361
causation 464, 1145
as a preference criterion 1145
flow of ~ 445
cause and effect, knowledge of ~ 82
causes
of a failure 583
of pathology 253
of pathology in games 229
of plan failures 1236
plausible ~ 1250
cause–effect relations 1083
cautious form of inheritance 966
cc(FD) program 951
cc(FD), CLP language 951
CDL
Brewka's ~ 1148
cumulative default logic 1148, 1182
extensions 1182
cells 571
of stable views 571
cellular decomposition of view space 571
censored
data 1363
production rules 363
centralization
of control 106
of information storage 106
versus decentralization 106
centralized control 337
certainty
of belief 363
of conclusions, variable ~ 363
of an implication 363
chain
in a graph 1169
of inferences 309
chaining
backward ~ 62
forward ~ 62
rules 101
champion Othello program, IAGO 230
chance 257, 1223
change 599
continuous ~ 1189
directions of ~ 293
gradual ~ 43
in a system's current knowledge 459
minimal ~ 1243
morphological ~ 495
of ordering among models 698
or non-change in scene topology 1204
over time 1145
reasoning about ~ 441, 1104
shape ~ 495
theory ~ 1375
[See also "changes"]
changed planning situation 896
changes
in images of objects 54
in objects over time 292
minimality of performed ~ 962
of the knowledge base 563
scenario ~ 1186
[See also "change"]
changing
environment 507, 1161
image 289
intensity pattern of ~ 289
model accuracy 918
observations 1338
representations in problem solving 158
taxonomical information 904
the logic 453
world 1250
chaotic dynamics 661
Chapman 1233, 1248
Chapman, David 1132
Chapman's plans 1248
character recognition 642
characterising tractable constraints 1122
characteristic
clauses 916
functions 247
models 1225
models, set of ~ 1381
views of an object 571
characteristics 1215
of human intelligence 610
characterization
of Boolean functions 1381

of cumulative default logic 1182
of default logic by classical logic 1343
of heuristics 53
of knowledge, use-independent ~ 602
of reasoning problems 916
of truth-functional consistency 80
characterizations
of causality, formal ~ 359
of LISP strings 79
characterizing
diagnoses 917
entities, descriptive concepts for ~ 347
processes by equations 1083
rule 309
systems 917
Charniak, Eugene 173
chattering variables 664
Chavchanidze, V.V. 103
cheapest path 248
checker experts 52
checkers
game of ~ 52
program Chinook 685
program, world championship caliber ~ 685
checking specificity 680
CHEF, case-based planner for cooking 583
chemical
reaction 1039
reaction knowledge base 134
solutions, acidity of ~ 657
structure, target ~ 134
chemical synthesis
evaluation of ~ 134
program SECS 134
simulation of ~ 134
chemistry 1226, 1370
analysis of C-13, organic ~ 263
machine discovery in ~ 1039
chemist–computer team 134
Cherniak, Christopher ~ 506
Chervonenkis, Vapnik and ~ 460
chess 447
combination program 105
computer ~ 123, 557, 670, 1340
endgames, pathologies in ~ 562
game tree, natural branches in the ~ 105
grandmasters' intuition 562
king and pawn endings in ~ 280
machine, HITECH ~ 555, 1340
master games, compressing ~ 670
masters 138, 164
middle game positions in ~ 164
move, selecting a ~ 164
patterns in ~ 164
pawn endgames 280
plans in ~ 164
playing program 77, 561
playing program KAISSA 77
position 164
chess program 206, 559, 670
HITECH 493
PARADISE 164
technology ~ 30
chess programs 77, 280, 331, 555
benchmark for ~ 30
playing strength of ~ 555
chess
tactics 560
trees 138
world championship level ~ 555
chi-squared test 587
Chierchia, Gennaro ~ 967
child language learning 365
computer model of ~ 365
Chinook checkers program 685
CHIP, CLP language 951
choice
of modal operators 697
spatial arrangements for ~ 1170
with commitment 548
choices
nondeterministic ~ 951
of reasoning methods 1157
of reasoning tasks 1157
Chomsky's description of linguistic transformations 427
choosing
between incompatible hypotheses 631
good search orderings 250
chromosome
analysis, automatic ~ 8
data, clustering of ~ 8
matching 8
chronic contention 955
chronological ignorance 464
chronological-backtracking
method 1193
problem-solving method 1193
chronology of computer chess 123
Chronos computer question answering program 25
chunk instances 280
chunked knowledge 280
CHUNKER chess program 280
chunking 280, 402
Churchland, Patricia S. 1383

CIRCA, cooperative intelligent real-time control architecture 1161
circuit analysis
computer-aided ~ 112
program EQUAL 294
circuit
analyzers, expert ~ 112
array, iterative ~ 38
behavior, simulation of ~ 545
cost 1007
circuit design 295, 545, 1341
Boolean ~ 1007
digital ~ 1007
system for ~ 1341
circuit
diagnosis 413
functioning 294
functions 294
models 662
modules, decomposing ~ 1007
performance 295
schematics 662
state variables 295
theory 295
topology 294
circuits 294, 395
design of ~ 520
diagnosis of ~ 657
digital ~ 662
electronic ~ 294, 296
implemented diagnosis system for ~ 296
integrated ~ 295
MOS ~ 295
circular definition 1086
of mutual belief 1086
circumscribing
all predicates in the database 338
with sets 385
circumscription 148, 150, 338, 345, 346, 349, 380, 385, 397, 461, 485, 486, 488, 508, 511, 516, 603, 630, 639, 677, 698, 699, 922, 970, 1020, 1092, 1142, 1262, 1384, 1403
algorithm 485
algorithms 699
closed nonrecursive ~ 511
completeness of ~ 511, 970
consistency of ~ 380, 511
first-order ~ 346, 385
history of ~ 1020
McCarthy's ~ 380
model theory of ~ 346
nonseparable ~ 508
open and recursive ~ 511
operator 1262
policy 630
predicate ~ 516, 699
principle 461
prioritized ~ 345, 485, 516, 682
satisfiability of ~ 345, 1403
second-order ~ 385
standard ~ 511
translating defaults to ~ 397
without varying predicates 699
circumscriptive
approach robust ~ 1183
calculus of events 1189
theorem prover 508
theorem prover, implemented ~ 508
theorems 346
theories 486, 508
civilized discourse 106
clarity of interpretation 1258
Clark's query evaluation procedure QEP 375
Clarke tax mechanism 1353
clash of intuitions 622
CLASP
algorithms for plan subsumption 1339
classification of scenarios and plans knowledge representation system 1339
representation language 1339
class
attribute 1247
hierarchy of AIS niches 1157
model and its representations 1247
of mappings called abstractions 181
of constraints 1257
classic AGM postulates 1096
CLASSIC, subsumption-based knowledge representation language 1339
classical
AI research 604
behaviorists 1011
conditionalization 391
default reasoning 1182
EBL 955
learning algorithm 460
logic 593, 640, 1311, 1343
logic, semantics of ~ 593
logics 1191
mechanics 454
modal logics 1248, 1388
monotonic inference 1384
notions of logic 549
pattern classification methods 452
physics 291

planning 1229
planning systems 958
probability functions 391
propositional logic 1213
propositional theories 1343
resolution 1068
sorting algorithms 1141
syntax 895
classification 512, 580, 625
accuracy 1071, 1143
acoustic ~ 50
approximate ~ 625
automatic ~ 347
contour ~ 480
diagnostic ~ 689
errors 432
expert system 1143
generation process 347
goals of ~ 347
heuristic ~ 342, 584, 976
human ~ 347
learning ~ 432
of bifurcation points 612
of heuristic search algorithms 1389
of plans 1339
of problems 563
of scenarios 1339
of scenarios and plans knowledge representation system CLASP 1339
of spatial arrangements 1170
of the intersections of drawings 59
pattern ~ 452, 907
principled ~ 1170
problems 432
processes 347
program CLUSTER/S ~ 347
projective ~ 481
reasoning 342
sound and complete ~ 625
systems 442
tasks 1071
taxonomic ~ 625
techniques 580
tractability ~ 894
trees 21
classified examples 1135
classifier systems 522, 1152
extensions of ~ 522
CLASSIT, incremental concept formation model 518
clausal
knowledge base 904
logic 216
clausal theories 1201
first-order jk-~ 1201
first-order range-restricted ~ 1201
clause 21, 46, 249, 963, 1101
condensing algorithm 963
form of the first-order predicate calculus 67
grammars, definite ~ 155
graph resolution system 648
non-condensed ~ 963
recursive ~ 536
representation 67
resultant ~ 10
strongly condensed ~ 963
white-knight declobbering ~ 1248
clauses 181, 459, 916, 929, 1068, 1245
data structure for a set of ~ 142
determinate function-free ~ 1187
inconsistency of a set of ~ 213
irrelevant ~ 1295
logic-style ~ 653
multiple ~ 1187
of a deduction, initial ~ 10
of constant depth 1187
of constant locality 1187
premise ~ 237
PROLOG ~ 536, 1187
set of ~ 301
with bounded indeterminacy 1187
with up to k literals 1201
Clayton, Jan E. 960
cleanliness 136
CLEARTOP expedient 163
clichés 582
behavior of ~ 582
in programs 582
programming ~ 1101
relations between ~ 582
client–server concept 1218
clinical audiology 584
CLIP, concept learning from inference patterns 1219
clique trees 1212
CLOCK, reasoning program for complex two-dimensional mechanisms 666
clocks 666
clockwork mechanisms 1156
Clore, Gerald L. 694
close coupling 904
closed
circumscription 511
convex sets 391
E-saturated databases 338
loops 571

closed-world
assumption 301, 338, 375, 485
assumption, CWA 485
assumption, Reiter's ~ 639
databases 338
evaluation of queries in databases 338
reasoning 1384
closure 1260
axioms 684
in causal theories 684
of goals under logical implication 1243
of roles, transitive ~ 1379
operation 890
procedure 375
rational ~ 890
closures 486
Clowes–Huffman–Malik labelling scheme 1102
CLP
constraint logic programming 948, 951
language cc(FD) 951
language CHIP 951
languages 951
cluster
of beliefs 421
of particles 203
tree 1366
CLUSTER/S, classification program 347
clustered data, perfectly ~ 8
clustering
conceptual 347
of chromosome data 8
statistical ~ 903
techniques 574, 1249
tree ~ 502
clusters, word ~ 66
cluttered
environments 574
scenes 574
cn-search 1066
CNF
concepts k-~ 460
formulas random ~ 1297
theory 954
co-NP-complete 567, 963, 1343
co-NP-hard subsumption problems 687
CO-OP, natural language database query system 226
co-ordinate system 1224
coaching 545
coarse
equilibrium 657
knowledge 693
coarse-grain analysis 1208
coarse-to-fine
control structure 1276
image acquisition 1284
CODASYL, database management system 226
CODE, description language for patterns 114
coding grid ~ 24
coercion of representation 473
coercions 1059
coexistence of multiple programs 1160
cognition 315, 357, 367, 428, 600, 627, 1009, 1010
architecture of ~ 355
architecture underlying ~ 600
computation and ~ 497, 498, 499
computational models of ~ 1360
connectionist theories of ~ 255
creative ~ 1323
epistemology and ~ 428, 429
music ~ 1327
understanding ~ 386, 387, 388, 389, 390
unified theories of ~ 1009, 1010, 1011
unified theory of ~ 1012, 1013, 1014, 1015, 1016, 1017
cognitive
agents, building integrated ~ 1012
architecture 406
competence modeling ~ 1011
learning 55
map full ~ 431
map raw ~ 431
mapping process 431
maps 431
cognitive model 347
of classification processes 347
cognitive modeling 543, 1045, 1111, 1360
cognitive models 412, 1011, 1360
languages for specifying ~ 1360
cognitive
musicology 1328
notions 315
point of view 693
primitives 357
processes 327
psychology 161, 228, 276, 313
science 497, 498, 499, 568, 1011
scientists 1011
simulation 526
simulation studies 526
structure of emotions 694
tasks 115, 406
theories 1360
theory 1360
Cohen, Philip R. 968
coherence 1343

concept ~ 308
in attributive concept descriptions 611
of extended dialogue 269
of network inference representations 379
rules for surfaces and edges 42
coherent
belief revision 1338
disparity surface 1276
inferencing 400
lower previsions 1258
model, globally ~ 894
states of beliefs 1338
structures 412
upper previsions 1258
Coiffet, Philippe 411
coincidental alignments 154
Colby, Kenneth Mark ~ 74
collaborating autonomous agents 1177
collaborative planning 1351, 1362
dialogues 1362
in dialogue 1362
collaborative plans 1351
collapsible cases of circumscription 488
collapsing an infinite set of distinct behaviors into a few 664
collective phenomena 1041
Collins, Allan 694
collision 47
collision-free
motions planning ~ 476
path 392, 667
Colmerauer 216
and Kowalski 155
colon endoscopy 964
colored digraph 1219
coloring problems, graph ~ 1184
coloured solid models 1037
Columbia University 398
combination
of categorical and probabilistic reasoning 132
of fragments of translation examples 1216
of hypotheses plausible ~ 631
rules global binocular ~ 202
combinatorial
computations 1113
explosion 689
mathematics 278
optimization 1302, 1305
optimization problems 1305
problems 119, 1405
problems, program for solving ~ 119
search 112, 1039, 1298
search problems 951
combinatorially large problem spaces 242
combinatorics 184, 574, 1111
of inference 507
of object recognition 574
combined behavior of components 662
combining
alpha-beta with best-first minimax 1344
bodies of evidence 577
building blocks 692
multiple models of design 1341
qualitative and quantitative constraints 1357
rule-based and case-based reasoning 1368
rules and similarities 1181
uncertainty 1258
commit to assumptions 1148
commitment 603
choice with ~ 548
commitments
belief ~ 413
interpersonal ~ 548
common belief 1198
axiomatization of ~ 1198
modal logic system of ~ 1198
common
goal 1307
knowledge 697
COMMON LISP 654, 1196, 1215
common patterns 1181
commonality values 577
commonsense 1313, 1314
algorithm representation 82
inferences 445
knowledge 82, 231, 942, 943, 944, 946, 1205
models 291
nonmonotonic inference 372
notions about time chance and action 1223
physical reasoning 292
reasoning 293, 303, 346, 357, 385, 441, 445, 516, 593, 657, 699, 937, 1181, 1381
reasoning, formalization of ~ 1191
reasoning, human ~ 677
understanding 294
understanding of the behavior of electronic circuits 294
communicating
knowledge-based problem-solving experts 106
primitives for ~ 931
communication 968, 1177
algorithms for ~ 1362
and control 234
human ~ 269, 1364
implicit ~ 269

intentions in ~ 968
lines 221
mechanisms 106
modeling 679
multimodal ~ 1058
natural language ~ 71
operation 1358
operations 1358
optimization of ~ 1358
primitive 931
communications
successive ~ 1358
technology 603
communicative
action 1362
choice algorithms for ~ 1362
communicative goal 329, 564, 1058
compare a ~ 329
define a ~ 329
describe a ~ 329
intent of a speaker 318
intentions 1085
requirements 418
commutative functions 57
commutativity, built-in ~ 107
compact
object 571
representation
compactness
maximal ~ 587
of representation 1384
comparative analysis 465, 1265
of sublanguages 1364
problems 570
comparative
inheritance work 898
performance of learning methods 1363
statics 359, 361
compare communicative goals ~ 329
comparing
interactions 658
old and new designs 520
comparison
of programs 172
of some rule-learning programs 335
shape ~ 691
comparisons
among hypotheses 132
with previously solved problems 145
compass and straight edge constructions in geometry 53
compatibility-based
ordering-heuristics 250
theories 250
competence
constructs 1011
level 584
modeling 1011
nature of ~ 1011
theory 53
competing
diagnoses 395, 1040
hypotheses 522
hypotheses, discriminate among ~ 1399
objectives 1082
competition among contractor agents 1307
compilable inference problem 1384
compilation 524
knowledge ~ 1245
problem, general ~ 1227
compiled hindsight 227
compiler-compiler idea in conventional programming 1194
compiling system 91
complementarity of a matrix 214
complements in attributive concept descriptions 611
complete 303, 597, 898, 904, 935, 1230, 1240, 1243, 1256
algorithms 512
approximation of classical reasoning 1384
approximations 1162
axiomatization 597, 697, 1348
belief revision strategy 962
causal information 525
classification 625
decision procedure 471
for first-order logic 913
inference algorithm 433
inferentially ~ 1263
information 1174
logic for two-place preference operators 1243
planning system 1230
probabilistic theories 1112
proof theory 151
reduction 896
representation 1290
semantic unification of default and autoepistemic logic 922
strategy 181
systems of inductive inference 5
terminological inferences 433
completely general proof technique 451
completeness 208, 375, 392, 476, 625, 682, 948, 970, 1123, 1279
and reducibility, relation between ~ 970

diagnostic ~ 1263
logical ~ 625
of circumscription 511, 970
of constrained resolution 1068
of linear resolution strategies 32
of modal logics 697
of P-defining theories 970
of pointwise circumscription 1403
of the careful closure procedure 375
of the non-monotonic predicate calculus 149
of the truth preserving rules 18
of the universal attachment rule 1095
results 341, 346
results for circumscription 346
theorem, Birkhoff's ~ 382
theorems 346
completing figures 1260
completion
minimal ~ 150
paths, possible ~ 1260
procedure, Knuth–Bendix ~ 314
completions 486
complex 3
artifacts 520
controls 1241
dynamics 661
environments 1186
experiences 518
goals 1241
group action 1351
information processing 1023
mechanical systems 666
organic compounds 134
organic molecules 263
task 607
visual behavior 1274
complexity 21, 302, 457, 463, 466, 574, 626, 632, 637, 697, 914, 926, 1105, 1175, 1182, 1233, 1302, 1304, 1305, 1405
analyses 250
complexity analysis 924
automatic ~ 374
average-case ~ 920
of generation and reuse 1235
worst-case ~ 920, 1235
complexity, analysis of ~ 988
complexity
average ~ 179
average time ~ 618
classes 1389
classes harder than NP 963
classes non-uniform ~ 1384
computational ~ 433, 567, 575, 1257, 1384
control parameter determining the ~ 1302
decrease 1299
evaluation techniques 1153
expected ~ 574
exponential ~ 179
inferential ~ 1362
information ~ 1177
inherent ~ 530
linear ~ 407
measure 434
measure of a formula 434
of a clause condensing algorithm 963
of a line drawing 169
of a product, inherent ~ 1153
of A* 179
of admissible search algorithms 92
of an exhaustive search strategy 257
of answering a query 1257
of assembly algorithms 1153
of blocks-world planning 919
of classical planning systems 958
of combining bodies of evidence 577
of constraint satisfaction 988
of counterfactuals 926
of cumulative default logic 1182
of domain-independent planning 1233
of existential quantification 687
of game-searching methods 162
of heuristic estimates for the A* algorithm 914
of heuristic search algorithms 92, 1389
of labeling 1137
of MGA 1253
of modal logic 1267
of objects 96
of OPT-2 1308
of path-based defeasible inheritance 966
of polynomial network consistency algorithms 302
of propositional Horn theories 586
of propositional knowledge base revision 926
of reasoning 637, 1264, 1311
of reasoning, computational ~ 1116
of relation algebras 1290
of searching 1389
of searching implicit graphs 1389
of sensing in a general driving-scene 1277
of specifying probability distributions 1175
of subsumption, computational ~ 687
of the structure-mapping algorithm 526
of updates 926
on-line ~ 1264
optimal worst-case time ~ 1125

parallel ~ 585, 1120
polynomial search ~ 232
polynomial ~ 1232
problem ~ 250
results 535
robot task ~ 1177
sample ~ 1121
search ~ 257, 1202
sequential ~ 1120
space ~ 965, 1344
task ~ 1362
theory 1389
time and space ~ 953
time ~ 965
transition 1200, 1302, 1305
worst-case ~ 463, 962, 1162
worst-case space ~ 1192
worst-case time ~ 1192
compliance 300, 320
in robot manipulation 300
compliant motions 477
component interaction heuristics 1272
components functioning abnormally 395
composed system 1227
COMPOSER, statistically rigorous learning system 1386
composing
interactions 658
machine ~ 1326
model fragments 1272
possibly failing applications of inference rules 1251
regions of configuration spaces 665
composite
beliefs, revision of ~ 413
device 291
symbol structures 590
composition 247, 1227
model ~ 659
of monotonicity 658
of qualitative histories 908
of real-time systems 1227
of two productions 94
theorems 1241
compositional modeling 659
efficient ~ 1272
compositionality 643
in neural networks 590
compound
nominals, interpretation of ~ 1059
objects 347
comprehension
language ~ 136
natural language ~ 504
plan ~ 189
problems 125
process 239
sentence ~ 28
story ~ 430, 1169
comprehensive agents 1157
compressing chess master games 670
compression, optimal ~ 1105
compression-based existential misconceptions 654
compromise
final state 1285
in negotiation 1285
over their degree of satisfaction 1285
compromises 336
compulsory reduction 647
computation
actor model of ~ 106
ecology of ~ 676
in the theory of evidence, efficient ~ 1062
mental ~ 1048
spatial arrangements for ~ 1170
theory, connectionist ~ 1047
theory, neural ~ 1047
time 965, 1124, 1227
computation-theoretic reductions 1177
computational
approach to human reasoning 284, 285
architecture 368
behaviorist position 1172
biology 1135
brain 1383
computational complexity 212, 575, 687, 1117, 1257
of abduction 631
of BnB on random trees 1302
of non-monotonic reasoning 1384
of plan validation 1063
of planning 1063
of probabilistic inference 553
of propositional STRIPS planning 1117
of query answering 1257
of querying bounds 1257
of reasoning 1116
of subsumption 687
of temporal projection 1063
of terminological reasoning 433, 567
computational cost 1214, 1304
abrupt changes in ~ 1292
scaling 1304
computational
description language 137
difficulty 1222

computational efficiency 188, 328, 955, 1121
of a scheduling system 955
of deriving inferences 363
computational
environment 1160
geometry 473, 475
inefficiency 328
kinematics 665
learning theory 1288
lexicons 1074
linguistics 1085
computational model
for process-grammar 495
of explanation 690
of retrieval of analogs from memory 596
computational models
of attention 1273
of cognition 1360
computational
point of view 693
power of ARCS 596
computational resources 252
management of ~ 1090
systems capable of taking account of their own ~ 1090
computational
strategies, optimal ~ 641
strength 693
studies of analogy 504
system, social law in a ~ 1160
computational theories
of agents' involvements in their environments 1207
of vision 203
computational theory
of cognitive maps 431
of knowledge origin ACT* 524
of knowledge origin PUPS 524
of vision 200
computational
tractability 567, 1254
vision 302, 456
computationally
efficient method for cost- based abduction 1034
intractable 433, 966
tractable 890
compute summaries 308
computer aided
design 174
teaching of programming 81
computer checkers 685
computer chess 123, 557, 670, 685, 1340
literature 123
program 559
computer construction of crossword puzzles 78
computer game
playing 56
Tetris 1170
computer
graphics 134
language 342
model of language 125
models of thought and language 74
music 1327
computer programs
interpretation of ~ 333
structure of ~ 333
computer
simulation of paranoia 111
systems learning 1084
understanding of natural language 61
computer vision 156, 191, 218, 255, 262, 398, 569, 1102, 1276, 1277, 1349
psychology of ~ 89
system 322, 393
VISIONS system for ~ 1208
computer-aided
circuit analysis 112
design 483
medical decision-making 133
computer-assisted
instruction 113
instruction, CAI 71
computer-based synthesis system 126
computer-controlled
arm 68
assembly 68
computerized
expert systems 906
graph theory bibliography 434
computing
abductive explanations 1222
MAP assignments to belief networks 1069
networks 1041
rule ordering 1338
shape from shading 196
symbolic or numerical relationships 1283
concave domains 1352
concealed information 257
concept 501
as a set of attributes 642
concept coherence 308
relations 308
concept description 443
formalisms 1385

language 1101, 1162
concept descriptions 114, 611
subsumption of ~ 567
concept formation 518
incremental ~ 518
system, robust ~ 518
concept
hierarchies 518
languages 687
concept learning 212, 460, 584, 672, 686, 1192, 1219
human ~
methods, conventional ~ 1219
program 113
program of Quinlan 335
program of Young et al. 335
system 1101
concept
modifiers of a ~ 76
of an algorithm 932
of likeness 1037
recognition system 114
representation mechanism 163
concept teaching 113
systems 113
[See also "concepts"]
concept-formation 246
concept-free intelligent behaviour 606
concept-using creatures 606
conceptions of action 604
concepts 114, 315, 514, 1385
acquiring ~ 579
association between ~ 342
conjunctive ~ 460
domain-specific dictionary of ~ 1371
of causality, intuitive ~ 359
[See also "concept"]
conceptual analysis
natural language ~ 61
of a sentence 61
conceptual
base 61
clarity 461
clustering 347
data analysis 188, 235
dependency 61
hierarchy 514
inductive learning 673
conceptual knowledge 418, 1289
complex 65
conceptual
model of problem solving 1193
neighborhood 693
conceptual representation 418, 431
of the environment 431
conceptual
simplicity 630
structures 61, 332, 415
conceptualization 600
conceptually similar problems 579
concise descriptions of objects 139
conclusion sets 1404
restricted language of ~ 1404
conclusions
credulous ~ 898
reinstating ~ 913
retracting ~ 913
skeptical ~ 898
variable certainty of ~ 363
concomitant variation 66
concrete-level solution 1150
concurrency, domains with ~ 1189
concurrent
events 496, 1189
exploration 274
method 400
systems science 603
condensing 963
a clause 963
condition typing 668
conditional
assertions 890
branching 83
conditional connective 1096, 1097
for statements of normality 1097
conditional effects 1233
conditional entailment 682
proof theory of ~ 682
conditional
explanations 1250
functions ordinal ~ 651
conditional independence 1143, 1263
between observations 1143
conditional interpretations 643
of default expressions 682
conditional knowledge base 890
conditional logic 1057, 1388
C 541
deduction in a ~ 1057
first-order ~ 409, 455
of normality 1097
conditional
operator 1057
optimizations 1210
possibility 1388
conditional probabilities 368, 396, 924, 1124, 1338

in belief networks 924
of the data 689
conditional probability 1258
matrices 1367
conditional
relationships 1339
statement 926
tests 70
theories of default reasoning 1097
truth 1248
typing theory 1180
conditionally independent 1367
conditionals 1361
conditioning 638
Dempster ~ 391
Dempster's rule of ~ 1388
for inference 1253
method of ~ 644
Pearl's method of ~ 1253
strategy of Touretzky 966
conditions 247
for consistency 671
for distinct GAs 1390
cones, generalized ~ 195
configuration 480
constraints 220
domain 220
of successes and failures 1259
of technical systems 1385
process 220
configuration space 392, 477, 665, 667
robots ~ 476
configurations
of geometric entities satisfying geometric
constraints 957
of objects and relations 59
of shape tokens 691
possible ~ 59
configurer of computer systems, rule-based ~ 220
conflict 603
resolution 633, 958
resolution in planning 958
resolve a ~ 27
set resulting from a measurement 1040
sets, minimal ~ 1040
with physics practice 1376
[See also "conflicts"]
conflicting
beliefs 1185
criteria for a game position 1238
information 514
observation 395
property values 514
rationality postulates 1375
conflicts 1231, 1397
minimizing ~ 952
resolution of ~ 527
[See also "conflict"]
confluence assumptions 203
confluences 291, 658
congruence relations 118
congruent angles 1217
conjectural reasoning 148
conjecturing
hidden entities 1039
unseen entities in science 1226
conjoined goal 1230
conjoint goals 1241
conjunct ordering 323
conjunction
of circumscriptions 485
of Horn clauses 926
conjunctions 507, 580
conjunctive concepts 460
restriction to ~ 460
with internal disjunction 460
conjunctive goals 1248
planning for ~ 404
conjunctive normal form 249
predicates 249
conjunctive
planning, domain-independent ~ 404
problems 323
queries ordering ~ 323
conjunctive-goal problems 530
conjuncts 377
best ordering for a set of ~ 323
Connect-Four 422, 1066
connected
component 476
discourse, understand ~ 136
speech 117
connectedness 1260
connection
between abduction and default logic 1222
graphs 142
machine 972
of perception to action 320
strengths 521, 614
connectionism 1135
music and ~ 1329
connectionist
approach 1051
architecture 592, 1181
computation theory 1047
framework 1185

hashed associative memory 614, 1070
inference engine 1185
connectionist learning 515, 907
procedures 521
techniques 1135
connectionist
modeling 592
models 590, 594, 1046, 1047, 1181
network 515, 591, 593, 614, 1070, 1185
networks 593
representation of value/variable bindings 594
symbol processing 589
systems 594, 1033
connectionist theories
of cognition 255
of perception 255
connectionist theory 273, 1049
connections 568
and symbols 568
connectivity 476, 666, 1184
of the constraint graphs 1346
topological ~ 412
CONNIVER, BUILD's implementation language 47
CONNIVER, problem solving system 234
conscious thought 933
consciousness 932
anatomy of ~ 1056
biology of ~ 1056
evolution of ~ 1052
metaphysics of ~ 1052
consensus
deriving ~ 1353
mechanism 1353
mechanisms, distributed ~ 1352
multiagent ~ 1353
consequence
finding 32, 916
finding problem 916
relation, nonmonotonic ~ 890
consequence relations 890
nonmonotonic ~ 575
preferential ~ 890
consequences
of a set of constraints 157
of a set of events 1063
of reasoning about ignorance 449
conservation laws 64, 1039, 1376
conservative
monitoring 663
plan modification 1235
consistency 348, 375, 461, 671, 684, 1138, 1231
adaptive ~ 1110
algorithm 529
algorithms 302
algorithms, network ~ 988
arc 354, 953
arc and path ~ 1357
assumption 92
based approach 684
checking 1196
conditions for ~ 671
constraint 393
enforcement, dynamic ~ 1231
enforcing global scene ~ 1271
enforcing techniques 1231
global ~ 693, 894, 1358
global notion of ~ 1138
handling 1388
heuristic 928
in networks of relations 97
joint ~ 1182
label ~ 527
local ~ 585, 894, 949, 1120
local notion of ~ 1138
maintenance 1249
methods, local ~ 354
model ~ 64
node ~ 934
of a database 671
of a set of constraints 1257
of a timegraph 1169
of circumscription 380, 511
of constraints with a knowledge base 1257
of defeasible databases 671
of inferences 1258
of justifications 1148
of models 1258
of proof systems 382
of temporal references 110
of the posterior probability 358
path ~ 354, 1357
problems, view ~ 479
proof by ~ 382
consistency techniques 934
local ~ 1110
over finite domains 951
consistency
testing ~ 671, 1197, 1338
truth-functional ~ 80
view of diagnosis 917
with other beliefs 1178
consistency-based diagnosis 1178, 1397
consistent 301, 338, 400, 925
databases, maintenance of ~ 894
experimental data 1376
hypotheses 1121

interpretation 663
knowledge base 1257
consistent labeling 585
problem 250, 529, 585
consistent
networks, large ~ 928
reasoning in the presence of inconsistency 1348
representation method, CR 1165
scenario 956
situation 630
theories 511
validation structure 896
with all global evidence 1358
with all local evidence 1358
world, maximally ~ 455
consonant
approximation methods 1062
belief functions 651
conspiracy number search 1066
conspiracy numbers 447, 559
algorithm 559
for min–max search 447
conspiracy required to change the root value 447
constant depth 1187
constants, problem-specific ~ 36
constellations of shape tokens 691
constituent phrases 595
constrain search 206
constrained
clauses 1068
Delaunay triangulation 572
empty clause 1068
language 1101
logic scheme 1068
logics 1068
optimization problem 279
random walk 655
resolution 1068
search 574
constraining
a plan 958
heuristic search 56
interpretation space 663
search 115, 206, 242
constraint 196, 440
consistency ~ 393
engine, geometric ~ 957
entailment 951
epipolar ~ 1270
force 456
gap, satisfiability ~ 1295
constraint graph 302, 1102, 1110, 1140
dense ~ 539
sparse ~ 539, 1296
topology of the ~ 1300
constraint graphs, connectivity of the ~ 1346
constraint
language 353
logic programming 934, 948, 951
logic programming CLP 948, 951
manipulation 97
model 1265
monotonicity ~ 578
net, topology of the ~ 950
constraint network 157, 420, 502, 585, 618, 632, 894, 954, 1120, 1125, 1140, 1350
algorithms 948
almost-hierarchical ~ 157
constraint
on the environment 1210
on the trajectories 1158
posting 182
constraint problem 462
in geometry 470
constraint problems 1136, 1184
geometric ~ 957
hardest ~ 1184
interval ~ 928
constraint processing enhancement schemes for ~ 539
constraint propagation 403, 462, 502, 585, 951, 1295, 1341
algorithm 265
Boolean ~ 653
network 1310
rapid ~ 1299
constraint
reasoning 950
refinement search 263
relations 1102
relaxation 618
constraint satisfaction 2, 596, 632, 952, 953, 958, 988, 1102, 1120, 1245, 1292, 1306
algorithms 354, 1257
approach, linear ~ 1034
complexity of ~ 988
decomposition approach to ~ 1064
efficiency of algorithms for ~ 1064
geometric ~ 957
literature 1111
logic of ~ 948
networks 585
partial ~ 949
constraint satisfaction problem 451, 688, 949, 953, 1122, 1343, 1346, 1355

CSP 451, 934, 948, 1102, 1110, 1231, 1343
formalization 948
hypergraph of a ~ 1064
temporal ~ 632
constraint satisfaction problems 97, 168, 302, 420, 539, 988, 1110, 1146, 1231, 1296, 1300, 1306, 1357
decomposing ~ 1064
random binary ~ 1296
constraint satisfaction
search problems 1298
system ALICE 354
systems 950
techniques 532, 1357
constraint
satisfiability 1295, 1297, 1299
semantics 1125
smoothness ~ 1001
solver 934
solving 951
suspension 296
systems geometric ~ 1029
constraint theory 1068
model of a ~ 1068
constraint tightness critical level of ~ 1296
constraint violations 503
detection of ~ 503
[See also "constraints']
constraint-based
reasoning 947
scheduling 955
constraint-posting approach 404
constraints 182, 274, 293, 295, 302, 308, 336, 448, 480, 492, 664, 894, 914, 934, 949, 1039, 1077, 1119, 1125, 1180, 1231, 1242, 1260, 1289
allowed ~ 1355
anti-functional ~ 934
between circuit state variables 295
binary ~ 632
configuration ~ 220
consequences of a set of ~ 157
consistency of a set of ~ 1257
differences ~ 1257
disjunctive ~ 1357
domain ~ 668, 1189
domain-dependent ~ 1144
domain-specific ~ 1074
Euclidean or affine ~ 1283
externally imposed ~ 896
functional ~ 934
geometric ~ 1310
global ~ 279
image-based ~ 456
in a planner, antagonist ~ 336
in the form of equations 205
in the form of inequalities 205
inequality ~ 578
integrity ~ 1114
labeling ~ 169
CONSTRAINTS, language for almost-hierarchical descriptions 157
constraints
linear ~ 1034
metric ~ 1357
monotonic ~ 934
n-ary ~ 1140
networks of ~ 157, 618
of syntactic form 170
on deformable models 456
on geometry 376
on local surface orientation 194
on possible interpretations 104
on the matching of case arguments 308
processing of ~ 1357
propagation of symbolic ~ 201
propagation of ~ 112, 157, 360
quantitative ~ 1357
quantitative domain ~ 1357
reasoning with resource ~ 363
redundant ~ 957
representation of ~ 1357
resource ~ 668
restricted set of ~ 1355
semantics of ~ 934
set of allowed ~ 1122
shape ~ 204
solutions to a set of ~ 1257
sparse networks of ~ 420
temporal ~ 632, 1197
tightness of ~ 1300, 1346
time ~ 668, 1174, 1239
to general reasoning 1180
to represent the interactions between subproblems 182
tractable ~ 1122
unary ~ 632
violation 119
visual ~ 456
[See also "constraint"]
constructing
3D scene descriptions from images 478
a qualitative simulation 666
intelligent systems 1095
matching algorithms, tool kit for ~ 526
proofs for theorems, algorithm for ~ 4

proofs for theorems of an axiomatic theory 4
construction
of belief arguments 527
of deductive systems 374
of invariants for 3D objects 1271
of large impressive-looking programs 286
of world models 43
techniques 47
constructive
problem-solving 342
problems 563
situations 189
consultant, program as a ~ 93
consultation by computer 446
consultation program
for medical diagnosis 133
for medical treatment 133
knowledge-based ~ 978
consultation system 1345
expert ~ 264
for multiple trauma management, TraumAID 2.0 1345
general ~ 264
consulting programs 256
explaining expert ~ 256
creating expert ~ 256
content
constraints 1100
of knowledge, reason about the ~ 178
reference 178
contention, resource ~ 955
context 116, 643, 682, 1074
adaptation to ~ 82
dependent 1211
model of ~ 125
of behavior 1166
of interpretation 1166
of previous experience 1025
on interpretation, influences of ~ 643
sensitive actions 1211
sensitive line finder 41
switching 351
unexpected ~ 135
context-based caching 1155
context-dependent
importance 76
user optimization preferences 1242
context-free
grammar 1118
grammar parsers 1356
grammars 155
languages 1118
context-sensitive responses 533
generating ~ 533
contextual
constraints in sentence comprehension 595
factors 1058
contextually relevant lexical components 1074
contingent
information 625
knowledge 638
scene knowledge 532
continual requirements for action 522
continuity 295
continuous
change 546, 1189
domain planner 1033
domains 1140
interaction with the environment 1274
interactions between quantities 658
probability distribution 122
process description 371
process-history of shape change 495
processes, modeling ~ 43
representational patterns 594
set operator 1086
continuous speech 50
understanding 49
utterances 49
continuous
time 640
time-varying parameters 293
variables 632
world change 1033
world features 1033
continuum of gradual change, processes with a ~ 43
contour 193
classification 480
configurations, image ~ 480
fragments 571
interpretation 480
occluding ~ 193, 1275
rotationally symmetric ~ 1026
shape from ~ 1026
contours 480
intrinsic properties of ~ 262
simultaneous encoding of ~ 414
surface ~ 193
visual motion of ~ 1280
contract
negotiation 234
net framework 234
contracting
incentive ~ 1307
out actions 1351
contraction 1254

contractor agents 1307
contracts between agents 1307
contradicting information 449
contradiction 925
contradiction-elimination phase 653
contradictions 566
detecting ~ 435
outright ~ 671
contradictory information 1268
contraposition 675
contraposition weak form of ~ 675
control 106, 234, 459, 1133, 1232, 1241
actions, trajectories of ~ 1241
adaptive ~ 50
control architecture 668, 1161
blackboard ~ 327
flexible ~ 1073
control
centralized ~ 337
component for the deduction rules 648
decision-analytic ~ 634
decisions 266, 634
deductive searches 46
design, nonlinear ~ 1113
errors 477
heuristics, domain-independent ~ 1123
induction ~ 459
control information 185
domain-dependent ~ 507
control, intelligent ~ 979, 1156
control knowledge 136, 266, 552, 1193
EBL-style ~ 930
explicit representation of ~ 236
learning, search ~ 646
control mechanisms
gaze ~ 613
transfer of ~ 234
control
mode 1157
module 634
motion ~ 1232
of combinatorial search 112
of inference 507
of observer motion 1275
of perception 1165
of perceptual attention 1277
of robots 411
of search 668
control parameter 1302
determining the complexity 1302
control plans 1157
real-time ~ 1161
control
policies, meta-level ~ 641
policy 634
control problem 327, 634, 1165
meta-level ~ 1239
control
programs 1228
real-time ~ 663, 1164
reasoning about ~ 177
redundancy ~ 459
robot ~ 667
search ~ 1240, 1242
speech understanding ~ 215
strategy 1123
structure 93, 106, 183, 211, 643, 1361
system 1161, 1228
theory 1164
tree searching 206
uncertainty 1232
uncertainty in ~ 667
variables, computer's ~ 54
viewpoint ~ 1275
controlled
forward chaining 107
production 211
production system 211
controller
intelligent ~ 1171
robot's intelligent ~ 1171
controller's universal plan 1171
controlling
backward inference 507
cooperating processes 199
cooperative problem solving 1173
cutoff bounds 650
forward chaining 107
inference 185
invocation 177
recursive inference 377
repeating inference 377
the amount of reasoning 1079
the invocation of new default rules 445
tree search 77
visual attention 1277
conventional
game trees 1238
memory organization 590
rules of inference 382
convergence 912, 1244
of a search, forcing ~ 164
of the Gibbs sampler 912
of the simulation 598
populations 1390
conversational

language comprehension 111
power, extended ~ 269
system, human ~ 269
conversationally cooperative response 226
conversion
from recursive paradigms to iterative paradigms 126
into a database 129
of knowledge from one representation into another 239
convex sets, closed ~ 391
cooking 1170
Cooper 1175
Cooper, Lynn A. 1048
cooperating
agents 1177
local parallel processes 199
processes 199
cooperation 603, 906
framework, general-purpose ~ 1173
horizontal ~ 906
hybrid ~ 906
principled model of ~ 1173
recursive ~ 906
tree ~ 906
under uncertainty 906
cooperative activity, shared ~ 1351
cooperative behavior
model of ~ 176
theory of ~ 226
cooperative computation 1208
massively parallel ~ 273
cooperative
information systems 1268
intelligent real-time control architecture CIRCA 1161
multi-agent distributed interpretation 1358
phenomena 1041
problem solving 1173
responses 226
coordinate system 321, 569
coordination mechanism 1352
Cope, David 1325
core
AI 600
gateway 1218
corners, picture ~ 42
corpus
analysis 1073
of knowledge 227
of training sentences 595
correct 1230
assignment of parts of speech to words 1356
geometric reasoning 482
inference 379
planning system 1230
programs, recognition of ~ 172
spelling errors 190
system behavior 395
correction 1071
correctness 377, 379, 695, 1279
explanation of ~ 896
of a plan 958
of a program 316
of a revised diagnosis algorithm 528
of alpha-beta pruning 75
of digital hardware designs, program for proving ~, VERIFY 298
of nondeterministic programs 1
of plans 1248
of the universal attachment rule 1095
proof 163
theorems 654
correlated feature vectors 1070
correlation
automatic ~ 1387
image ~ 1387
methods 1270
correlations 907
inter-feature ~ 556
statistical ~ 1378
cost 634
computational ~ 1214, 1304
effectiveness 560
function 569, 965
measure 1306
minimization approach 569
of a derivation strategy, expected ~ 645
of a map 1037
of a solution graph 15
of an algorithm 277
of evaluation 1372
of scene labelling 688
of solving a conjunctive problem 323
of the rules 1069
optimality 650
problem-solving ~ 323
scaling computational ~ 1304
solution ~ 1305
to execute a plan 920
[See also "costs"]
cost-based abduction 1034, 1069, 1391
cost-independent search 1244
costs
of the assumptions 1069
unit branch ~ 179

[See also "cost"]
counter-intuitive extension 450
counterfactual 926
implication 372
counterfactuals 372
complexity of ~ 926
multilevel ~ 163
nested to any level 163
single level ~ 163
counterplanning 189
situations 189
strategies 171
counting satisfying assignments of propositional languages 1245
coupled
collection of problem solvers 234
dynamical systems 1158
coupling
assertional and taxonomic information 904
close ~ 904
loose ~ 904
covariance matrices 1067
coverage
architecture's domain ~ 1368
tests 1192
coverings, infinite variable ~ 462
CPU time 280
CR, consistent representation method 1165
creating
a model of the world 973
abstract solution spaces 210
an intelligent program 141
expert consulting programs 256
landmarks 1232
models of systems 1265
plans 583
creation of descriptions of system behavior 371
creative
cognition 1323
destruction 919
mind 1316, 1317, 1319, 1320, 1321
operator 538
creativity 525, 1320
engineering of ~ 1320
language ~ 1074
modelling ~ 1322
credal level 1065
credibility distribution 689
credible explanatory hypotheses 1039
credit assignment 522
credulous
conclusions 898
extensions, language of ~ 898
reasoning 966
crippling effects of large knowledge bases 1155
criteria
for evaluating learning methods 188
for recognizing deep cases 76
criterion of adequacy 913
critic for identifying faulty rules 335
critical
behavior in the computational cost of satisfiability testing 1304
level of constraint tightness 1296
phenomena 1304
ratio of constraints to variables 1301
subproblems 1231
value of the parameter 1405
values of uncertainty 1232
criticalities, physical ~ 1153
criticality of operator preconditions 1394
critically constrained problems 1299
cross-channel correspondence 202
cross-linguistic variation 1080
crossover 1304
bias 1244
operators 1244
crossover point 1299, 1300
in random 3-SAT 1294
in satisfiability problems 1294
crossover rates 1244
crossword puzzle generator 78
crossword puzzles 78
cryptarithmetic problems 63
CS-QL 1165
CSP
binary ~ 934
constraint satisfaction problem 420, 451, 934, 948, 1102, 1110, 1231, 1296, 1343
finite ~ 948
problem solving paradigm 1346
techniques for default reasoning 1343
tractable ~ 1343
cubic
in the search depth 1305
sparsity constant ~ 929
Culicover, Peter 1048
cumulative default
logic 649, 1182
logic CDL 1148, 1182
logics 1148
reasoning 1182
cumulative
logics 575
operation 890
cumulativity 1182

current set
of assumptions 146
of beliefs 146
currently active database context for reasoning in hypothetical situations 112
cursive script reading ~ 414
curvature 262
extrema 427
extrema, grammar based on ~ 427
surface ~ 195
curve 193
space ~ 194, 440
curved lines 62
curved objects 139
description of ~ 96
recognition of ~ 96
curved surfaces 192, 195, 484, 1077
objects with ~ 322
curves 262
of the texture 283
physical ~ 193
cut-off values 580
cut-offs 122
search with ~ 77
cutset
conditioning 626
decomposition 539
CWA, closed-world assumption 485
Cyc project 937
Cyc system 937
cycle behavior 371
cycle-cutset 539
method 1146
cycles, graphs with ~ 1054
CycLing paper reviews 945
CYPRESS system for synthesis of divide-and-conquer algorithms 330

D

d-ply search with alpha–beta pruning 447
D-S model 437
D-S theory, Dempster-Schafer theory 437
D-S theory of evidence 328
DAG, directed acyclic graph 1069
Dahl 216
DAI
distributed artificial intelligence 603, 1173
foundations 604
research 604
systems 1173
Dart 992
DART, device-independent diagnosis program 297
Darwin 1052
Darwinism, neural ~ 505
data analysis 23, 1363
conceptual ~ 188, 235
data association
framework, Bayesian ~ 1067
problems, temporal ~ 1067
uncertainty 1067
data
compression 670
correspondence uncertainty 1067
extraction 1073
flow 368
interpretation 1265
modeling 623
normalization 482
representations 238
retrieval requests for ~ 226
data structure 114, 692
for a set of clauses 142
metagraph ~ 1169
passive ~ 337
data structures 463, 582
for high-level cognitive tasks 592
topological ~ 1278
variable-sized recursive ~ 592
data tokens 337
data-change 695
approach 523
heuristics 523
hypothesis formation 131
model of computation 337
data/hypothesis associations 237
database 671
assertional ~ 268
associative ~ 112
consistency of a ~ 671
conversion into a ~ 129
DB 375
domains 226
database expression 451
evaluating a ~ 451
database
management 394
of assertions 394
problem solver's ~ 507
query system 216
relational ~ 1064
retrieval 645
sentence entailed by a ~ 671
database systems 533, 623
interacting with ~ 533
research 623

database
updates 395
database updating
desiderata for ~ 1375
rational ~ 1375
databases 301, 686, 1114
CAD ~ 1037
closed E-saturated ~ 338
defeasible ~ 671
evaluation of queries in ~ 338
Horn ~ 375
image ~ 1037
inconsistent ~ 671
medical ~ 129
predicate-calculus ~ 394
dataflow
architecture highly-parallel ~ 337
architectures 337
diagrams 679
graph 337
Datalog 948
DATMI, theory for interpretation tasks 663
datum 483
Davis 1140
Davis, Ernest ~ 942, 943, 944
Davis–Putnam procedure 1299, 1304
in Loveland's form, DPL 1299
DB, database 375
DCG, definite clause grammar 155
DDB, dependency-directed backtracking 962
DDB strategies 962
de Kleer
and Brown 359, 360, 361
and Williams 1040
Reiter and ~ 1040
de re knowledge 1168
dead end 958
search states 1231
deadline 1399
deadlock 919
dealing with anomalies 525
Dean 1227
Dean, Thomas 1133
debug
faulty hypotheses 681
student programs 172
debugging 582
a model 1366
failures 1236
novice programs 544
picture drawing programs, automatic ~ 73
plans 583
skill 73
system 172
decentralization
of control 106
of information storage 106
decentralized collection of problem solvers 234
Dechter 1146
and Pearl 1146
decidability 1233
of instance testing 1385
of $L^{\cdot 2}$ 1379
of planning 1233
of subsumption 512
of the implication problem for belief 1151
results 1311
decidable 1243
algorithm 301
deductive first-order reasoning 1311
form of first-order entailment 1151
problems 1162
with linear space 611
deciding
formulas 80
satisfiability of an S5 formula 697
decision 906, 1258
analysis 132, 207, 229
importance 238
decision maker 1107
decision making 189, 907
computer-aided medical ~ 133
intelligent ~ 20
knowledge 183
medical ~ 132
problem 1239
procedures 1090
properties 578
situations 229
time spent in ~ 1090
under time constraints 1239
under uncertainty 405, 557
decision
operators 931
path selection 78
problem 575, 1405
decision procedure 76, 466, 671, 679, 895, 934
partial ~ 466
probabilistic ~ 253
decision process, economic ~ 1353
decision processes
Markov ~ 1165, 1239
non-Markov ~ 1165
decision
quality 1227
reasoning problems 1162

rules 39
structure 78
theory 60, 625, 641, 1082, 1378
decision tree 1308, 1399
heuristic ~ 7
induction 1308
decision variables 578
decision-analytic control 634
decision-theoretic
advice 1082
representations for modeling decisions 1082
decisions 905, 931, 1082
among problem states 557
control ~ 266
modeling ~ 1082
declarative interpretation 239
declarative knowledge 601
bases 500
representations 1386
declarative
languages 211
logic 1119
programming languages 951
decoder 50
decoding linguistic ~ 50
decomposable games 35
decomposing
a problem 307
a scene 24
an interaction history 908
circuit modules 1007
complex mechanisms 665
constraint satisfaction problems 1064
domain knowledge 659
the vision process 200
decomposition 307, 309, 954, 1341
approach to constraint satisfaction 1064
into subgoals 213
of an intelligent system 605
of qualitative histories 908
of quasi-algebraic sets 472
of the planning process 1361
scheme 632
decompositions
feasible ~ 1007
ranking ~ 1007
deduction 374, 453, 486, 1078, 1225, 1251
based on a set of characteristic models 1225
calculus 904
general-purpose ~ 1095
in a conditional logic 1057
in OIS 603
in probabilistic logic 1124
initial clauses of a ~ 10
logical ~ 635
method 1124
of relative likelihood conclusions 578
over logical formulas 1095
parsing as ~ 1059
parsing as non-Horn ~ 1078
principle, fundamental ~ 374
rules 648
sorted ~ 635, 1180
system, natural ~ 213
typed ~ 1180
with conditional typing theory 1180
deductions
by resolution 10
internal ~ 524
deductive
approach to automatic programming 140
calculus 904
consequence generating machine 18
first-order reasoning 1311
indecision 603
deductive inference 602
processes 1361
techniques 601
deductive knowledge
domain dependent ~ 166
new ~ 166
deductive mechanism
for solving CSPs 451
general ~ 154
deductive
planning 1361
power 5
question-answering system 46
reasoning 419, 1245
relationship 1178
deductive rules 274
truth-preserving ~ 235
deductive
searches, control ~ 46
synthesis 167
deductive system 57, 635
for elementary set theory 127
deductive systems 603
construction of ~ 374
deductive viewpoint 451
deductively
closed beliefs 1338
limited 1311
deep case relations 308
deep cases
as special modifiers 76

criteria for recognizing ~ 76
in languages 76
deep
cut-offs 122
goal nodes 1305
inferences in narrow domains 187
deep pruning 615
conditions 1238
deep structure 1136
in question-answering programs 16
of constraint problems 1136
of the written proof 88
deepening, selective ~ 561
deeper search pathology 253
default
and autoepistemic logic, logical equivalence of ~ 449
assumptions 151
assumptions of independence 1378
conclusions 638
expressions 682
extension 1138
default inference 455, 586
rules 381
default inferences 633
sanctioned by ~ 151
default knowledge 381
default logic 379, 445, 449, 450, 453, 603, 637, 649, 677, 922, 1092, 1097, 1138, 1142, 1148, 1182, 1191, 1222, 1365, 1384
cumulative ~ 649, 1148, 1182
main computational problem of ~ 1191
Reiter's ~ 379, 649, 1148, 1343
semantic foundations for ~ 1138
variants of ~ 1138
default
minimal property of a ~ 638
principle 496
properties 455
property values 514
default reasoning 151, 352, 353, 419, 444, 445, 450, 453, 455, 508, 514, 586, 633, 637, 638, 682, 1096, 1138, 1182, 1222, 1224, 1338, 1343, 1378
about spatial occupancy 1224
conditional theories of ~ 1097
implementation THEORIST 453
logic for ~ 151
normative conditional for ~ 1096
systems 638
default rule 445
default rules 586, 1096, 1378
nonnormal 450
default statements 455
default theories 586, 633, 1191
open ~ 1188
prioritized ~ 1288
propositional ~ 1343
default theory 397, 449
extension of a ~ 1343
Reiter's ~ 639
default value 308, 444
defaults 282, 352, 397, 409, 625, 677, 682, 1182
applicability condition for ~ 649
as predefined possible hypotheses 453
binary ~ 637
expressiveness of nonnormal ~ 649
Horn ~ 586
justifications of nonnormal ~ 649
nonnormal ~ 352
normal ~ 352
priorities among ~ 649, 682, 1148
reasoning about ~ 449
to circumscription, translating ~ 397
defeasible databases 671
consistency of ~ 671
defeasible inheritance 550, 966
hierarchies 586, 637
multiple ~ 1205
nets 620
defeasible knowledge 890
belief as ~ 1019
defeasible
links 935
proofs 1081
provability 1081
reasoner, OSCAR automated ~ 1092
defeasible reasoning 680, 913, 1092, 1096, 1097
argument-based approach to ~ 1092
argument-based ~ 680
based on arguments 680
implementation of ~ 680
problematic cases of ~ 1092
defeasible
rules 680
sentences 671
defining a communicative goal 329
definite
clause grammars 155
clauses 459
Horn ground formulas 1117
definition
instantiations 434
of causal ordering 1083
of operationality 443
of specificity 898

definitional facilities 282
definitions, problem space ~ 1004
deformable models 456
deformation 427, 691
  classes 691
deformations, psychologically meaningful ~ 427
degenerate
  cases 471
  views 571
degeneration of genetic algorithms 1244
degradation of the quality of a decision 229
degrees of belief 413, 597, 1245, 1378
degrees of freedom 1153
  analysis 957
  internal ~ 1310
  six ~ 392
degrees
  of human guidance 246
  of nonlinearity 1372
Delaunay triangulation 572
delaying step-ordering decisions 1076
delete lists 1233
deleted-condition interactions 919
deleting primitives 376
deliberation
  cost 634
  scheduling 1090, 1239
demands of an environment 1161
demons, invocation ~ 112
Dempster conditioning 391
Dempster's rule
  evaluation of ~ 619
  for hierarchical evidence 416
  of combination 577, 619, 696
  of conditioning 1388
Dempster–Shafer theory 437, 619, 1258
  of evidence 328, 577
  [See also "Shafer-Dempster"]
Dempster–Shafer updating on uncertain evidence 391
DENDRAL 128
  expert system 959, 983
  program 131
Dennett, Daniel C. 1052
denotation 14
  concept of ~ 14
dense constraint graph 539
density method 215
dependence 1005
  of problem complexity 250
  on time, predicate's ~ 669
dependencies 964
  among propositions 435
dependency 1367
  analysis 157
dependency detection 1236
  statistical ~ 1236
dependency
  hidden node for modeling ~ 1367
  information 394
  interpretation 1236
  maintenance 190
  of a plan on control uncertainty 1232
  requirement 63
dependency-directed backtracking 112, 146, 566, 653, 1380
  DDB 962
depiction 948
  axioms 532
  image ~ 532
  mapping 532
  relationships 532
depth
  constant ~ 1187
  discontinuities 1284
  information 393
  limit 206
  of clauses 1187
  of nesting 1267
  of search 555
  of search trees 1299
  of the conceptual hierarchy 514
  range 1284
  search ~ 207
  search to a given ~ 77
depth-first
  algorithm 257
  algorithm, incremental ~ 1192
  backtrack search 1231
  BnB, DFBnB 1305
  branch-and-bound 1200
  heuristic search 972
depth-first iterative deepening
  algorithm 331
  algorithm, heuristic ~ 331
  DFID 1202
  search 535
  search, refinements to ~ 535
depth-first
  null-window alpha-beta search 1374
  search 331
  search strategy 650
  strategy 248
  tree search 1342
derivable formulas 649
derivation 190

for a solution 15
of a 3D model of a scene 478
of rules, automatic ~ 263
strategies optimal ~ 645
systems, linear ~ 647
derivational analogy 520
algorithm 1093
analysis of ~ 1093
efficiency of ~ 1093
empirical studies of ~ 1093
derivations, redundant and irrelevant ~ 21
derived
beliefs 151
sequences 309
deriving
a sentence 87
behavior from structure 293
consensus 1353
implications 119
sets of falsehood preserving inference rules 18
structure from behavior 1265
Dershowitz 382
des Rivières, Jim 1028
Desain, Peter 1327
describing
a communicative goal 329
an algorithm by its behavior on input 137
an event problem of ~ 76
assemblies, language for 159
drawings, program for ~ 59
structure and behavior 296
description 73
attributes 1247
concept ~ 443
hierarchical ~ 68
description identification 672
algorithm, Mellish's ~ 1192
problem 672
problem, algorithm for the ~ 672
description in terms of contours 480
description language 114, 433, 1385
antecedent ~ 1101
computational ~ 137
concept ~ 1101
domain ~ 668
environmental ~ 1278
for patterns, CODE 114
description
logics 1361, 1379, 1385
of curved objects 96
of errors 81
of image features 201
of nonmonotonic systems 379
of Soar 609
refinement, incremental ~ 672
space 672
description-forming operators 1339
descriptions 84, 1379
action ~ 1223
concept ~ 114
indexical ~ 1168
logical ~ 1219
mathematical ~ 1219
of complex curved objects, generating structured ~ 96
of complex curved objects, generating symbolic ~ 96
of idealized line drawings 59
of natural grammars 1080
of objects concise ~ 139
of system behavior 371
of the external world 200
structural ~ 188
descriptive concepts 347
for characterizing entities 347
high-level ~ 347
descriptive
logic, DL 1379
power 1074
procedure for line drawings 59
properties 247
statement of the problem 119
desiderata for database updating 1375
design 295, 386, 387, 388, 389, 390, 582, 664, 1156
adaptation of a 520
automated ~ 392, 692
by derivational analogy 520
choices 1229
circuit ~ 295, 1341
combining multiple models of ~ 1341
descriptions 297
digital circuit ~ 1007
digital ~ 298
empirical system ~ 1373
expertise 295
final ~ 47
foundations for ~ 390
framework of SEEK 264
involving large searches 1341
involving parameter selection 1341
KERNEL's ~ 1079
knowledge 237
mechanical ~ 1341
mechanism ~ 915, 1352
methodology for GDD-based systems 1345

model of ~ 1341
of a competent program 205
of an expert system 264
of artificial agents 1207
of BLAH 170
of circuits 520
of EBL systems 1004
of graphics systems 532
of integrated circuits 1346
of intelligent learning environments 545
of multi-agent systems 1160
of natural-language interfaces 399
of naval fleets 247
of Odyssey 190
of programs 14, 520
of question-answering systems 16
of representations 692
of situated agents 1209
of SME 526
of the MYCIN system 93
of three dimensional VLSI devices 247
of training sets 515
of vision systems 479, 532, 1289
off-line ~ 1160
on multiple domains 1341
on multiple tasks 1341
parameters 503
design plans 520
modifying ~ 520
retrieving ~ 520
design principles 113
biological ~ 1208
for concept teaching systems 113
design, real-time system ~ 1227
design strategies 330
for classes of algorithms 330
design
system for circuit ~ 1341
systems 465
tradeoffs 463, 1229
[See also "designs"]
design-automation community 297
designer model ~ 64
designers of a multiagent environment 1353
designing
a machine translation system 1080
agents 1159
chemical syntheses 134
cooperating processes 199
expert systems 312
designs, balanced incomplete block ~ 254
[See also "design"]
Designworld 992
desirability 1239
desired
goal 392
minimization 346
destination 121
frame 121
destructive problems 563
DETAIL, interactive feature of IMPLY 48
detecting
contradictions 435
repeating cycles of processes 371
detection
dependency ~ 1236
edge ~ 124
efficient ~ 274
error ~ 477
looming ~ 1274
of constraint violations 503
of motion from texture 283
of semantic errors 172
of stereo disparity surfaces 1276
of surface orientation from texture 283
statistical dependency ~ 1236
determinants 473
determinate function-free clauses 1187
determinations 1007
of scope 677
determiner
modifier's ~ 216
of a syntactic item 216
determining
amounts from handwriten cheques 1100
consistency 1197
delivery point codes from addresses 1100
delivery point codes from handwritten addresses 1100
drug and dosage from handwritten drug prescriptions 1100
optical flow 197
similarity 584
surface orientation from a single view 195
surface shape 484
the behavior of a composite device from the generic behavior of its components 291
deterministic
finite-state automata 1176
reasoning 132
sequential algorithms 585
strategies 242
detour behavior in frogs 1208
developable surfaces 195
developing
autonomous agents through learning 1152

program 316
development of Soar 609
developmental stages 427
device behavior 993
causality in ~ 359, 361
device
function 1272
independence 296
models, generation of ~ 1272
operating regions 295
device-independent
diagnosis program DART 297
inference procedure 297
language 297
DFBnB
depth-first BnB 1305
depth-first branch-and-bound 1200
DFID, depth-first iterative deepening 1202
diagnoses
characterizing ~ 917
competing ~ 395
[See also "diagnosis"]
diagnosing
diseased soybean plants 1071
multiple faults 396
rheumatic diseases 264
diagnosis 297, 342, 396, 580, 588, 663, 664, 917, 948, 1175, 1196, 1265
abductive ~ 1178
abductive view of ~ 917
algorithm 395, 528
and treatment of the glaucomas 133
automated ~ 297, 465
Bayesian ~ 689
categorical reasoning in medical ~ 132
circuit ~ 413
consistency view of ~ 917
consistency-based ~ 1178, 1397
domains 1345
error rate 1143
fault ~ 296, 1156
for a system 917
from first principles 1040
goal-directed ~ 1345
iterative nature of ~ 396
kernel ~ 917
language error ~ 125
logic based ~ 684
medical ~ 405, 413, 1143, 1377
minimal ~ 917
model-based ~ 588, 917, 1178
of analog circuits 657
of errors, intention-based ~ 544
of errors system, PROUST 544
of hardware faults, automated ~ 372
probabilistic reasoning in medical ~ 132
program 297
real-time ~ 1399
Reiter's theory of ~ 528
diagnosis system
implemented ~ for circuits 296
diagnosis
theory of ~ 395, 528, 1040
tree 1399
[See also "diagnoses"]
diagnostic
advice 964
classes 133
classification 689
completeness 1263
conclusions 133
expertise 689
methods 1196
performance 1377
probability 689
problem 395
diagnostic procedure 396
domain independent ~ 396
incremental ~ 396
diagnostic reasoning 296, 395, 989, 1196, 1345
framework 1345
diagnostic tasks 684
diagnostics of errors, exact ~ 172
diagram
filter 62
location 154
diagrammatic information 62
diagrams 101, 666
dialectically arguing modules 146
dialog system 100
dialogue 1362
algorithm 34
human ~ 1362
dialogues 176
collaborative planning ~ 1362
dictionary 308
access 78
based on concept coherence 308
construction, automated ~ 1371
for joint ventures 1371
for micoelectronics 1371
for terrorism 1371
of concepts, domain-specific ~ 1371
structure 78
difference sequence 307
differences 307

among concepts, learning method based on the ~ 642
between predicted and observed behavior 528
between states 307
constraints 1257
different inexact reasoning models 906
differential
analysis 465
and integral calculus 291
calculus 640
differential equations 291, 359, 369, 612, 911
abstractions of ~ 369
piecewise linear ~ 1215
qualitative ~ 291, 293, 908
differential
inclusion 911
qualitative analysis 570
quantitative analysis DQ 465
techniques, local ~ 1281
difficult region
for search 249
in search space 249
difficulty
computational ~ 1222
in planning 530
measure of problem ~ 407
digital circuit 953
design 1007
digital circuits 395, 662
troubleshooting ~ 396
digital design 298
Digital Equipment Corporation 220
digital
hardware designs 298
images 321
logic 297
digitalis therapy advisor 256
digraph, colored ~ 1219
Dijkstra's single-source shortest-path algorithm 965
dimension 470
of a knowledge base 1257
of a query 1257
dimension-independent description 1113
dimensional
analysis 581, 679
representation 581
dimensionality of search space 1372
dimensionality-reduction 691
dimensionless numbers 581
diminishing utility, law of ~ 1218
direct
a search, information to ~ 46
association between concepts 342
dependencies between propositions 368
inference 1378
directed acyclic graph 368
DAG 1069
directed
graph 6
labeled graphs 109
recursive labelnode hypergraphs 109
directing
genetic search 961
search 211
search, pattern recognition applied to ~ 206
direction-giving, topological ~ 1278
directional
algorithms 162
arc consistency 1110
instructions, symbolic ~ 1278
path consistency 1110
search methods 1206
statistics 1026
directions of change 293
directly skeptical approach 620
to defeasible inheritance nets 620
Dirichlet distributions 1396
disambiguating networks 935
disambiguation
lexical ~ 425
of ambiguous words 595
of local matches 202
structural ~ 425
discernment, frame of ~ 577
discontinuities
in surface orientation 480
motion ~ 154
discontinuity boundaries 194
discontinuity-preserving 572
discourse 226, 445
capabilities 269
domain of ~ 630, 654
generation 1085
human ~ 445
representations 308
strategies 329
discourse structure 1059
relations 1085
discourse-level information 1060
discover a principle 231
discovering
new domain objects 246
new heuristics 246, 287
new operators 246
patterns in sequences of events 309
relationships 188

discovery 537
empirical ~ 523
in chemistry, machine ~ 1039
machine ~ 1226, 1376
methods 523
of heuristics 247
of symmetries, mechanical ~ 98
process 1376
scientific ~ 309, 1376
discovery system
AM 538
ARE 538
EURISKO 538
heuristic ~ 1237
discovery systems
AI ~ 538
machine ~ 523
scientific ~ 538
self-refreshing ~ 538
discovery, ubiquity of ~ 115
discrepancy, explain the ~ 395
discrepancy-driven refinement 918
discrete action assumption 1033
discrete Bayesian
belief network 1005
networks 1397
discrete probability distribution 122
discrete relaxation 585
Haralick's ~ 168
Mackworth's ~ 168
Ullman's ~ 168
Waltz's ~ 168
discrete texture 484
discrete-event dynamics 1171
discriminate among competing hypotheses 1399
discrimination
mechanism 524
tree 268
disease
classifications 133
models 237
diseased soybean plants, diagnosing ~ 1071
disjointness of temporal intervals 1169
disjunction 687
infinitary ~ 1379
internal ~ 460
disjunction-free default theories 1343
disjunctions 383, 580
of assumptions 352
of literals 653
of nodes, encode ~ 352
of PA-relations, binary ~ 1169
disjunctive
basis of a knowledge base 1264
concepts 335
constraints 1357
knowledge base 645
normal form 309
rationality 675
disparity 273
information, extraction of ~ 202
information, processing of ~ 202
surfaces, detection of stereo ~ 1276
dispersion-based existential misconceptions 654
display
generation 376
problem in geometry 470
disprovable tasks 64
DISPROVER, interactive model analysis tool 64
dissector, image ~ 41
dissipative systems 551
distal access 590
distance
Hamming ~ 903
measure between formal object representations 1037
measure, tunable ~ 1037
ratio 565
signature coding technique 254
distinct leaf values 674
distinguishing shapes 691
distorted data 1186
distorting effects of projection 192
distortion 192
minimax ~ 243
of a shape 495
distortions
interaction ~ 1186
perspective ~ 1269
photometric and geometric ~ 1276
distributed
algorithm 221
algorithms 1249
algorithms for belief revision 413
distributed artificial intelligence 603, 604
DAI 1173, 1174
distributed
consensus mechanisms 1352
expert systems 906
interpretation 1358
distributed knowledge 697
operator 697
distributed
negotiation mechanism 1174
operating system, Arachne ~ 221

planning 1208
problem solving 234, 603
processing model 595
distributed representation
of bindings 594
of symbolic structures 594
distributed representations, recursive ~ 592
distributed sensing system 234
distributed systems 1168
of computers 1352
distribution
of a belief network 912
of goal nodes 905
of hard graph coloring problems 1184
of information 1218
of problems 1288
of problems observed ~ 1033
task ~ 1174
distributions
of computational cost 1304
of error random variables 179
theory of ~ 484
disturbances, propagating ~ 359
diversification of the temporal ontology 546
divide-and-conquer
algorithms 330
paradigm 126
division algorithm, real-number ~ 57
DL, descriptive logic 1379
DNA
structure from segmentation data 131
structures inferring ~ 131
DNF 1187
concepts, k-~ 460
domain
ambiguity 622
axioms 630, 1211
closure assumption 1262
constraint approach to qualification 448
domain constraints 668, 1189
qualifying ~ 448
domain
coverage, architecture's ~ 1368
dependence 953
[See also "domain-dependent"]
domain
description language 668
expert 503, 964
independence 93
domain independent 1341
diagnostic procedure 396
general purpose problem solving techniques 1386
planning 1380
shell abstraction of VEXED EVEXED 1341
[See also "domain-independent"]
domain
individuals 1223
knowledge 190, 478, 503, 514, 659, 953, 1039, 1193, 1277
model 256
modeling 679
of discourse 630, 654
of theorems deducible from certain formulas, infinite ~ 275
perspective 533
principles 256
problems 327
representations 1380
requirements 1161
rules 184
size 507
domain specific
failure theories 1380
knowledge 226, 478
tuning 1386
[See also "domain-specific"]
domain theories 659, 684, 1135
expressive ~ 1380
incomplete ~ 1007
domain theory
approximate ~ 1071
Horn-clause ~ 1071
imperfect ~ 1071
domain-dependent
axioms 374
constraints 1144
control information 507
deductive knowledge 166
knowledge 166, 500, 561
rules 374
[See also "domain dependence"]
domain-independent 507, 561, 1341
algorithm, tractable ~ 1103
conjunctive planning 404
control heuristics 1123
diagnostic procedure 396
EBL algorithm 1123
general purpose problem solving techniques 1386
goal interaction 919
domain-independent planning 1117, 1233, 1380
program 274
research 404
system 668
domain-independent shell abstraction of VEXED,

EVEXED 1341
[See also "domain independent"]
domain-level explanations 583
domain-specific
constraints 1074
dictionary of concepts 1371
feature 557
heuristics 247
knowledge 248, 663, 668
knowledge-acquisition tools generating ~ 1193
optimizations 953
problem characteristics 953
search control 519
search control knowledge 552
terms 679
[See also "domain specific"]
domains 894
infinite ~ 275
stochastic ~ 1239
with concurrency 1189
with inadequate theories 584
with intractable theories 584
with nondeterminism 1189
with ramifications 1189
with weak theories 584
dominance algebra 1238
door locks 665
dorsal fins of fishes 691
double phase transition 1184
downward inheritance 966
downward refinement 1150
property, DRP 1150
doxastic logic 1086
Doyle, McDermott and ~ 150, 303, 494
DP, dynamic programming 1164
DP procedure, Davis-Putnam procedure 1304
DP search 1304
DP-based reinforcement learning methods 1164
DPL, Davis–Putnam procedure in Loveland's form 1299
DQ
analysis 465
differential qualitative analysis 465
draw poker 3
drawing programs, picture ~ 73
Dreyfus, Hubert L. 410, 1331, 1332, 1333, 1334, 1335
Dreyfus, Stuart E. 410
DRLH, directed recursive labelnode hypergraph 109
drosophila of AI 670
DRP
downward refinement property 1150
testing ~ 1150
drugs, hazardous ~ 1370
dual
categorical–associative model 66
form 1403
model 66
representations 1181
search 1186
space 205
duality
between curvature extrema and symmetry structure 427
between problem representations and optimal schemata 961
Duda
et al.'s scheme 186
Hart and Nilsson 186, 366, 683
duplication 1260
duration 25
dyadic predicates 1379
dynamic
attention 1289
backward reasoning systems 563
changes of the knowledge base 563
consistency enforcement 1231
dynamic construction
of control plans 1157
of quantitative belief arguments 527
of real-time control plans 1161
dynamic
decision structure 78
dependencies between parameters 1289
environment 1067, 1173
hiding of portions of knowledge 1155
logic 395, 969, 1243
manipulation of heuristics 3
map of traffic 234
network 1289
dynamic programming 920, 1164, 1308
DP 1164
dynamic reasoning 563
dynamic search
control 1380
rearrangement 1110
dynamic
situation 1157
symbol structures in a connectionist network 590
dynamic tracking
robustness in ~ 1289
sensitivity in ~ 1289
dynamic

uncertain environment 1241
variable binding 613
dynamic world 1104, 1289
modeling 1067
planning in a ~ 281
dynamical
creation of descriptions of system behavior 371
critical phenomena 1304
dynamical systems 540, 551, 1113, 1176
automatic analysis of ~ 540
coupled ~ 1158
identification 1176
in phase space 1113
theory 1158
understanding system, MAPS 1113
dynamical theories 292
dynamically
changing model accuracy 918
formulated 182
modifiable 1186
modify search control 1242
propagated 182
dynamics 1171, 1211
chaotic ~ 661
complex ~ 661

E

E-saturated databases, closed ~ 338
EAR, elementary theory of addition on the real numbers 31
earliest/latest possible start time windows 1231
easy and hard instances 1405
easy-hard transition 1302
easy-hard-easy
complexity transition 1302
pattern 1303
phase transition 1199
problem difficulty 1295
Ebcioglu, K. 1328
EBG
algorithms 1094
explanation-based generalization 1094
EBL 1380
algorithms 525
algorithms, traditional ~ 1123
and problem solving, integrating ~ 519
classical ~
explanation-based learning 519, 552, 930, 1004, 1123
extension to ~ 955
method 519
system 1004
EBL systems
design of ~ 1004
proofs used by ~ 930
EBL techniques 955
EBL*DI algorithm 1123
EBL-style control knowledge 930
EBT, example-based translation 1216
ecology of computation 676
econometrics 359
economic decision process 1353
economics 360, 492
economist's approach to system behavior 361
ECWA, extended closed-world assumption 485
Edelman, Gerald M. 505, 1056
edge 1137
edge detection 124
using Walsh functions 124
edge fragments 102
3D ~ 1310
edge
labelling 302
memories 695
removal 1350
edges 376, 481
enhancing ~ 24
picture ~ 42
Edmonds' algorithm, standard ~ 8
EDR
error detection and recovery 477
strategies 477
education 1016
effect
of knowledge on belief 638
refinement 178
effective
algorithms for communicative choice 1362
branching factor 1200
consensus mechanism 1353
explanation 690
effective interaction 269, 1174
of computers 1352
effective
language behavior 1362
mechanical speech understanding 49
organization of data 954
effective problem-solving
behavior 234, 1386
by a society of experts 106
effective
task representations in the design of programs 14
use of knowledge 504

effectiveness
heuristic ~ 1292
of PRODIGY's EBL method 552
effects
action ~ 1223
of actions 274, 1163
efficiency 1410
average ~ 1018
computational ~ 955
of algorithms for constraint satisfaction 1064
of an algorithm 547
of BURIDAN 1240
of factoring polynomials 86
of finding refutations 21
of hierarchical problem solving 1150
of perimeter search 1128
of planners 1076
of planning 896, 1235
of problem solvers 681
of search 6
of SL-resolution 21
of the alpha–beta algorithm 99
of the alpha–beta pruning algorithm 261
on-line ~ 1264
transformations on production systems, theory of ~ of 211
efficient
agreements 1174
algorithm 1026
basis for a query language 1264
coding schemes 515
compositional modeling 1272
computation in the theory of evidence 1062
detection 274
efficient disjunctive basis 1264
of a knowledge base 1264
efficient
general purpose planning 404
inference 1219
instance recognition 443
learning 521, 1214
method for cost- based abduction 1034
probabilistic inference 553
problem-solving routines 1350
programs 238
query answering 1257
reasoning 1212, 1381
retrieval 1070
searching 115
stochastically more ~ 179
synthesis 238
efficiently computable iconic representations 1274
effort limit 206
EL set of rules 112
elaboration of implied roles 595
elastic interpolation 495
elastically deformable object models 456
electric encyclopedia 608
electrical
circuit behavior, qualitative models of ~ 545
circuits 545
engineers 294
networks, synthesis and analysis of ~ 157
electricity transportation management 1173
electrodynamics 295
electromechanical devices 1272
electronic circuits 294, 296, 1196
element
addition 126
removal 126
elementary
functions, universal set of ~ 1055
number theory 101
set theory 127, 247
theory of addition on the real numbers, EAR 31
Eleusis card game 309
eliminating
combinatorics 1111
local inconsistencies 97, 302
quantifiers in EAR 31
varying predicates 699
elimination 904
Loveland's model ~ 21
model ~ 90
redundancy ~ 963
elite genetic algorithms 1387
elitist reproduction scheme 1387
Elman, Jeffrey 1046
EM
algorithm 1410
expectation maximization 1363
embedded system 1164
embedding
default logic 1365
intelligence 178
of explanations 170
emotions, cognitive structure of ~ 694
emperor's new mind 932
empirical analysis 264
of terminological representation 1116
empirical
approaches in NLP 1364
comparisons 215
data 954, 1225
discovery 523

inquiry, AI as ~ 607
learning system 1071
method for determining `must-not' conditions, Winston's ~ 163
methods 519
rule induction 580
science 1287
empirical studies
of CLASSIT 518
of derivational analogy 1093
of PROUST 544
empirical
symbolic approach to natural language processing 1364
system design 1373
empirically
justified mechanisms 1360
motivated 1082
empty clause 9
enabling-condition interaction 919
encode disjunctions of nodes 352
encoder networks, three-layer auto-associative ~ 592
encoding information 524
encoding knowledge 177, 178
in machine-usable form 140
encoding
of contours, simultaneous ~ 414
of proof theory 1365
problem space ~ 930
schemes, solution ~ 1244
encounter, rules of ~ 1353
endgames 562
path lengths of 5-men ~ 562
endings in chess, king and pawn ~ 280
endoscope guidance system 1367
energy, flows of ~ 1196
enforcing global scene consistency 1271
engineer's
approach to system behavior 361
knowledge 659
engineering 357, 360, 1083, 1287
automated ~ 992
discipline 628
domain 1113
of creativity 1320
thermodynamics 659
English 1080
data base query system 216
dialog 100
dialogue 111
input 111
language 25
enhance man's mental capabilities 115
enhancement schemes for constraint processing 539
enhancing
edges 24
the disparity surface 1276
entailed
by a conditional knowledge base, assertions ~ 890
by a database, sentence ~ 671
probability interval 1124
entailed sentence 1124
probability range of an ~ 1124
entailment 671
conditional ~ 682
constraint ~ 951
first-order ~
logical ~ 348
minimal ~ 150
of a query by a knowledge base 1264
probabilistic logical ~ 348
testing ~ 671
entrenchment 1096
epistemic ~ 1081, 1139
of expectations 1096
entropy
maximum ~ 514
minimum ~ 588
enumerable, recursively ~ 913, 1081
enumerated set of solutions, pre-~ 342
enumerating
assumptions 296
the elements of a collection 140
enumerations 126
ordered set ~ 126
environment 55, 431, 477, 521, 524, 1155, 1166, 1174, 1176, 1177, 1232, 1236, 1307, 1352, 1378
adapting to an ~ 1159
changing ~ 507
computational ~ 1160
containing obstacles 392
continuous interaction with the ~ 1274
demands of an ~ 1161
dynamic ~ 1067
dynamic uncertain ~ 1241
inherent patterns of interaction in an ~ 1211
interaction ~ 1352
model 1211
multiagent ~ 1353
procedural model of the agent's ~ 1211
properties required by an agent 1210
recognizing the ~ 1269
representations of the ~ 521

robot interaction with the ~ 411
specialization to an ~ 1210
[See also "environments"]
environmental
cues 613
description language 1278
regularities 357
environments 522, 1236
adapting ~ 1159
agents' interactions with their ~ 1207
changing ~ 1161
cluttered ~ 574
complex ~ 1186
dynamic ~ 1173
interaction ~ 1352
large unstructured ~ 1278
negotiation ~ 1352
real-world ~ 1161
smart ~ 1153
stabilization of ~ 1159
unpredictable ~ 1173
[See also "environment"]
envisionment 293
method 293
partial ~ 908
space 908
envisionments 573
enzyme segmentation data, restriction ~ 131
epipolar
constraint 1270
geometry 1270
parameterization 1275
epistemic
adequacy 1005
base of basic sentences 1154
epistemic entrenchment 651, 1038, 1081, 1139
preorder 1081
epistemic logics 931, 1168, 1213
extension of standard ~ 931
epistemic
notions 426
queries, theory of ~ 1142
state 1178
epistemological science of common sense 1314
epistemology 237, 428, 977
and cognition 428, 429
of a rule-based expert system 977
epsilon-transformation 1305
EQUAL, circuit analysis program 294
equality 549
equational
logic 314, 473
proof systems 382
equations
algebraic and differential ~ 359
characterizing processes by ~ 1083
interconnections of ~ 360
order of magnitude ~ 657
structure of ~ 295
equi-specificity relation 680
equilibrium
analysis 1218
interdependent variables in ~ 359
equivalence classes 1040
of arguments 680
equivalence
expressive ~ 1234
of default and autoepistemic logic 449
of explanation-based generalization and partial evaluation 467
of languages 1234
of reasoning forwards and backwards 563
equivalence relations 57, 307
on terms 463
valid ~ 463
equivalence rule 1198
equivalent
behavior 1210
minimal network 1122
transformation 1403
equivalential calculus 275
erroneous
evaluation functions 558
features 452
error 1136
bounds 1397
error detection 477
and recovery EDR 477
error
distribution 179, 587
gradients 1367
growth 232
measure of the ~ 521
model ~ 477
probabilities 558
rate diagnosis 1143
rates 432
recovery 477
tolerance 612
errors 81, 558
as random variables 179, 232
description of ~ 81
exact diagnostics of ~ 172
frequency of occurrence of ~ 558
identification of ~ 81
mechanical and sensory ~ 1278

perceptual ~ 1176
positional and orientational ~ 1278
rotational and translational ~ 1278
tolerance for ~ 1362
vertex-position ~ 279
escaping from local minima 515
ESP reduction 1234
essential theoretical aspects of theories 1360
estimate of the light source direction 321
estimated states 1171
estimates
attached to game positions 243
of all nodes in the tree 558
probability distribution ~ 1340
variability of ~ 912
estimating
error rates 580
posterior probabilities 1397
shape from shading 321
topography of natural terrain 569
estimation 587
from multiple cues 1284
of optical flow 1281
of surface orientation 1026
of surface topography 569
of the acidity of chemical solutions 657
of the probability of winning 452
estimator 587
heuristic ~ 56
Etherington 1191
and Reiter 1404
Mercer and Reiter 345
Euclidean
constraints 1283
space, robot moving in ~ 1283
traveling salesman, two-dimensional ~ 1405
EURISKO
architecture of ~ 246
discovery system 538
language of ~ 247
learning by discovery program 246, 247
program 227, 287
evaluating
a database expression 451
competing search algorithms 1372
design tradeoffs 1229
evolutionary algorithms 1372
HOD expressions 664
evaluating learning
from examples 1247
methods 188
evaluating the probability that a propositional expression is true 1245
evaluation 625
cost of ~ 1372
criteria 188
criterion best-first ~ 171
evaluation function 30, 138, 207, 229, 241, 452, 555, 556, 1342
generating an ~ 452
learning 452
linear ~ 452
nonmonotonic weighted ~ 965
evaluation functions 253, 558
heuristic ~ 547
non-order-preserving ~ 1342
SCAC method for constructing ~ 165
evaluation
goals 1372
of a counterfactual 926
of chemical synthesis 134
of intermediate repair results 1242
of predicates 915
of queries in databases closed-world ~ 338
of satisfiability testing procedures 1293
partial ~ 1004
polynomial used by Samuel, linear ~ 52
evaluations 560
evaluator, static-board ~ 447
evaluators, knowledgeable static ~ 52
EVAR, extra vehicular activity retriever 1171
event 632, 1263
and state tokens 1246
horizons 412
types 1246
event-based model 1250
of belief update 1250
event/state concept coherence 308
events 466, 1104
calculus of ~ 1189
concurrent ~ 496, 1189
in the real world 65
sequences of ~ 309
temporal separation between ~ 1236
with nondeterministic effects 1189
everyday reasoning 401
EVEXED, domain independent shell abstraction of VEXED 1341
evidence 626, 696, 1104, 1175, 1263, 1358
approximation method in the theory of ~ 1062
as a mapping from probability functions to probability functions 696
asynchronous ~ 1358
belief as ~ 696
body of ~ 5

Dempster's rule for hierarchical ~ 416
global ~ 1358
item of ~ 366
local ~ 1358
multiple ~ 358
mutual independence of each piece of ~ 358
new ~ 366
piece of ~ 358, 626
sparsity of ~ 1366
subsequent ~ 394
supporting a hypothesis 358
theory of ~ 1062
uncertain ~ 391
evidence-gathering process 437
evidential context 680
evidential reasoning 132, 328, 344, 400, 437, 626, 1005
in belief networks 626
informal models of ~ 328
management of ~ 328
managing ~ 996
evidential updating
Bayesian ~ 391
non-Bayesian ~ 391
evolution 339
of consciousness 1052
of mechanical systems 640
qualitative ~ 911
evolutionary
algorithms 1372
perspective 1208
evolving representation of an event 595
exact algorithm 553
for computing probability in Bayesian networks 1366
exact
cheapest path 248
diagnostics of errors 172
inference 924
probabilities 1396
value propagation 950
values 547
exaggerated
behavior 570
system 570
exaggeration 570
example generation 1192
example-based translation 1216
EXCALIBUR, program for planning and reasoning with processes 973
exception
condition, production rules with an ~ 363
handling 473
exceptionally hard problems 1184
exceptions 671
to the rules 1368
excessive
crossover rates 1244
reexpansion of nodes 650
exchanger with infinite flow rate 570
exchanges in chess, analysis of ~ 77
exchanging secrets, protocol for ~
exclusion of a point from an interval 1197
exclusive-or operator 363
exclusive-read exclusive-write parallel random access machine 1102
exclusivity 186
executability, action ~ 1223
executable
code 316
deduction process 925
specification language Sceptic 1360
executing generalized robot plans 36
execution 178, 1239
cost 634
events, unexpected ~ 1242
of a plan, monitoring the real-world ~ 36
strategy 973
time 1232
time state of the world 1240
traces 1236
exemplar-based approach 584
exemplars, indexing ~ 584
exhaustive 186
assumptions 683
invocation 178
model-driven approach 131
exhaustive search 210, 1270
strategy 257
to a given depth 77
with cut-offs 77
exhaustivity 186
existence
of objects 654
of queries with an exponential number of answers 1222
of situations axiom 1183, 1224
representations of ~ 636
existential
almost ~ 1403
formulas 1403
misconceptions 654
quantification, complexity of ~ 687
quantifier 12, 401
theories 511
exogenous events 1104

expand a node 266
expanding nodes 965
expansion of a node 277
expectation 116
failure 1397
expectation maximization 1363
EM 1363
expectation
of the number of solutions 1300
ordering 1038
relations 1038
sets 1038
[See also "expectations"]
expectation-evoking 445
expectations 1038, 1166, 1258
in nonmonotonic reasoning 1038
of object trajectory 1289
theory of ~ 1096
[See also "expectation"]
expected complexities 250, 252
expected complexity
of recognition in cluttered environments 574
of recognizing isolated objects 574
expected cost 507
estimates 634
of a derivation strategy 645
of a goal 634
of the search 1259
expected line of play 1344
expected number
of processed schemata 1072
of terminal nodes scored 99
expected
observations 1067
utility 634, 1288, 1399
value 266
world state 896
expected-utility paradigm of decision theory 1378
experimental
agent for ICU monitoring, Guardian 1157
agents 1157
deductive system SYMEVAL 374
design 1297
evidence 1039
logic 374, 1081
story understanding system 233
expert circuit
analyst 295
analyzers 112
expert consultation system 264
for diagnosing rheumatic diseases 264
expert
consulting program system, XPLAIN 256
critiquing systems 446
database systems 623
domain ~ 503
generic knowledge of a domain ~ 368
human ~ 515
human play 230
expert knowledge 237, 264, 515, 689
representation of ~ 907
expert
problem-solving programs 210
reasoning 132
expert system 328, 563, 911
ABEL 679
ACCORD 679
CADUCEUS 679
classification ~ 1143
DENDRAL 959, 983
design of an ~ 264
for diagnostic advice during colon endoscopy 964
for dynamic systems
for scientific hypothesis formation 959
for the analysis of carbon-13 263
HASP 679
KNACK 679
knowledge bases 264
Meta-DENDRAL 983
MYCIN 237, 683
NEOMYCIN 679
PROSPECTOR 683
reasoning 679
rule-based ~ 237, 977
SEEK 264
TEIRESIAS 679
XPLAIN 679
expert systems 186, 210, 236, 291, 305, 306, 342, 503, 507, 533, 679, 683, 689, 690, 912, 964, 975, 982, 1082, 1111, 1143, 1258
builders of ~ 227
design of ~ 312
distributed ~ 906
generating ~ 503
in medicine, PIP, MYCIN, INTERNIST, CASNET 132
interacting with ~ 533
[See also "experts"]
expert-modeled rules 264
expert-type knowledge base system GARI 336
expertise
human ~ 410
Interactive transfer of ~ 141
experts 106, 907
effective problem-solving by a society of ~

106
[See also "expert"]
explaining
dependence 1005
expert consulting programs 256
how devices behave 291
observations 1250
plans that fail 583
programs 256
the behavior of composite systems 294
the discrepancy between the observed and correct system behavior 395
explanation 690, 1175, 1178
abductive ~ 1381
acceptance criteria 525
as a problem-solving process 690
based search control rule learning framework 1380
capability 170
case-based approach to ~ 525
closure 1262
computational model of ~ 690
containing a given hypothesis 1222
facilities 690
for a given set of observations, best ~ 1034
inference to the best ~ 1059
MAP ~ 1069
of beliefs 527
of correctness 896
of decisions 1082
patterns 525
strategies 1082
structure 170
theory of ~ 291, 1145
[See also "explanations"]
explanation-based generalization 465, 467, 1094
of partially ordered and partially instantiated plans 1094
explanation-based learning 443, 519, 525, 552, 579, 646, 930, 955, 1007, 1135, 1288
algorithm 1123
EBL 519, 552, 930, 1004, 1123
extension of ~ 1007
plausible ~ 955
systems 645
technique VBL 1007
theory of ~ 930
explanation-based systems 443
explanation-evoking 445
explanation-transformation operators 1123
explanations 1082
abductive ~ 916, 1222
candidate ~ 1006
causal ~ 1144
conditional ~ 1250
domain-level ~ 583
for observations 971
generating ~ 1222
generating causal ~ 1272
learning by completing ~ 378
of beliefs 146
of program actions 146
plausible ~ 955
predictive ~ 1178
preference ordering on ~ 1178
reasoning about ~ 1338
[See also "explanation"]
explanatory
capacity 211
hypotheses credible ~ 1039
motivations 430
explication of program bugs 544
explicit
belief 421
consequences 441
knowledge 581
meta-communication 269
representation of control knowledge 236
exploiting irrelevancies 1410
exploration 115
exploratory-corrective domains 1345
exploring the environment 1176
exponential
average time 248
complexity 179
growth 1403
memory requirement 965
problems 407
run times 1018
scaling of the average search cost 1184
time 249, 405, 697, 1222
time decision procedure 466
tree search 331
[See also "exponentials"]
exponentially
hard 413
large time 249
sized solutions 1234
small 249
exponentials 40
[See also "exponential"]
expositive properties 363
expressing
a relation as a Horn theory 954
domain knowledge 953
uncertainty 557

expression
source-matching ~ 1216
target-matching ~ 1216
expressions 57
goal state position ~ 69
logically equivalent ~ 374
expressive
action representation 1228, 1248, 1380
domain theories 1380
equivalence of planning formalisms 1234
fragment 895
languages 625, 1162, 1264
expressive power 449, 1234, 1246
of semantic networks 84
expressively equivalent under ESP reduction 1234
expressiveness 464
of logics 1379
of nonnormal defaults 649
of standard propositional STRIPS 1234
relative ~ 1379
expressivity, metric and interval ~ 1290
EXPTIME-completeness 1389
extended causal theories 621
extended closed-world assumption 485
ECWA 485
extended
conversational power 269
genetic algorithm 1152
language 282
logic of belief 549
order-sorted resolution 904
person–machine interface 269
prediction problem 454, 464, 640
use 135
extending
knowledge 524
reinforcement learning 1165
the ATMS 352
theories empirically 246
extensibility 188
extensible deductive system 127
extension
anomalous ~ 450
counter-intuitive~ 450
of a default theory 1343
of a predicate 488
extension of explanation-based learning 1007
extension
of pointwise circumscription 1403
PED 1007
to classical first-order logic 455
to EBL 955
extensional interpretations 682
of default expressions 682
extensions
of classifier systems 522
to conventional network notation 84
to REF 2
external
environment 55
events 281
memory, very large ~ 44
states, identification of ~ 1165
world 200
externally imposed constraints 896
extra-mathematical properties of physical systems 658
extra-vehicular activity retriever EVAR 1171
extracted features 139
extracting features 414
extracting information 1155
from 3D images 24
from a proof 12
from a scene 1277
extracting
knowledge from a semantic network 337
qualitative behaviors 1113
extraction data ~ 1073
information ~ 1371
of disparity information 202
of knowledge 524
of knowledge from the environment 524
patterns 1371
procedure for proofs 12
processes 1277
extranuclear kinds of predicates 636
extraordinarily hard problems 1295
extremal boundaries 194
extreme perturbations 570
extrinsic forces 456

F

faces 376
factorable relations 688
factoring
operation 10, 67
polynomials, efficiency of ~ 86
factorization 688
scheme, heuristic ~ 86
of multivariate polynomials with integer coefficients 86
times of polynomials 86
factual sentences 1178
failing components, set of ~ 917
failure

candidates 396
causes of ~ 583
driven dynamic search control 1380
negation as ~ 375, 486, 1142
probabilities 588
theories, domain specific ~ 1380
failures
due to multiple faults 396
plan ~ 583, 973
faithful modular translation of default logic into autoepistemic logic 1365
false conclusions, undoing ~ 136
falsehood preserving
inference rules 18
rules, completeness of ~ 18
family of all extensions approach to defeasible inheritance nets 620
fanout 99
Farmer, J. Doyne 1134
fast parallel
constraint satisfaction 1102
inference 966
faster reasoning 1225
faster-than-linear probabilistic retrieval 1070
Faugeras 1283
fault
diagnosis 296, 1156, 1196
intolerant 1362
tolerant tasks 1362
faulty
components 588
components of a diagnosis 917
data 663
data hypotheses 663
hypotheses, debug ~ 681
faulty plans 583
repairing ~ 973
faulty rule 1071
faulty rules
critic for identifying ~ 335
potentially ~ 1071
faulty system 1040
FCSP, finite CSP 948
feasibility
action ~ 1223
of assessment 1258
of computations 1258
feasible
algorithms for geometric reasoning 470
decompositions 1007
mechanisms 665
relations 956
solution 27
times 632
feature
constraints 1310
domain-specific ~ 557
extraction 139
fractal-related ~ 565
grouping 1271
measure 1037
networks 273
of a variable 594
of the value of a variable 594
organization 139
selection 241
feature space 241, 273
sparse in ~ 1070
feature vectors 614, 1274
correlated ~ 1070
probing ~ 1070
[See also "features"]
feature-based
induction 1370
methods 1370
featured points 440
features 283
automatic and optimal combination of ~ 452
irrelevant ~ 1121
minimal and sufficient subset of ~ 1121
model ~ 1274
of a syntactic item 216
of the task domain 521
pairs of sensed ~ 1310
toleranced ~ 483
[See also "feature"]
feedback 360, 361, 545
analysis 295
loops, causal ordering around ~ 360
paths 294
second moment ~ 587
Feigenbaum, E.A. 270, 271, 608
FIDE's 50-move rule 562
fields 473
fifteen puzzle 241, 331, 534, 972, 1018
fifth generation 270, 271
FIG, incremental natural language generator 923
figural completion 1260
natural ~ 1260
figural continuity 202
filter diagram ~ 62
filtering 121
algorithm, Waltz's ~ 104, 302, 934
linear frequency domain ~ 24
out values 1068
techniques, Waltz ~ 950

final
design 47
state of a system 371
find a line segment 41
FIND program, Hoare's ~ 57
finding
a consistent scenario 956
a line segment 41
a most preferred model 586
a path in a graph 1359
adequate models 1144
an optimal plan 919
minimum cost merged plans 920
patterns in a network 337
proofs 535
the feasible relations 956
finite
belief base 1254
characterization of cumulative default logic 1182
CSP 948
default theory 1343
domains 934, 951
interpretations 1201
finite precision 482
arithmetic 482
finite set
of hypotheses 471
of polynomial equations 471
finite-size scaling 1301, 1304, 1405
methods 1405
finite-state assumption 215
finitely many pinpoints 1403
Finke, Ronald A. 1323
first fundamental form 484
first-order
causal theories 621
circumscription 346, 385
conditional logic 409, 455
entailment 1151
equations 382
formula 488, 1403
induction 1370
inference 895
jk-clausal theories 1201
knowledge bases 1151, 1311
language 385, 1162
languages, hierarchy of ~ 1036
first-order logic 1, 80, 314, 315, 395, 409, 426, 455, 508, 532, 669, 686, 895, 913, 916, 1119, 1162, 1223
for naming 1168
proof procedures for ~ 21
satisfiability of formulas in ~
sentences of ~ 356
sorted ~ 669, 692
validity of formulas in ~ 1
first-order
logical language 282
logics of probability 597
modal logic 1168
model theory 453
predicate calculus 5, 10, 18, 19, 22, 67, 213, 314, 575, 948, 1379
predicate calculus, FOPC 1379
predicate calculus heuristics 86
predicate logic 1246
probabilities 1396
property 470
range-restricted clausal theories 1201
reasoning 1311
first-order representation
of plans 430
of stories 430
first-order
resolution logic theorem prover 17
terms 282, 463
theorem-proving methods 314
first-order theory 314, 1403
of the real numbers 470
fit between an agent and its environment 1158
five puzzle 158
fixation point 1284
fixed axis
assumption 222
mechanisms 573, 665
fixed points 494, 612
[See aso "fixed-point"]
fixed predicates 516, 699
implementing ~ 516
fixed-depth minimax algorithms 1374
fixed-point
definition 1138
nonmonotonic logics 922
[See also "fixed points"]
fixed-valence tree 592
FIXPOINT, stabilizing an environment program 1159
FL⁻, language 687
Flakey, mobile robot platform 1241
flattening representation change 1201
flexibility 188
flexible control architectures 1073
for parsing 1073
floating
conclusions 620

predicates 699
floor plan design 158
FLORA learning system 673
Flores, F. 386, 387, 388, 389, 390
flow
analysis, network ~ 1391
of causation 445
optical ~ 1000
rate 570
shop scheduling problem 650
structures 1196
velocity 197
[See also "flows"]
flowchart 132, 679
flows
of energy 1196
of information 1196
of mass 1196
[See also "flow"]
Floyd–Naur explication of program semantics 57
fluctuations in difficulty 1136
fluents 599
propositional ~ 599
fluid
dynamics 660
models 1221
regulation devices 658
focus of attention 170
FOCUS-1 learning algorithm 1121
FOCUS-2 learning algorithm 1121
FOL system for formal reasoning 152
FOPC, first-order predicate calculus 1379
forbidden regions 476
forced motions of rigid objects 38
forces 495
Ford, Kenneth M. 1130
foreign language 125
teaching system 125
foreseen side-effects 548
forethought 246
forgetting, structural learning with ~ 1214
formal
AI systems 1225
basis of reasoning consistently in the presence of inconsistency 1348
characterization of the utility problem 1386
characterizations of causality 359
derivations 549
description of counterfactual implication 372
foundation for knowledge representation 282
framework for EDR strategies 477
grammar 427
inference rule of universal attachment 1095
information processing model 94
formal logic 31, 628
in AI, role of ~ 628
formal
number theory 1055
object representations, distance measure between ~ 1037
proof in symbolic logic 88
proofs into English, translation of ~ 88
formal reasoning 640, 1180
in continuous time 640
mechanized ~ 152
formal semantics 622, 1086, 1268
for mutual belief 1086
formal
signal processing models 1186
specification 316, 1082
formal systems 445, 1036
intractability of ~ 379
nonmonotonic ~ 419
formal
temporal reasoning 454, 464
theories of action 496
formal theory 295
for plan merging 920
of causal reasoning 1145
of knowledge and action 1163
formal transformations 1210
formalism, Montague's ~ 116
formalisms
concept description ~ 1385
nonmonotonic ~ 516, 1384
of common-sense reasoning 445
formalistic modes of expression 602
formalization
of commonsense reasoning 1191
of discrete-event dynamics 1171
of graph theory 434
of logic programs 922
of planning from second principles 1361
of the problem of automatic selection of models 1144
formalize reasoning about the evolution of physical systems 640
formalizing
common sense 1313
common-sense reasoning 699
inheritance 514
recognition 514
formally sound 1082
formation
model ~ 479
of a procedure 137

of appropriate goals 1345
of hypotheses 55
theory ~ 287
formative history 357
formatting
text ~ 1085
transformations 129
forming theories empirically 246
formula manipulation 40
in logic 31
formula-based representation 1225, 1381
formulas
in first-order logic 1
of FOPC 1379
formulate hypotheses 1039
formulation
of problems 55
plan ~ 189
sorted ~ 1180
typed ~ 1180
Forrest, Stephanie 1041
forward chaining 62
rule 101
forward
checking 168, 250
in time, reasoning ~ 630
propagation 1367
pruning 30
reasoning 112, 1145
search 563
simulation 1397
forward-chained reasoning 563
foundation
for inheritance 898
for knowledge representation 282
foundational issues in DAI 603
foundations
for commonsense models 291
for DAI 604
of AI 600
of ILP 1187
of mathematics 247
four-valued semantics 501
fovea 1274
targeting, top-down ~ 1274
fractal
geometry 565
measures 565
fractal surface 565
model 364
fractal-related feature 565
fragment formulation problem, model ~ 1265
fragments
model ~ 659
of first-order logic 1162
of translation examples, combination of ~ 1216
FRAIL
frame language 425
objects, well-formed ~ 425
frame axiom 450
in nonmonotonic logic 450
frame language 593
FRAIL 425
frame
of discernment 577
oriented style of programming 190
frame problem 83, 441, 448, 454, 458, 464, 1130, 1183, 1189, 1224, 1262
in artificial intelligence 458
[See also "frames"]
frame representation 136, 187
frame-driven dialog system 100
frame-structured knowledge representation 190
framed knowledge 136
frames 120, 187, 514
hypothesized ~ 121
in language comprehension 136
in the space of situations 599
number of ~ 440
of reference 268
of the same solving power 83
transfer ~ 121
[See also "frame"]
Franco 929
free
logics 636
space 572
frequencies in data sets 964
frequency
domain filtering, linear ~ 24
of occurrence of errors 558
of satisfiability, average ~ 1301
weights, qualitative ~ 1377
Freud 1052
Freuder, Mackworth and ~ 354
Freuder's synthesis algorithm 529
frictional forces 47
FRINGE learning algorithm 1121
fringe of the search tree 905
frogs 1208
front end processing 1166
front end signal processing 1186
front ends for probabilistic context-free grammar parsers 1356
frontier node of lowest cost 965

fruitful topics of investigation 246
FT, functional transformations 538
full cognitive map 431
full information 1352
about preferences 1353
full problem space 689
full-width searches 560
fully
expressive languages 625
introspective first-order knowledge bases 1311
universal representation 1290
function
substitition 247
symbols 1233
values, abrupt changes of ~ 1204
function-free non-recursive clause 1187
functional
approach to knowledge representation 282
constraints 934
notation 1141
functional programming 467
automatic ~ 1195
inductive ~ 1195
functional
relations among variables 1083
relationships 188
roles for intentions, Bratman's three characteristic ~ 548
symbols 375
transformation (FT) 538
functionalities 653
functionality 282
functionally reflexive 9
axioms 9
systems 9
functioning of working memory within Soar 1360
functions 118, 119
functors 425
fundamental
deduction principle 374
form, first ~ 484
matrix 1270
reasoning tasks 956
fusing a default value with a piece of information 444
fusion in belief networks 368, 626
future, ability to predict the ~ 1104
future queries, requirements of ~ 954
fuzzy
logic 1112, 1258
map for metric information 268
fuzzy sets 1030
of formulas 1112

G

G-algorithm 1165
G2, real-time expert system tool 1196
GA, genetic algorithm 655, 1390
GA1, program for segmentation problems 131
Gabbay 575
gain 291
estimates 294
game
model, probabilistic ~ 243
nonpathological ~ 229
of checkers 52
of Othello 452, 1344
Pearl's ~ 229
game playing 452
algorithm 56
computer ~ 56
programs 240, 243, 261, 1374
techniques, AI ~ 230
game position
conflicting criteria for a ~ 1238
multiple criteria for a ~ 1238
game
positions, estimates attached to ~ 243
previously solved ~ 35
representation of a ~ 35
game searching algorithms 240
pathology in ~ 243
game searching procedures 162
game
theoretical value 1066
theory 1352
game tree 143, 162, 674, 1107
deeper searching in a ~ 229
pathology 1107
search 253, 1238, 1374
search algorithms, parallel ~ 674
searching 422
game trees 207, 229, 253, 384, 558, 1066
conventional ~ 1238
minimax ~ 362
min–max ~ 447
random ~ 1344
searching ~ 75
searching, min/max ~ 422
with probability nodes 257
game
with continuous terminal values 162
with WIN–LOSS terminals 162
games 247

board ~ 3
causes of pathology in ~ 229
decomposable ~ 35
homomorphism-like structures in ~ 35
homomorphisms between ~ 35
involving chance but no concealed information 257
n-person ~ 1194
perfect-information ~ 615
positional ~ 35
similarity of ~ 35
two-person ~ 1340
two-player ~ 1344
two-player zero-sum ~ 1107
gap satisfiability, constraint ~ 1295
Gärdenfors 651,1038
and Makinson 1038, 1057
rationality postulates 678
GARI, expert-type knowledge base system 336
Gaussian
derivative filters 1281
derivative spatial filters 1274
sphere 265
gaze control mechanisms 613
GCWA, generalized closed world assumption 375
GDD
goal-directed diagnosis 1345
reasoner 1345
GDD's formalism 1345
GDE, general diagnostic engine 396, 1040
GDN, goal dependency network 347
gearboxes 665
Gelernter, Rochester, Hansen and Loveland 4
gene cloning experiments 182, 183
general
branch and bound 278
common-sense reasoning ability 937
compilation problem 1227
consultation system 264
diagnostic engine, GDE 396, 1040
domain theory 659
General Electric Corporate Research and Development 479
general
intelligence 609
perception system 1277
problem solver 692
purpose inference systems 895
reasoning 1180
scene understanding 1277
space planner program GSP 39
topology 48
general-purpose
cooperation framework 1173
deduction 1095
defeasible reasoner 913
knowledge representation systems 625
programming language 1228
representation services 625
generalised
quiescence search algorithm 560
rippling 974
[see also "generalized"]
generalization 188, 227, 459
abilities 521
algorithms 1094
as search 212
explanation-based ~ 465, 467
from examples 212
learning techniques 3
of alpha–beta and SSS* search 362
of FCSP 948
of similarity networks 1263
performance 1121
plan ~ 1129
rules 188, 235
strategies 525
generalizations
abstract ~ 584
maximally specific conjunctive ~ 188
generalized
AND/OR graph 87
autoepistemic expansions 1154
generalized closed world assumption 375
GCWA 375
generalized
cones 195
Holland schemata 961
ordering constraint 440
probability function 696
STRIPS plan 36
subsumption 459
[See also "generalised"]
generalizing
obstacle cancellations 579
or specializing rules 264
partially ordered partially instantiated plans 1094
the number of entities in a situation 579
transformations 235
generate
initial hypotheses 681
test and debug, GTD paradigm 681
generating
a consulting program 256
a correction 1071

an evaluation function 452
causal explanations 1272
defaults 1182
domain-specific knowledge-acquisition tools 1193
expert systems 503
explanations 1178, 1222
extensions in Reiter's default logic 1222
hard random formulas 1293
hard satisfiability problems 1293
heuristic advice 420
meaningful programming problems 71
meta-interpreters for argumentation systems 1194
models of visual objects 383
natural-language text 329
proofs procedures for 12
structured descriptions of complex curved objects 96
symbolic descriptions of complex curved objects 96
generation
discourse ~ 1085
macro ~ 576
natural language ~ 65, 564
of a multimodal presentation 1058
of a plan, automatic ~ 153
of a program, automatic ~ 153
of causal explanations 545
of device models 1272
of goal hierarchies, automatic ~ 402
of hierarchical partially ordered plans, automatic and interactive ~ 274
of hypotheses 376
of multisentence texts 1085
of natural language output 418
of proofs in English, automatic ~ 88
of summaries 1373
of two-dimensional arrangements 39
plan ~ 1129, 1235
syntax for ~ 923
test-pattern ~ 951
generative
capacities, representation with ~ 1196
computer-assisted instruction 71
generator
decisions 564
incremental ~ 923
natural language ~ 923
generic arc-consistency algorithm 934
AC-5 934
generic behavior 291
of individual components of a device 291
generic
knowledge of a domain expert 368
object classes 201
predictions 260
surface description 480
variable and value heuristics 1346
Genesereth, Michael R. 489, 490
GENESIS, genetic algorithm 1306
genetic algorithm
extended ~ 1152
GA 655
GENESIS ~ 1306
optimisation 1244
genetic algorithms 522, 655, 961, 1072, 1244, 1306, 1387, 1390
degeneration of ~ 1244
genetic
operators 1244
paradigm 655
pedigrees 912
search 961
genial understander system, GUS 100
Gentner's structure-mapping theory of analogy 526
Gentzen 575
geographic objects 532
geographical data 1405
geologic interpretation 681
geometric
algorithms 474, 482
approach to error detection 477
computations 1113
concepts 1217
geometric constraint
engine 957
problems 957
satisfaction 957
systems 1029
geometric
constraints 957, 1310
constructions 473
description 1271
distortions 1276
entities 957
flexibility 456
information 1113
interferences 1153
geometric interpretation 480
of image contours 480
geometric
invariance approach to object recognition 1271
knowledge 479
measure 1037

measurements 195
methods of reasoning 661
model 475, 565
models 667
properties 691
geometric reasoning 392, 468, 470, 477, 478, 479, 482, 1153
method 1217
method, soundness of ~ 1217
geometric
relationship 193, 483
representations 479
restrictions 193
stereo 569
structure 482
theorem proving 1217
geometrical
constraints on lines 1283
constructions 473
models of the view bifurcation set 571
properties, representing ~ 472
shapes, line drawings of ~ 59
structures 691
geometry 62, 376
epipolar ~ 1270
fractal ~ 565
of projective blending surfaces 481
of view space 571
probabilistic ~ 572
relation 471
geometry statement 471, 472
to be proved 471
geometry theorem
machine 4
proving 469, 471, 472
German 76, 1080
gestalt 273
parameter network 273
parameters 273
Gibbs
distribution 598
sampler 912
sampling 598
sampling simulation procedure 907
Gibson, Elizabeth L. 960
GK, logic of knowledge and justified assumptions 922
glasses 1304
glaucomas, diagnosis and treatment of ~ 133
global
binocular combination rules 202
consideration of conflicts 958
consistency 693, 894, 1358
constraints 279
coordination 1157
global decomposition 571
of the space of camera positions 571
global
evidence 1358
interpretation 551
knowledge 73
labeling 169
notion of consistency 1138
optimization, intractability of ~ 1288
physical behavior 492
restrictions 1385
scene consistency enforcing ~ 1271
search paradigm 951
solutions 950, 1102
surface reconstruction 1275
visual exploration 1275
globally coherent model 894
globally optimal
allocations 1227
element 1288
gloss contour 193
Gluck, Mark A. 1049
Glymour 366, 683
Go-Moku 1066
goal 1240
as worth function 1285
common ~ 1307
communicative ~ 329, 1058
decompositions 544
dependency network, GDN 347
goal hierarchies
automatic generation of ~ 402
automatic learning of ~ 402
goal interactions 519, 919
goal nodes 6, 905
optimal ~ 1305
goal
of artificial intelligence 108
of an actor, inferring the ~ 130
partition, interpretable ~ 7
goal state 69, 232
position expressions 69
goal value 634
[See also "goal"]
goal-based analysis 171
goal-directed
actions 130
active perception 1171
diagnosis 1345
diagnosis, GDD 1345
goal-expectation 171

goal-oriented approach 347
goal-satisfying model 19
goals
  agent's ~ 548
  necessitation rule for ~ 1243
  of a questioner 226
  of achievement 1239
  of an actor 130
  of classification 347
  of maintenance 1239
  of programs knowledge of the ~
  [See also "goal"]
goal–subgoal structure 213
Gödel's formula 932
Gödel's incompleteness theorem 932
  automatic proof of ~ 1055
  SHUNYATA's proof of ~ 1055
Gödel's sentence 1255
Goguen 382
Goldman, A.I. 428
good figures 1260
Gordon and Shortliffe 416
Gottlob 1365
Gottlob's translation 1365
governing equations, system of ~ 1113
GPS, problem solving method 576
graded preferences 1241
gradient ascent, local ~ 907
gradient descent
  learning 521
  method 1367
  procedures 521
gradient
  gray level ~ 321
  space 102, 196, 205, 279
gradual change, processes with a continuum of ~ 43
graft 114
graft data structure 114
grammar
  based on curvature extrema 427
  context-free ~ 1118
  for circuit functions 294
  formal ~ 427
  meaning and ~ 967
  of a language 215
  process-based ~ 427
grammars 28
  context-free ~ 155
  definite clause ~ 155
  for natural language 216
  in logic expressing ~ 155
  natural ~ 1080
  type 0 ~ 87
  type 0 string ~ 94
grammatical notation transition network ~ 28
grammatically biased learning 1101
grandisol insect pheromone ~ 134
grandmother cell 590
granularity, levels of ~ 659
graph 15, 118, 232, 376, 1196, 1202, 1359
  algorithms 1359
  automorphism 254
  bipartite ~ 1143
  blocking ~ 1153
graph coloring 1298
  problems 1184
graph
  connectivity 1184
  constraint ~ 302, 1102, 1110, 1140
graph construction 80
  resolution procedure 80
graph
  directed ~ 6
  finding a path in a ~ 1359
  history interaction problem 1340
GRAPH, interactive programming system 434
graph
  linking processes and structures 679
  oriented view of abstraction 1359
  parsing algorithm 582
  pattern 1219
  planar ~ 302
graph representation 1175, 1219
  of problem spaces 930
graph resolution system 648
graph search 6, 1342
  heuristic ~ 1034
  methods 1342
  schemes, implicit ~
  with A* 1342
graph
  searching methodologies 1034
  shortest path in a weighted ~ 8
graph structure 1122
  restricted ~ 1355
graph theoretic algorithms 434
graph theory 140, 434, 530
  bibliography 434
  [See also "graphs"]
graph-based
  or structural representation and reasoning 1370
  reasoning 1370
  representation 1370
graph-circuits algorithm 167
graph-theoretic characterization of truth-functional

consistency 80
graphical
analysis 119
depictions of continuous functions of two variables 193
manipulations of the network 578
programming-language-independent representation for programs 582
graphical representations 661
for probabilistic relationships 578
graphics generation, natural language and ~ 1058
graphics systems
design of ~ 532
implementation of ~ 532
specification of ~ 532
graphs
connection ~ 142
directed acyclic ~ 368
directed labeled ~ 109
implicit ~ 1389
of models 660
partitioned into chains 1169
random ~ 254
randomly generated ~ 1253
refutation ~ 80
regular ~ 254
representation of programs by ~ 172
resolution ~ 10
strongly regular ~ 254
undirected ~ 626
with cycles 1054
[See also "graph"]
Gray coding 383
gray level gradient 321
gray value
corners 417
derivatives 1281
gray-scale images 393
greatest fixpoint 1086
GREC, unlimited memory version of MREC 1342
greedy
algorithms 1121, 1253
heuristics 460, 1121
hill-climbers 1372
greedy-like approximation algorithms 1253
Greek 76
Green, J. 161
grid coding 24
Gröbner basis
algorithm 471
computations 471
method 1217
Grosz and Sidner 1351
ground formulas 1117
Horn ~ 1117
ground
literals 1117
TWEAK 1234
groundable clauses 301
group
action, complex ~ 1351
choice mechanism 1353
of agents 697
selection, neuronal ~ 505
grouped into objects 273
grouping 273, 347, 393
observed entities into conceptual classes 347
growing min–max game trees 447
growth function 460
gruence, optimal ~ 1387
GSP
performance of ~ 39
program, general space planner 39
GTD
generate test and debug 681
paradigm 681
Guardian, experimental agent for ICU monitoring 1157
guessing 183
Guha, R.V. 937, 938, 939, 940, 941, 944
guidance
of search control 487
system, endoscope ~ 1367
guide
its behavior 246
search, heuristic function to ~ 6
guided concept-formation 246
guided search 952
heuristically ~ 8
guiding
diagnosis 588
inductive proofs 974
search 1340
GUS
frame-driven dialog system 100
Genial Understander System 100

H

Halpern
and Moses 1089
Ladner and ~ and Moses 1267
Hamming distance 903
Han and Lee 529
hand tools 96
hands-off manager 1171

handwritten
addresses, determining delivery point codes from ~ 1100
cheques, determining amounts from ~ 1100
drug prescriptions, determining drug and dosage from ~ 1100
text, interpreting ~ 1100
Hanks and McDermott 450, 455
Hanna, Ritchie and ~ 287
Hansen, Gelernter, Rochester , ~ and Loveland 4
Haralick and Lee 417
Haralick's discrete relaxation 168
hard
graph coloring problems 1184
instances of the traveling salesman problem 1405
problem instances 972
hard problems 637, 1136, 1294, 1296
exceptionally ~ 1184
narrow range of ~ 1303
hard
random 3-SAT problems 1299
satisfiability problems, generating ~ 1293
search problems, intrinsically ~ 1298
hard unsatisfiable
problems 1199
subproblem 1199, 1295
hard-easy phase transition 1199
hardest
constraint problems 1184
problems, prediction of the location of the ~ 1296
hardness of approximate reasoning 1245
hardware faults, automated diagnosis of ~ 372
Harman, G. 424
Harnish, R. Michael 1048
HARPY, speech understanding system 117
Hart
Duda, ~ and Nilsson 186, 366, 683
Nilsson and Raphael 92
Nilsson and Raphael, A* algorithm of ~ 215
Nilsson and Raphael algorithm 8
hashed associative memory 614
hashing function 614, 1070
HASP, expert system 679
having to know an exception 638
Hayes, J.E. 258
Hayes, McCarthy and ~ 20, 454
Hayes, Patrick J. 1130
Hayes' histories notation 454
Hayes-Roth 188
Hayes-Roth, F. 305, 306
Hayes-Roth, R. 144
hazardous drugs 1370
head-driven parsing 1118
HEARSAY-ii, problem solving system 234
heat exchanger 570, 581
heavy pruning 1308
Heckerman 1263
height of a tree 248
Henderson, Mohr and ~ 457, 529, 688, 934, 1125
Herbrand expansion 31
Hertz, John A. 1044
Hessian matrix 195
heterogeneous
agents 1353
transformation 906
heuretics 227, 247
heuristic 45, 342, 914
accuracy 1237
actions 1242
adequacy 1005
advice generating ~ 420
algorithm 920, 929
association 342
backjumping ~ 1231
branching factor 1200
classification 342, 584, 976
consistency ~ 928
control structure 47
decision tree 7
depth-first iterative-deepening algorithm 331
discovery system 1237
effectiveness 1292, 1298
estimates 179, 232, 914
estimator 56
evaluation functions 547
evaluations 1266
factorization scheme 86
for branch and bound 1391
for guiding inductive proofs 974
heuristic function 6, 215
accuracy of ~ 6
to guide search 6
heuristic
functions 242
graph search 1034
greedy ~ 460
guidance 115
information 95, 242, 362
knowledge 45, 232, 237
limit ~ 26
min-conflicts ~ 952
MU ~ 634
ordering rules 323
preferences 378

heuristic problem solving 17
paradigm for ~ 17
program 2
heuristic
programming techniques 86
repair method 952
rule refinement algorithm 1143
rules 115
scene description system 29
heuristic search 2, 6, 19, 21, 37, 56, 134, 158, 215, 235, 242, 246, 251, 277, 392, 547, 580, 650, 965, 972
algorithm 487, 1266
algorithms 92, 534, 1018, 1389
best-first ~ 331
efficiency 1128
method 2
parallel ~ 1018
procedures 278
real-time ~ 547
strategy 370
under conditions of error 56
heuristic
static evaluator 52
strategies 172, 183, 189
techniques 60
theorem-prover 37
theorem-proving 22
tree search algorithm 929
values 547
heuristically
determined decision structure 78
guided search 8
heuristics 3, 22, 40, 115, 118, 180, 184, 227, 247, 250, 423, 432, 436, 475, 538, 581, 959, 1055, 1231, 1249, 1306, 1399
admissible ~ 1237
as production rules 3
automatic construction of SHUNYATA's ~ 1055
bottom-up ~ 260
characterization of ~ 53
component interaction ~ 1272
data-driven ~ 523
domain-independent control ~ 1123
dynamic manipulation of ~ 3
first-order predicate calculus ~ 86
for automatic theorem proving in mathematics 13
for automatic theorem proving in set theory 13
for planning 1386
for scheduling 1386
greedy ~ 1121
hypothesizing new ~ 3
in automatic theorem proving 13
in automatic theorem proving, reduction ~ 13
in problem solving 53
in production rule form 3
induction ~ 383
learning ~ 3
machine learning of ~ 3
nature of ~ 227, 246
network-based ~ 420
omitted ~ 287
Polya ~ 53
problem-solving program ~ 3
refinement ~ 442
reliance placed on ~ 6
search control ~ 668
value ordering ~ 1346
variable ordering ~ 1346
variable/value ordering ~ 1231
weight placed on ~ 6
with logarithmic precision 232
Hewitt's open information systems semantics, OISS 604
hidden
causes 368
entities, conjecturing ~ 1039
information 1165
hidden node 1367
for model dependency 1367
hidden
nodes 1367
state tasks 1165
variable method 482
variables 894, 907
vertices 322
hiding of portions of knowledge 1155
hierarchical construction of belief 315
hierarchical description 68, 582
of a plausible design of the program 582
hierarchical
descriptions, language for almost-~ 157
evidence, Dempster's rule for ~ 416
hypothesis space 328, 996
logics, multilanguage ~ 1036
nonlinear planning 896
organization of geometric knowledge 479
partial order planner 973
planners 182
planning 51
plans 274, 621
hierarchical problem solving 1150
efficiency of ~ 1150

hierarchical
shape vocabulary 691
structures 502
version of the PRODIGY problem solver 1103
hierarchically
organized problem spaces 242
related hypotheses 328
structured program 330
hierarchies 622
abstraction ~ 407, 1150
ABSTRIPS-style ~ 1150
action-based ~ 1399
defeasible inheritance ~ 637
in planning, abstraction ~ 1394
inheritance ~ 586, 622, 1262
nonmonotonic inheritance ~ 898
nonmonotonic ~ 898
nonmonotonicity of ~ 1205
representational ~ 383
hierarchy
abstraction ~ 914, 1103
arithmetical ~ 1081, 1139
brain-gatekeeper-user ~ 1218
goal ~ 402
of abstraction spaces 51
of AIS niches 1157
of ATP-methods 214
of concepts 514
of first-order languages 1036
of hypotheses 344
of relaxed models 914
of specifications for subproblems 330
taxonomical ~ 904
visual processing ~ 1273
high
degrees of redundancy 648
frequency components of a surface 569
level language approach to automatic programming 140
level reasoner 154
management costs of SSS* 384
storage needs 384
virtual resolution 613
high-level
cognitive tasks 592, 594
descriptive concepts 347
memory structures 260
reasoning algorithms 1204
representations 1204
symbolic description 1113
higher level
belief 421
program 110
higher order
derivative constraints 664
derivative expressions 664
rule characterization of heuristics 53
rules 53
highly-parallel
dataflow architecture 337
information-processor 38
HIGHPOINT algorithm 1150, 1394
Hildreth 417
hill-climbers, greedy ~ 1372
hill-climbing
algorithm, probabilistic ~ 1288
search 1288
search algorithm 593
strategy 919
Hinton, Geoffrey 1046
histories notation, Hayes' ~ 454
history
of AI 1287
of circumscription 1020
of science 523
HITECH
chess machine 555, 1340
chess program 493
implementation of ~ 493
hitting sets, minimal ~ 1040
Hoare's FIND program 57
Hobbs 636
Hobbs' basic formalism 636
HOD, higher order derivative 664
Hogg, Williams and ~ 1296
Holder constant 565
Holland, John H. 537
Holland schemata 961
generalized ~ 961
Holland's result on implicit parallelism 1072
Holyoak, Keith J. 537
homing 1269
algorithm for ~ 1269
homogeneity 484
homogeneous
diagnoses 1040
equivalence relations 463
representation 1290
homogenizing variable 481
homomorphic transformations 906
homomorphism-like structures 35
homomorphisms 158
between games 35
Honing, Henkjan 1327
Hookway, C. 339

Hopfield networks 1185
horizontal cooperation 906
Horn
abduction, probabilistic ~ 1005
and Schunck 417
approximation to a relation 954
Horn approximations 1225
of empirical data 1225
reasoning with ~ 1381
Horn clause
abduction 1005
domain theory 1071
specifications 308
theories 511
Horn clauses 459, 680
conjunction of ~ 926
Horn
databases 375
defaults 586
expressions, reasoning with ~ 1381
Horn formula 1355
in propositional logic 1355
Horn
formulae 1105, 1245
functions, minimization of ~ 1105
ground formulas 1117
knowledge bases 1105
production rule base 1105
satisfiability propositional ~ 585
Horn theories 1225, 1245
large ~ 1225
propositional ~ 586
Horn
theory 954
type sentences 671
Horty, Thomason and Touretzky 620
Horty, Touretzky, ~ and Thomason 1404
Horvitz 1227
Hough transform 574
Huberman, B.A. 676
Huet and Hullot 382
Huet and Oppen 382
Huffman and Mackworth 102
Huffman, Kanade and ~ 205
Huffman–Clowes
label set 169
labelings 156
Hullot, Huet and ~ 382
human
accent strategies, model ~ 1060
action 548
binocular combination, processes of ~ 202
chess master's search tree 164
classification 347
collaborator 104
commonsense reasoning 677
communication 269, 1364
computer interaction 1386
concept learning 113, 518
conversational system 269
dialogue, inefficiency of ~ 1362
discourse 445
expert 141, 515
expertise 410
experts 584, 906
eye 154
figure animation 1166
human guidance 104
degree of ~ 246
human
handwriting 414
information processes 23
intelligence 610, 1172
intuition 410
intuitive notions 357
knowledge 100, 524
memory retrieval 596
mental capabilities 115
motion perception 289
notions of object similarity 1037
observers 130
organization of knowledge 82
human perception 59, 1077
of structure from motion 222
of visual similarity 1037
human
perceptual judgments 364
personality traits process model of ~ 171
play, expert ~ 230
problem solving 666, 1011
programming knowledge 140
reasoning 189, 284, 285, 401, 1141
society, model of ~ 1218
stereopsis 202
task performance 269
theorem provers 62
thinking 933
understanding of phenomena 1083
human vision 200, 495
recognition in ~ 393
human visual
perception 1260
segmentation 1037
humans, beliefs of ~ 421
human–computer interfaces 933
Hunt, Earl B. 85

Hunt, Quinlan and ~ 37
hybrid
algebra 658
algorithms 1135
best-first extension algorithm 1344
cooperation 906
knowledge representation systems 904
hybrid learning
methods 1135
system 1135
system, KBANN 1135
hybrid
PE/EBL systems 1004
reasoning 635, 1095
representations 635
hypergraph 1064
of a constraint satisfaction problem 1064
of a relational database 1064
directed recursive labelnode ~ 109
hyperpyramid representation 1276
hypotheses 50, 59, 296, 631, 1101, 1187, 1229
about intelligence 115
consistent ~ 1121
credible explanatory ~ 1039
formation of ~ 55
generate initial ~ 681
generation of ~ 376
hierarchically related ~ 328
hierarchy of ~ 344
independent ~ 1005
plausible ~ 246
preference for simpler ~ 460
proving an observation by assuming ~ 1034
hypothesis 121, 366, 1263
Bayesian multiple ~ 1067
hypothesis formation 959
data-driven ~ 131
model-driven ~ 131
hypothesis
generating machine 18
of independence 964
posterior probability of an ~ 358
simplification routine 460
space 437, 580
space, hierarchical ~ 328, 996
testing non-parametric ~ 1363
tree 1067
verification 1271
hypothesized frames 121
hypothesizing
matches of objects 201
new heuristics 3
hypothetical
sentences 1178
situations 112
hypothetico-deductive point of view 5

I
i-th smallest element algorithm 167
i.d.e.-adequacy 913
IAGO
champion Othello program ~ 230
implementation of ~ 230
Othello program 556
performance of the Othello program ~ 230
IBM 7575 robot arm 1278
iconic representations 1274
ICU
intensive care unit 1157
monitoring 1157
ID, iterative-deepening 1200
ID3, learning algorithm 1121, 1247
IDA* 650, 1018
search 1128
parallel version of ~ 1018
IDA*–CR, bounded suboptimal cost variation of ~ 650
IDA*–CRA algorithm 650
ideal
nonmonotonic logic 925
skepticism 1205
ideally
rational agent 303
rational agent's reasoning about his own beliefs 303
skeptical conclusion 1205
identifiability 954
identification 1265
description ~ 672
of abstractions 1144
of approximations 1144
of chattering variables, automatic ~ 664
of critical subproblems 1231
of errors 81
of external states 1165
of program bugs 544
of states 1232
system ~ 1176, 1265
identifying
causes 435
constraints 503
faulty rules, critic for ~ 335
the current position 1269
the sources of contradictions 435

uncertainty 1340
identity in epistemic logic 1168
idiomatic phrases 111
idioms 111
IDPS, SIMD parallel algorithm 1018
if/then associations
uniform set of ~ 237
weakly structured set of ~ 237
ignorance 394
chronological ~ 464
reasoning about ~ 449
ill structured problems 44
ill-constrained 478
ill-modelled processes 1171
illumination 24
ILP
constructed logical theory 1370
foundations of ~ 1187
inductive logic programming 1187, 1370
image 192, 194, 197, 198, 283, 565
acquisition, coarse-to-fine ~ 1284
analysis 195, 480
axioms 532
boundaries, intrinsic ~ 273
brightness ~ 1001
changing ~ 289
contour configurations 480
contours 480
coordinates 484, 1274
correlation 1387
image data 357, 456, 569
structures 1274
image
databases 1037
depiction 532
description ambiguity in ~ 532
dissector 41
domain knowledge 532
feature 201
image features
description of ~ 201
interpretation of ~ 201
measurements of ~ 201
prediction of ~ 201
image formation 480
process 204, 478
image
intensities 102, 357
intensity 195
intensity ~ 273
interpretation 532, 585
intrinsic ~ 273
labelling 199
matching 1270, 1387
observables 1026
of a scene 322
parts 199
plane 1279, 1281
image processing 1387
engine 1278
hardware 255
image
processor, pipeline ~ 1274
projection 265
projective ~ 481
queries 532
range ~ 1310
regions in an ~ 60
regularities 204
sequence 197, 203, 1280
sequences, interlaced and non-interlaced ~ 1281
space 54, 83
synthesis 532
image understanding 398, 469, 479, 585
algorithms 255
[See also "images"]
image-based
constraints 456
object recognition 571
image-irradiance equation 196
image-space representation 83
images 456, 478
interpreting perspective ~ 262
motion between ~ 1270
multiple ~ 1283
multiple complex ~ 376
of curved surfaces 195
of naturally textured surfaces 565
of objects 54
of two-dimensional shapes 383
retinal ~ 200
searching ~ 1172
stereo ~ 1276
time-varying ~ 456
uncalibrated ~ 1270
[See also "image"]
imagine an event and belief, ability to ~ 1025
imaging
low resolution ~ 613
transformation 1271
immediate sensory inputs 1165
immense search space 115
impedance 294
impediments to universal preference-based default theories 633

imperative semantics 73
imperfect
causal theory 1104
domain theory 1071
input data 29
line data 29
imperfectly
predictable interaction 1209
understood domains 1368
implausible paths 227
implement
cognitive models 1360
refinement 178
implementation
code 1251
details 1360
iterative ~ 241
language, CONNIVER 47
level 524
of a compositional modeling system 1272
of a concept of likeness 1037
of a cooperation framework 1173
of a state-space learning system 241
of a theorem-proving program 22
of a visual attention model 1273
of an active vision system 1274
of an Othello program 230
of defeasible reasoning 680
of Dempster's rule 416
of graphics systems 532
of hierarchical nonlinear planning PRIAR 896
of HITECH 493
of IAGO 230
of Odyssey 190
of open-ended natural language processing systems 1074
of pn-search 1066
of self-reflective systems 1251
of Theorist 971
of vision systems 532
provably correct ~ 532
structure 282
techniques 140
implementations
of geometric algorithms 482
of the polytree algorithm 626
parallel ~ 932, 1111
practical ~ 1353
serial ~ 932
implemented algorithm
for model composition 659
for the three-dimensional movers' problem 392
implemented
approximation to an ideal planner 1033
circumscriptive theorem prover 508
diagnosis system for circuits 296
learning system 383, 579
model-based vision system 201
prototype tutor system for foreign languages 125
system for learning from precedents 231
implementing
a nonmonotonic TMS 566
abstract algorithms 140
counterfactual implication 372
default reasoning 352
fixed predicates 516
implicate/implicant 917
implicates 1301
prime ~ 916
implication 301, 549
certainty of the ~ 363
counterfactual ~ 372
problem for belief 1151
implicational constraint relations 1102
implications 119
implicit
and explicit belief 421
belief 1213
communication 269
graph search schemes 1054
graphs 1389
knowledge, representation of ~ 111
negative information in databases 301
one-way coercion of representation 473
parallelism 1072
preference 1145
implicitly defined goals 522
IMPLY, natural-deduction-like theorem proving technique 48
importance, context-dependent ~ 76
imprecise
assessments 1258
determinations of scope 677
input probabilities highly ~ 1377
observations 1338
probabilities 1258, 1377, 1396
of a diagnostic probability 689
of inferences 1396
of knowledge components 689
impressive-looking programs 286
improvement model ~ 64
improving
accuracy 1368

efficiency of planning 896
in-between-ness relation 469
in-place sorts 126
inadequate
measures 625
theories 584
incentive contracting 1307
incidence
logic of temporal ~ 546
structure, position-free ~ 279
incident illumination 195
inclusion, differential ~ 911
inclusiveness 1260
incompatible
assumptions 925
hypotheses 631
incomplete 916
backjumping heuristic 1231
data 663, 1396
domain theories 1007
inferences 693
incomplete information 394, 485, 518, 1104, 1174, 1352
logics of ~ 149
reasoning with ~ 363
incomplete
knowledge 673, 693, 956, 1163
quantitative information 657
search trees 447
temporal information 956
theories 1101
incompletely specified pre-orderings 1057
incompleteness
of closed nonrecursive circumscription 511
of linear resolution with merging and C-ordering 32
incompleteness theorem
automatic proof of Gödel's ~ 1055
Gödel's 932
SHUNYATA's proof of Gödel's ~ 1055
inconsistencies 97, 671, 958
between justifications of nonnormal defaults 649
in the agent's beliefs 1348
local ~ 302
removing ~ 896
inconsistency 345, 511, 1185, 1348
for universal formulas 345
of a set of clauses 213
reasoning with ~ 1348
inconsistent 496, 928
assignment 952
balance assumptions 1221
databases 671
information 351
knowledge 925
plan 336
set of premisses 925
incorporation
of non-explicit knowledge into algorithms 45
of pre-existing structure 47
incorrect inferences 1367
increasing knowledge 555
incremental
approach to intelligence 605
building of complete intelligent creatures 605
incremental concept formation 518
model, CLASSIT 518
incremental
concept-learning 686
depth-first algorithm 1192
description refinement 672
generator 923
interpretation 643
modifications 376
negamax algorithm 558
plan modification 896
planning process 1058
process 535
incremental program
analysis 238
transformation 1195
incremental
random game trees 1344
reconstruction of 3D scenes 376
simulations 49
updating method 962
indecision 394
indefinite
knowledge 956
temporal information 956
indefinitely many cycles of retracting and reinstating conclusions 913
independence 681, 1258, 1378
assertions, asymmetric ~ 1263
assumption 186, 304, 366
conditional ~ 1263
of each piece of evidence, mutual ~ 358
of the relevance 358
of the syntax 1268
independent
alternatives 266
and parallel activity producers 605
conditionally ~ 1367
domain ~ 1341
failure probabilities 588

hypotheses 1005
identically distributed random variables 122
information processing units 605
processing elements 337
spatial frequency 202
subproblems 182
theory formation 246
independently occurring errors 558
indeterminacy 394
clauses with bounded ~ 1187
in a clause 1187
of evaluating a UTC 1011
indeterminate forms in mathematical analysis 40
index a library of object models 1271
indexical
descriptions 1168
knowledge 1163
nature 449
reference 613
indexing
case ~ 1368
exemplars 584
knowledge 177
problem 1361
strategies 525
indifference
principle of ~ 1378
to irrelevant information 1378
indirect
speech acts 176
strategy 206
indistinguishability tests 11
Turing-like ~ 34
individual belief 1198
[illegible] ogic, system of ~ 1198
monotonicity rule of ~ 1198
individual
plans 1351
productions, match of ~ 1111
rationality 1353
individualization of instruction 71
individually motivated heterogeneous agents 1353
inducing
belief 1178
degrees of belief 1378
induction 184, 459, 537
as search 184
control 459
decision tree ~ 1308
empirical rule ~ 580
feature-based ~ 1370
first-order ~ 1370
heuristics 383
inductionless ~ 382
induction mechanisms 524
for extending knowledge 524
induction
of definite Horn clauses 459
of relational concepts 163
principles 1114
principles of ~ 524
problem 163
rule ~ 1143
semantics of ~ 5
inductionless induction 382
inductive
bias 460, 1121
functional programming 1195
inductive inference 5, 686
complete systems of ~ 5
semantics of ~ 5
systems 5
systems, relative completeness of ~ 5
inductive knowledge 65
inductive learning 188, 1185
conceptual ~ 673
methodology of ~ 235
theory of ~ 235
inductive logic
nonmonotonic ~ 1201
programming 1187, 1201, 1370
programming, ILP 1187, 1370
inductive
predicate logic 55
proof 382, 974
reasoning 145, 374
search spaces 459
systems 519
theorems 974
inductively defined objects 382
inefficiency of human dialogue 1362
inequalities 292, 469, 658
linear ~ 26
inequality
algebra 658
constraints 483, 578
provers 341
inertial theories 464
inexact reasoning 437, 683
algebraic structures of ~ 906
Bayesian scheme for ~ 683
models 906
inexactly defined goals 522
infamous frame problem 464
infeasible mechanisms 665
infer additional values 190

inference 61, 185, 309, 514, 537, 908, 1074, 1104, 1258, 1263
abductive ~ 1059
about quantities 403
algorithm 433, 553, 1263
analogical ~ 436
approximate ~ 924
capabilities 623
classical monotonic ~ 1384
combinatorics of ~ 507
common-sense nonmonotonic ~ 372
conditioning for ~ 1253
control of ~ 507
controlling backward ~ 507
conventional rules of ~ 382
correct ~ 379
direct ~ 1378
efficient ~ 1219
inference engine 375, 500
connectionist ~ 1185
inference
exact ~ 924
fast parallel ~ 966
first-order ~ 895
in defeasible inheritance nets 620
in the Cyc project 937, 938, 939, 940, 941, 944
inductive ~ 5, 686
intractability of ~ 1384
mechanisms 61, 419, 639, 1311
methods 679
modeling 679
modes in reasoning 147
natural language ~ 65
network 527
non-monotonic ~ 1384
of 3D shape 1077
of deterministic finite-state automata from sequences of input/output pairs 1176
of Turing machines from sample computations 33
pattern frequency 1219
patterns 1219
performing ~ 591
plausible ~ 616
probabilistic ~ 689, 924, 1175
inference problem 699
compilable ~ 1384
inference problems 323, 507, 1385
anaphoric ~ 65
mechanical ~ 49
procedure 297, 377, 396, 578, 890
processes 1361
recursive ~ 377
relations, nonmonotonic ~ 1038, 1057
repeating ~ 377
representations network ~ 379
rule 208
inference rules 235, 347, 427, 465, 648, 1124, 1251
acquisition of new ~ 141
default ~ 381
falsehood preserving ~ 18
nonmonotonic ~ 649, 1404
inference
rules of ~ 22, 135, 435, 904
rules, truth preserving ~ 18
schemes 403
strategies, backward ~ 507
structure 342
subjective ~ 358
inference system 142
Shapiro's model ~ 686
inference systems 895
logical ~ 374
pattern directed ~ 144
resolution-based ~ 324
rule-based ~ 366
inference
techniques, deductive ~ 601
to the best explanation 1059
tools 625
tree 1277
inferences 187, 419, 666, 692, 1258, 1338
by nonmonotonic TMSs 566
causal ~ 524
chain of ~ 309
common-sense ~ 445
computational efficiency of deriving ~ 363
default ~ 633
imprecision of ~ 1396
in probability logic 1112
incomplete ~ 693
incorrect ~ 1367
intuitive ~ 591
nondeductive ~ 65
of default properties 455
ordering of ~ 1193
precision of ~ 363
rational ~ 591
sanctioned by default 151
subsumption ~ 1339
terminological ~ 433
inferencing
algorithm for ~ 699
rule-based ~ 398
inferential

capabilities of hybrid systems 1095
capacity 1362
complexity 1362
component 46
interpretation steps 643
knowledge 236
inferentially complete 1263
inferred behavior 298
inferring
3D structures 456
an agent's plan 1006
DNA structures 131
kinematic properties 573
planar surface shape 565
properties of plans 1223
surfaces from images 198
the behavior of the composite device from knowledge of the components 396
the goal of the actor 130
the mechanism of a chemical reaction 1226
the positions of bodies 69
infinitary disjunction 1379
infinite
domain of theorems deducible from certain formulas 275
domains 275
iterations 1140
line 483
nontrivial models 1201
number of possible interpretations 1260
plane 483
infinite precision
domain 482
precision objects 482
infinite
representations 1290
search spaces 37
sequence of similar subgoals 377
set of distinct behaviors 664
variable coverings 462
infinitely many primitive propositions 1267
infinity of possible interpretations 203
influence of unreliable information 673
influences
of context on interpretation 643
qualitative ~ 578
informal
judgmental rules 227
models of evidential reasoning 328
information 121, 1178
about higher-order derivatives 664
about preferences 1353
about three-dimensional shape 102
abstraction of visual ~ 203
assertional ~ 904
asymmetric ~ 1307
available to an agent 1378
complete ~ 1174
complexity 1177
concealed ~ 257
concerning other agents 1352
information content 1118
of scene labels 169
information
contingent ~ 625
contradicting ~ 449
contradictory ~ 1268
control ~ 185
diagrammatic ~ 62
discourse-level ~ 1060
distribution of ~ 1218
extracting ~ 1155
extraction 1371
flows of ~ 1196
information for speech understanding
acoustical and phonological ~ 49
syntactic semantic and pragmatic ~ 49
information
format 129
from 3D images 24
from a scene, extracting ~ 1277
full ~ 1352
geometric ~ 1113
heuristic ~ 242, 362
hidden ~ 1165
hiding 473
incomplete ~ 485, 518, 1104, 1174, 1352
incomplete quantitative ~ 657
inconsistent ~ 351
integration problem 1289
information invariants 1177
in robotics 1177
information
irrecoverable ~ 1155
irrelevant ~ 518
lacking ~ 1307
language-comprehension ~ 187
language-independent ~ 1080
lexical ~ 1074
metric ~ 268, 632, 1278
missing ~ 1165
modal ~ 1088
negative ~ 485, 486
partial ~ 303, 1124
potentially relevant ~ 44
probabilistic ~ 1112

problem-solving ~ 187
processes, human ~ 23
information processing 415
complex ~ 1023
in machines 332
in minds 332
model, formal ~ 94
of disparity 202
problems 200
problems, tractable ~ 108
information
processor, spatially-oriented ~ 38
qualitative and quantitative ~ 1357
qualitative temporal ~ 956
quantitative ~ 666
quantity 158
radiometric ~ 569
reasoning with incomplete ~ 363
redundant ~ 1350
reliable sources of ~ 925
requirements for robot tasks 1177
retrieval 12, 1073
retrieval of ~ 268
routing 1273
semantic ~ 60, 213, 1060, 1074
shading ~ 569
shape ~ 195
source 1135
sources, unreliable ~ 673
statistical ~ 597, 1378
storage 106
structure 158, 514
symbolic ~ 115, 666
symbolic or numerical ~ 1283
syntactic ~ 1060
information system 190, 603
semantics 603
information
taxonomical ~ 904
temporal ~ 408, 632, 1088, 1169
terminological ~ 625
theory 396
to direct a search 46
to guide a tree search 384
tolerance ~ 483
topological ~ 268
two-way transfer of ~ 234
uncertain subjective ~ 186
user-supplied ~ 22
information-minimal belief revision model 962
information-processor, highly-parallel ~ 38
information-theoretic
heuristic 1399
ideas 1247
informational content of an agent's computational states 1209
informed
model 362
stochastically more ~ 179
informing 931
inherent complexity 530
of a product 1153
inherent patterns of interaction in an environment 1211
inherently sequential 585
inheritance 514, 898, 966, 1074, 1378
cautious form of ~ 966
defeasible ~ 550, 966
downward ~ 966
graph 1205
inheritance hierarchies 586, 622, 1262
defeasible ~ 637
multiple ~ 1404
nonmonotonic ~ 898, 1205
with exceptions 622
inheritance
multiple ~ 473, 514
multiple defeasible ~ 1205
nets, defeasible ~ 620
network, ambiguous ~ 966
networks 379
networks, acyclic ~ 966
nonmonotonic ~ 935, 1404
nonmonotonic multiple ~ 935
notion, Touretzky's ~ 966
path-based ~ 898
problems 514
property ~ 308
inheritance reasoning 550
multiple ~ 966
inheritance
skeptical theory of ~ 550
specification 935
inheritance theories
multiple ~ 898
theory of ~ 898
inheritance theory
algorithm 550
theory of ~ 898
true skeptical ~ 898
upward ~ 966
with exceptions, multiple ~ 550, 1404
work, comparative ~ 898
inherited properties, propagating ~ 935
initial
clauses of a deduction 10

configurations 665
hypotheses, generate ~ 681
plan, loosely constrained ~ 336
initial specification 316, 330
of the model 400
initialization for the method of conditioning 644
innate principles of induction 524
inner measure 696
input data 210
imperfect ~ 29
input
probabilities, highly imprecise ~ 1377
relevances 358
strategies 22
input–output
behavior 1176
behavior, paranoid 11
pairs, sequences of ~ 1176
production system examples 79
specification 167
inputs 137
insect pheromone grandisol 134
insertions 73
instabilities, numerical ~ 957
instance
recognition 443
spaces 460
testing 1385
instances of a concept, number of ~ 1385
instantiated nodes 1367
instantiating models 309
instantiation 378
of a Bayesian network 598
of vague words 595
instantiationless match 1111
instantiations, definition ~ 434
instinctive behavior 1208
instruction 1132
language ~ 125
level simulation 662
instructional
system 545
text 239
instructions 137, 1166
with side effects 70
integer
arithmetic 158
linear programming problem, 0–1 ~ 1034
program 1391
integrated circuits 295
design of ~ 1346
integrated
partial parser, IPP 260
pattern-matching and parsing 111
processing and understanding of signals
IPUS 1186
integrating
diagnostic reasoning with planning and
action 1345
diverse representation and reasoning methods
1095
EBL and problem solving 519
logical deduction and sortal deduction 635
planning and control 1241
rule-based and similarity-based reasoning
1181
integration 1228
of information 1268
of multiple sensor observations 1067
of planner and controller 1228
of shape information 587
of vision systems 1289
of weighted knowledge bases 1268
techniques 1095
integrity constraints 686, 1114
intelligence 115, 600, 605, 932
architectural requirements for ~ 932
architecture for general ~ 406
artificial ~
[See "artificial intelligence", "AI"]
as approximation to the knowledge level
1011
behaviorist ~ 1172
embedding ~ 178
general ~ 609
human ~ 610, 1172
hypotheses about ~ 115
in machines 933, 1011
in people 1011
intuition in ~ 20
machine ~ 258
modeling ~ 106, 1172
natural ~ 103
non-logical reasoning in ~ 20
study of ~ 610
without representation 605
intelligent
activity 606
agency 1104
agent 266, 1011, 1172, 1209, 1241, 1378,
1399
artifact 628
autonomous systems 1161
intelligent backtracking 1295
schemes 1231
intelligent behavior 115, 406, 606

concept-free ~ 606
intelligent
computer programs 148
connection of perception to action 320
intelligent control 327, 979
of computational simulations 1156
intelligent
controller 1171
creatures 605
decision-making 20
design of training sets 515
generator 670
interfaces 623
intelligent learning environments 545
design of ~ 545
intelligent
numeric simulation 612
order for resolving conflicts 958
paradigm 343
intelligent program
analysis 81
creating an ~ 141
intelligent
programs 110
pruning strategy 1067
real-time control architecture 1161
robot reactions 36
intelligent systems 435, 602, 610, 616, 932, 1149, 1264
adaptive ~ 1157
constructing ~ 1095
decomposition of ~ 605
text-based ~ 1149
uncertainty in ~ 1062
intelligent tutoring 543
systems 325, 326, 465, 617
intelligent use of space 1170
intended interpretation 125
intensional
formalisms 636
knowledge base updating 686
logic 116
intensionality 116
intensity
changes 289
data 273
image 273
image ~ 195
measurements 195
pattern 289
representations 200
intensive care unit, ICU 1157
intention 548
in utterances 176
intention-based diagnosis of errors 544
intentions 281, 968, 1166
agent's ~ 548
Bratman's three characteristic functional roles for ~ 548
communicative ~ 1085
in communication 968
joint ~ 1173
of a questioner 226
to another agent, agents' ~ 1351
inter-agent distance 1358
inter-feature correlation 452, 556
inter-object contact 47
inter-variable compatibility 250
interacting
goals 70, 183
pairs of parts 665
subproblems 182
with a constantly changing world 973
with database systems 533
with expert systems 533
interaction 269, 573, 1158
agent-environment ~ 1158
and agency 1207
between induction redundancy and change 459
bidirectional ~ 1186
distortions 1186
effective ~ 269
enabling-condition ~ 919
environment 1352
goal ~ 919
history 908
human computer ~ 1386
imperfectly predictable ~ 1209
in an environment, inherent patterns of ~ 1211
of agents 1173, 1174
of computers 1352
of knowledge 233
patterns of ~ 1211
problem, graph history ~ 1340
rules 1353
rules of ~ 1352
interaction with an environment 1209
continuous ~ 1274
robot ~ 411
interactions 681
agent/environment ~ 1161
among influences 578
among system modules 1079
deleted-condition ~ 919

of knowledge belief sensing acting and time 1171
of parts 665
parts ~ 1153
rule ~ 1338
sociopathic ~ 1143
theory of ~ 658
with their environments, agents ~ 1207
within linear systems 908
interactive
acquisition of procedural knowledge 643
advice 264
commands 48
feature in theorem provers 48
generation of hierarchical partially ordered plans 274
knowledge-based assistants 1007
music systems 1326
process 234
processes, simultaneous ~ 43
program 134
interactive programming 434
system, GRAPH 434
interactive theorem prover 57
interactive transfer of expertise 141
of knowledge 141
intercity distances 1302
interconnections 298
of components 360
of equations 360
interdependent variables in equilibrium 359
interesting features of interactions 658
interface
between LF and PQL 1088
extended person–machine ~ 269
protocol 353
systems 269
interfaces, transportable natural-language ~ 399
interfacing with the ATMS 353
interference
of symbolic structures 594
of the axioms encoding observations with minimization 1183
interim minimax values 1066
interlace technique 1281
interlaced image sequences 1281
interleaved planning–realization regime 564
interleaving planning and execution 547
interlingual approach, parameterized ~ 1080
interlingual machine translation 1080
system, UNITRAN 1080
intermediate
parallelism 953
problems 307
repair results evaluation of ~ 1242
shapes 495
intermediate-level vision 273
internal
deductions 524
degrees of freedom 1310
disjunction 460
language 55
machine representations for concepts 114
representation 1165
representations of the environment 521
structure of an assembly product 1153
INTERNIST expert system in medicine 132
interpersonal commitments 548
interpolate surface orientations 265
interpolating
smooth surfaces 194
three-dimensional data 572
interpolation, elastic ~ 495
INTERPRET, scene description system 29
interpretable goal partition 7
interpretation 104, 192, 193
acoustic signal ~ 1186
as abduction 1059
consistent ~ 663
context of ~ 1166
contour ~ 480
data ~ 1265
declarative ~ 239
distributed ~ 1358
domains 681
geologic ~ 681
image ~ 532, 585
incremental ~ 643
influences of context on ~ 643
model-theoretic ~ 116
natural language ~ 1088
of 3D textures 587
of a constraint theory 1068
of an image 532
of an unknown utterance 215
of assumptions 683
of C-13 spectral data of unknown compounds 263
of compound nominals 1059
of computer programs 333
of curved surfaces 484
of image features 201
of line drawings 42
phase of scene analysis 104
problem 193
procedural ~ 116, 239

process 643
semantic ~ 425, 636
space 663
tasks 663, 1067
text ~ 1073
tree 1310
interpretation-guided segmentation 104
interpretations 301
alternative ~ 663
conditional ~ 643
of events 461
of regions 104
ordering among ~ 678
plausible ~ 1186
preferred ~ 532
interpreter 101
for a language for describing assemblies 159
for applying transformations to representations 158
interpreters, agent ~ 931
interpreting
a shared action representation 1228
aerial photographs 376
an image curve 440
extended texts 1073
handwritten text 1100
handwritten text, computational theory for ~ 1100
line diagrams as pictures of three–dimensional scenes 14
line drawings as three-dimensional surfaces 194, 999
noisy sensor data 1387
non-3-D line drawings 1260
perspective images 262
pictures of polyhedral scenes 42
problem representations 961
text 1059, 1100
interpretive
partial evaluator 91
system 91
interruptibility 1227
intersect in edges 481
intersection
manifolds 392
of two linked lists 140
intersections
number of ~ 283
of drawings 59
intersegment discourse relations 1085
interstate behavior 291
interval 669
algebras 1290
arithmetic 950
interval constraint 632
problems 928
satisfaction systems 950
interval
disjointness 1197
expressivity 1290
labeling systems 950
labels 403, 1140
networks, randomly generated ~ 928
propagation 950
temporal logic based planner 1211
theories 621
interval-based
approach to temporal reasoning, Allen's ~ 693
framework 956
intervals
of time 394
permitted ~ 632
interviews
with an artificial paranoia model 11
with real patients 34
with the paranoia simulation model 34
intonational
emphasis 1060
prominence predicting ~ 1060
intractability 631
for a concept language 687
of circumscription 1384
of default logic 1384
of domain independent planning 1380
of formal systems 379
of global optimization 1288
of inference 1384
of model selection 1272
of non-monotonic reasoning 1384
of pair algebras with infinite representations 1290
sources of ~ 1144
intractable 433, 466, 567, 586, 631, 1076, 1144, 1245, 1311
branching 664
computationally ~ 433, 966
planning 1117
problem 966
theories 584
behavior 291
intrinsic
image boundaries 273
image network 273
images 273
properties of contours 262

texture statistics 587
intrinsically hard search problems 1298
introspect
ability to ~ 1311
their own code 1251
introspection 1311
negative ~ 461
intuition 1220
human ~ 410
in intelligence 20
in reasoning 20
intuitions, clash of ~ 622
intuitive
concepts of causality 359
explanation 1082, 1083
inferences 591
minimization 346
notion of causation 464
plausibility judgements 401
properties 1223
qualitative reasoning 294
reasoning 294
semantics 1378
intuitively correct answer 630
invariance 1271
invariant
assertions 316
descriptions 1271
measurements 1271
under projection 262
invariants for 3D objects, construction of ~ 1271
inventing a hypothesis 1141
invention 115
of memory 652
inventory of syntactic constructions 923
inverted mappings 140
invocation
controlling ~ 177
cycle 178
demons 112
exhaustive ~ 178
of new default rules 445
involuntarily activated processes 43
IPP, integrated partial parser 260
IPUS, architecture for integrated processing and understanding of signals 1186
irrecoverable information 1155
irreducibility 912
irreducible
factors of a polynomial 86
joint intentions 1351
irredundant knowledge base 645, 1105
irregular tree 972
irrelevance 682
exploiting ~ 1410
in Bayesian networks 1410
irrelevant
attribute 1247
clauses 1295
data 522
derivations 21
features 1121
irrelevant information 518
indifference to ~ 1378
irreversible
irregular problem type 45
regular problem type 45
is-a hierarchies 473
island nodes, set of ~ 370
island-driven parsing 1118
islands of perfection 1232
isolated objects 574
isomorphisms 158, 596, 698
of genetic algorithms 961
isotropy 587
principle, weak ~ 1026
weak ~ 1026
item of evidence 366
iteration 106
control structure 106
iterative
broadening 905
circuit array 38
constraining 336
iterative deepening 965, 1200, 1266, 1337
A* 972
algorithm, depth-first ~ 331
algorithm IDA* 650
optimality of ~ 1202, 1337
perimeter search algorithms 1266
search 650, 1066
search, depth-first ~ 535
strategies 1202
iterative
depth-first branch and bound algorithm IDA*–CR 650
epsilon-transformation 1305
implementation 241
interaction 1345
loops 316
nature of diagnosis 396
paradigms 126
planner 336
refinement routines 1239
revision 1242
training procedures 590

version spaces 1192
Iwasaki and Simon 360

J
Jackendoff, R. 367
Jacobian 612
Jacobs, Paul 1149
Japan's computer challenge to the world 270, 271
Jeffrey's rule 1338
Jeroslow 1081
job sequencing problems 1342
job shop scheduling 1231, 1346
constraint satisfaction problem 1231
CSP 1346
problem 27
search space 1346
Johnson 683
join association, arbitrary ~ 695
join-dependencies, satisfaction of ~ 1064
joining smoothly two primary surfaces 481
joins 451
joint activity 1173, 1351
joint intentions 1173
irreducible ~ 1351
joint
probability distribution 578, 1358
responsibility model 1173
ventures domain, specific dictionary for ~ 1371
jointed objects
motion of rigid and ~ 222
structure of ~ 222
three-dimensional structure of ~ 222
Jouannaud and Kounalis 382
JTMS framework 1249
judgements
expressed in natural language 1258
intuitive plausibility ~ 401
judgmental rules, informal ~ 227
junction 1137
dictionary 139
labeling 322
junctions, picture ~ 42
justification 1142, 1258
and defeat 1092
justifications 112, 435, 653, 1182
consistency of ~ 1148
manipulating ~ 351
nonmonotonic ~ 352
of nonnormal defaults 649
of the code 256
TMS ~ 450
justified
assumptions, logic of ~ 922
facts 680
justifying
computational actions 641
plans 1129

K
k-CNF 1187
concepts 460
k-consistency algorithm, optimal 529
k-DNF concepts 460
k-move rule 562
k-optimal strategy 562
k-SAT 1304
k-satisfiability 1304
K45 modal logic 1267
KAISSA, chess playing program 77
KAM suite of computer programs for complex dynamics 661
KAMP, computer system 318
Kanade and Huffman 205
Kanatani 1026
Kanatani's Buffon transform 587
KANDOR system 433
Kant 636
Kapur 382
Kapur, Narendran and Zhang 382
Katsuno and Mendelzon, KM 1250
Kautz, Vilain and ~ 632
KBANN, hybrid learning system 1135
KD45 modal logic 1220, 1267
Keng and Yun 1346
kernel
diagnosis 917
formulation 1180
KERNEL, text understanding system 1079
KERNEL's
architecture 1079
design 1079
Kerschberg, Larry 623
Kiczales, Gregor 1028
Kim and Pearl, polytree algorithm of ~ 626
Kim and Pearl's algorithm 1366
kinematic
analysis algorithm 665
function 915
function of pairs of parts 573
goals 915
interactions 573
pairs 573
properties 573

simulation 957
kinematics 573, 915
computational ~ 665
of a mechanism 665
of subassemblies 665
qualitative ~ 915
representations for ~ 666
kinetic phenomena from statistical physics 1304
king and pawn endings in chess 280
KING, knowledge intensive generator 418
Kirousis and Papadimitriou 1137
kitting robot 1211
KL-ONE family 904
of knowledge representation systems 904
KL-ONE
frame language 593
knowledge representation system 433
logic computing system 501
representation system 1116
KM
postulates 1250
theory of belief update 1250
KNACK, expert system 679
knapsack problem, 0/1 ~ 650
Knoblock, ALPINE algorithm of ~ 1150
knowing
that 1151, 1311
who 1151, 1311
knowledge 138, 327, 336, 426, 493, 500, 638, 660, 667, 689, 1011, 1014, 1019, 1348
about algorithms 1141
about elementary symbolic programming 140
about programming constructs 57
about relations between events 693
about the refinement process 442
about the world 29, 890
abstract ~ 418
knowledge acquisition 141, 442, 960, 1007, 1242
language 503
language SALT 503
lexical ~ 1364
knowledge
acquisition of ~ 504, 959
knowledge acquisition
system 459
system, Candide 643
tool 503, 679
tools, generating domain-specific ~ 1193
knowledge
algorithmic ~ 82
and action, formal theory of ~ 1163
knowledge and belief 1019
logics of ~ 697
model for ~ 1154
knowledge
as justified true belief 1019
assertional ~ 625
background ~ 1101
background and contingent ~ 638
knowledge base 164, 178, 183, 369, 442, 503, 563, 593, 638, 682, 686, 1105, 1143, 1155, 1193, 1249, 1257, 1338, 1350, 1381
Ace ~ 418
assertional ~ 904
basis of a ~ 1264
Boolean function of a ~ 1105
chemical reaction ~ 134
clausal ~ 904
conditional ~ 890
consistent ~ 1257
construction 1272
dimension of a ~ 1257
disjunctive ~ 645
for boolean circuit design 1007
irredundant ~ 645, 1105
large ~ 177
management 398
models of a ~ 1105
of rules 263
optimal ~ 1105
propositional ~ 678
refinement 442, 1071
revising a ~ 1096
revision 678, 926
sociopathic ~ 1143
system GARI, expert-type ~ 336
systems 1348
updating 686
[See also "knowledge bases"]
knowledge based system 211
[See also "knowledge-based"]
knowledge bases 107, 282, 435, 1264
declarative ~ 500
expert system ~ 264
first-order ~ 1151, 1311
Horn ~ 1105
manipulation of ~ 398
merging multiple ~ 1268
redundant ~ 645
rich ~ 1378
statistical ~ 1378
transporting ~ 1116
weighted ~ 1268
[See also "knowledge base"]
knowledge
being justified true belief 1019

belief as defeasible ~ 1019
caching 1155
chunked ~ 280
coarse ~ 693
common ~ 697
commonsense ~ 942, 943, 944, 946, 1205
commonsense algorithmic world ~ 82
compilation 524, 1245, 1288, 1301
components, imprecison of ~ 689
conceptual ~ 418
contingent scene ~ 532
control ~ 136, 266, 930
conversion of ~ 239
corpus of ~ 227
de re ~ 1168
decision-making ~ 183
default ~ 381
defeasible ~ 890
design ~ 237
distributed ~ 697
domain ~ 478, 503, 659, 953
domain dependent ~ 166, 500, 561
domain specific ~ 226, 248, 478, 663, 668
effective use of ~ 504
embedded in a program 177
encoding ~ 177, 178
engineering 1368
engineers 690, 1082
expert ~ 237, 264, 515
explicit ~ 581
explicit representation of control ~ 236
extending ~ 524
extraction of ~ 524
extraction program, STATIC 930
from a semantic network, extracting ~ 337
gap 555
geometric ~ 479
global ~ 73
heuristic ~ 45, 232, 237
hiding of portions of ~ 1155
human ~ 100, 524
human organization of ~ 82
human programming ~ 140
image domain ~ 532
implicit ~ 111
in a shape representation 691
in machine-usable form, encoding ~ 140
in mathematics 500
in program synthesis 70
in the form of production rules 164
incomplete ~ 693, 956, 1163
incomplete and uncertain ~ 673
inconsistent ~ 925
indefinite ~ 956
indexical ~ 1163
indexing 177
indexing ~ 177
inductive ~ 65
intensive 418
intensive generator, KING 418
interaction of ~ 233
interactive acquisition of procedural ~ 643
into algorithms, non-explicit ~ 45
large number of chunks of ~ 177
learned ~ 1363
learning search control ~ 646
knowledge level 209, 524, 986
systems 1011
theories 600
knowledge
lexical ~ 923
linguistic ~ 111, 418
logic of ~ 922, 1019, 1220
machine models of ~ 933
manipulation mechanism 1074
mechanizing temporal ~ 110
minimal ~ 1089, 1142
modal logics of ~ 697
objective ~ 1163
of a domain expert, generic ~ 368
of a domain, theoretical ~ 1135
of agents 1163
of cause and effect 82
of maps 532
of structure and behavior 296
of the components 396
of the goals of programs 172
of the scene 1283
of the world, background ~ 1033
of three-dimensional objects 393
operator, distributed ~ 697
operators 931
organization of ~ 82
pattern ~ 493
physical ~ 111
pre-programmed ~ 538
prerequisites 1163
principle of AI 607
prioritization of ~ 524
probabilistic ~ 1005
problem background ~ 235
procedural control ~ 211
procedure for minimizing ~ 1089
processing 563
program synthesis ~ 126
propositional ~ 1185

prototypical ~ 236, 975
real world ~ 136, 187
reason about the content of ~ 178
reason with uncertain ~ 348
reasoning and action in classical AI 604
knowledge representation 93, 116, 136, 190, 282, 320, 342, 409, 473, 503, 553, 585, 611, 625, 629, 636, 964, 1074, 1151, 1154, 1185, 1220, 1263, 1272, 1288, 1294, 1311, 1339, 1348, 1377, 1381, 1384, 1404
formalisms 636
in artificial intelligence 553
language 937, 1339
language LLILOG 904
method 618
knowledge, representation of ~ 55, 418
knowledge representation
scheme 1345
semantics for ~ 601
knowledge representation system 1339
for mathematics, Ontic 1042
KL-ONE 433
NIKL 512
knowledge representation systems 94, 486, 904
hybrid ~ 904
knowledge
representation, terminological ~ 567
representing ~ 907, 1225, 1262
retrieval 177
scene domain ~ 532
search control ~ 955, 1004
social ~ 111
source, KS 178
sources 130, 407
sources of ~ 233
sources, unreliable ~ 1185
specification of ~ 233
state description program, PAS-I 23
static ~ 561
strategic ~ 57, 237, 242
structural ~ 237
knowledge structures 418, 525, 1074
of words in context 1074
knowledge
support ~ 237
syntactic ~ 923
systems 983
task domain ~ 190
task-specific ~ 376, 959
terminological ~ 625
to control tree searching 206
uncertain ~ 964, 1263
underlying ~ 45
versus search 232
world ~ 923
knowledge-based
analysis 206
artificial neural networks 1135
assistant, Odyssey 190
assistants 1007
automatic programming 140
consultation program 93, 978
deliberation 1241
learning 1101
methods 1364
natural language processing 1371
NLP systems 1371
problem-solving experts, communicating ~ 106
program 183
systems 141, 514, 937, 938, 939, 940, 941, 944, 1193
[See also "knowledge based"]
knowledge-engineering 1371
environment 1193
knowledge-guided system 139
knowledge-intensive 519
knowledge-level analysis of belief base operations 1254
knowledge-poor 519
knowledge-relative-to-assumptions, belief as ~ 1019
knowledgeable
program 555
static evaluators 52
known
object models 29
reference objects to guide search 1277
Knuth and Moore 122
Knuth–Bendix completion procedure 314
Kolaitis and Papadimitriou 1403
Kolmogorov axioms for probability 696
Korf's learning-real-time-A* algorithm 1164
Korf's taxonomy 1076
of subgoal collections, extension of ~ 1076
Kounalis, Jouannaud and ~ 382
Kowalski 216
Colmerauer and ~ 155
Kramer, Glenn 1029
Kraus 890
Lehmann and Magidor 925
Kripke, S. 1243
Kripke structure 1154
Kripke's possible world semantics 1243
Krogh, Anders S. 1044

Kueker 385
Kuiper's QSIM algorithm 911
Kulikowski, Casimir A. 312, 1084

L
label
consistency 527
propagation 653
set, Huffman–Clowes ~ 169
[See also "labels"]
labeled graphs, directed ~ 109
labeling a line-drawing image 322
labeling a picture graph 169
knowledge required for ~ 169
labeling 1102
a 2D line drawing of a 3D object 1102
algorithms 479
analysis of a scene 169
consistent ~ 585
constraints 169
for the trihedral world, Waltz ~ 156
Huffman–Clowes ~ 156
image ~ 199
information 322
problem 1137
procedure for the Origami world 156
scene ~ 199
scheme 1102
systems, interval ~ 950
labelnode hypergraphs, directed recursive ~ 109
labels
interval ~ 403
numerical ~ 199
symbolic ~ 199
[See also "label"]
laboratory medicine 580
laboriously serializable subgoals 1076
lacking information 1307
Ladner 1267
Ladner and Halpern and Moses 1267
Laird 610
Laird, John 402
Lakemeyer, Levesque and ~ 1213
Lakoff, George ~ 439
lambda calculus 969
landmark
approach 1232
point 293
regions 1232
values 911
landscapes 104
Langley's rule-learning program 335
Langton, Christopher G. 1134
language 575, 1057
ALCHEM 134
analyser 155
analysis 135, 155
antecedent description ~ 1101
BASIC ~ 239
behavior, effective ~ 1362
biases 460
CLASP representation ~ 1339
comprehender 82
comprehension 82, 111, 136, 187
computational description ~ 137
computer ~ 342
computer models of ~ 74
concept description ~ 1101
CONNIVER implementation ~ 47
constrained ~ 1101
constraint ~ 353
constructs 1180
creativity 1074
description 155
description ~ 114, 433, 1385
device-independent ~ 297
domain description ~ 668
environmental description ~ 1278
error diagnosis 125
expressive ~ 1264
extended ~ 282
first-order ~ 385
first-order logical ~ 282
FL⁻ 687
for almost-hierarchical descriptions 157
for combinatorial problems ALICE 119
for describing assemblies 159
for dynamical theories 292
for examples 137
for expressing representations 158
for unified planning and control 1228
general-purpose programming ~ 1228
language generation
systems 1373
theory of ~ 318
language
in action 969
instruction 125
knowledge acquisition ~ 503
knowledge representation ~ 904, 937, 1339
learning, child ~ 365
logical ~ 935
model of ~ 125
natural ~ 401
OBJ 473

of conclusion sets, restricted ~ 1404
of credulous extensions 898
of determinate function-free clauses of constant depth 1187
of EURISKO 247
of path-based inheritance 898
of the first-order theory of the real numbers 470
of time chance and action 1223
pac-learnable ~ 1187
perception 414
phenomena 1364
plan query ~ 1088
probabilistic model of ~ 1364
production 418
programming ~ 934
PROLOG ~ 239
propositional ~ 890, 1005
query ~ 1264
recognition 111
references to time in ~ 25
representation ~ 188, 567, 1005
restriction 1162
restrictions 625
rule ~ 112
specification ~ 1185, 1360
state description ~ 94
terminological ~ 567, 625
theory based on planning 318
transforming ~ 414
understander 135
understanding 100
system 135
use, normal ~ 135
[See also "languages"]
language-comprehension information 187
language-free deep conceptual base 61
language-independent information 1080
language-specific
phenomena 1080
problems 260
languages
concept ~ 687
concept description ~ 1162
context-free ~ 1118
declarative ~ 211
declarative programming ~ 951
equivalence of ~ 1234
first-order ~ 1162
for specifying cognitive models 1360
fully expressive ~ 625
modeling ~ 679
multiple distinct logical ~ 1036
procedural ~ 211
propositional ~ 1162, 1245
query ~ 1361
terminological ~ 1339
with limited numbers of variables 1379
with self-reference 315, 426
[See also "language"]
Lankford 382
large
AI programs 178
amounts of noise 1377
branching factors 1305
consistent networks 928
Horn theories 1225
knowledge base 177
number of chunks of knowledge 177
problem spaces 242
scenes 1284
search spaces 37, 1346
signal behavior 295
unstructured environments 1278
large-scale
constraint satisfaction problems 952
lexical learning system ARIOSTO2-LEX 1364
neural networks 1214
open systems 603
problems 1136
scheduling problems 952
Laske, O. 1328
last player theorem 207
Latin 76
Latombe, J. C. 174
LAURA, system to debug student programs 172
law of diminishing utility 1218
laws
of physics 581, 932
social ~ 1160
layered control structure 183
lazy evaluation 1266
LC, local conditioning 1366
leaf values, distinct ~ 674
LEAP, learning apprentice for digital circuit design 1007
learn
by discovery 287
parameters 1280
learnability 383, 954
results PAC-~ 1201
learnable, PAC-~ 1201
learned
knowledge 1363
values 547

learning 82, 86, 121, 414, 525, 537, 539, 579, 595, 600, 1123, 1152, 1294, 1363
ability of EBL 1380
learning algorithm 1121
FRINGE ~ 1121
ID3 ~ 1121
mutual-information-greedy ~ 1121
simple-greedy ~ 1121
weighted greedy ~ 1121
learning algorithms 460, 613, 1176, 1247
FOCUS-1, FOCUS-2 1121
learning
algorithms for behavior ~ 903
algorithms for parameter ~ 1410
algorithms for system identification problems 1176
learning apprentice for digital circuit design 1007
LEAP 1007
learning apprentice programs 1007
learning
architecture 634
automatic ~ 185
back-propagation ~ 515
backgammon 515
Bayesian ~ 452, 556
behavior 613
Boltzmann machine ~ 907
Boolean concepts 1121
by completing explanations 378
by creatifying transfer frames 121
learning by discovery program
AM 246
EURISKO 246, 247
learning
by observing 1007
by trial and error 903
by understanding analogies 436
capabilities 634, 1159
child language ~ 365
classifications by example 432
classifier system 1152
cognitive ~ 55
composite moves 576
computer systems 1084
concept ~ 212, 460, 584, 672, 1219
learning concepts 383, 1187
from examples 1247
learning
conceptual inductive ~ 673
connectionist ~ 515, 907
control rules 1007
curves for ID3 1247
data, speedup ~ 1363
dynamics 1176
efficiency strategies 319
efficient ~ 1214
efficient strategies 576
learning environments 542
intelligent ~ 545
learning
evaluation function ~ 452
explanation patterns 525
explanation-based ~ 552, 579, 955, 1004, 1288
[See also "EBL"]
framework 460, 1380
learning from examples 79, 378, 1247
algorithms for ~ 673
learning from exercises, theory of ~ 231
learning from precedents
and exercises 231
theory of ~ 231
learning
from search failures 1380
generalized robot plans 36
gradient-descent ~ 521
grammatically biased ~ 1101
learning heuristics 3
for planning 1386
for scheduling 1386
learning
human concept ~ 518
in Bayesian networks 1410
in connectionist networks 1185
in mathematically-based domains 579
inductive ~ 188
knowledge-based ~ 1101
lesson ~ 378
logic programs 1101
machine 311
machine ~ 246, 287, 310, 504, 517, 522, 686, 1111, 1135, 1187, 1306, 1386
maximum-likelihood ~ 907
learning method
based on the differences among concepts 642
case-based ~ 1242
[See also "learning methods"]
learning methodology 1380
learning methods 1363
conventional concept ~ 1219
evaluating ~ 188
hybrid ~ 1135
reinforcement ~ 1164
speedup ~ 1363
[See also "learning method"]
learning

models 432
network ~ 515
new domain objects 247
new heuristics 247
of a Boolean function 1214
of goal hierarchies, automatic ~ 402
of heuristics, automating the ~ 3
of large-scale neural networks 1214
of modular structured networks 1214
one subprocedure per lesson 378
ordering from failure 1231
PAC-~ 1187
performance 460
problem solving strategies 576
learning problems 1121
unsupervised ~ 907
learning procedures 521, 595, 907, 1055, 1185
connectionist ~ 521
machine ~ 52
learning
process 518, 673
production systems from examples 79
learning program 319, 432, 584
concept ~ 113
POLYFACT 86
rule-~ 335
SIERRA 378
learning
propositional knowledge 1185
Q ~ 903
real-time ~ 1164
reinforcement ~ 903, 1152, 1165
representations of unknown logic formulas 1185
rote ~ 246
search control knowledge 646
shape models 383
similarity-based ~ 642
spatial representations 1176
speed-up ~ 1288
statistical ~ 1386
learning strategies 545
multiple ~ 519
structural ~ 188
learning structural descriptions 235
from examples 188
learning structures of visual patterns 642
learning system 241, 459, 613, 1101, 1135, 1288
COMPOSER 1386
concept ~ 1101
empirical ~ 1071
FLORA 673
implemented ~ 383, 579
lexical ~ 1364
machine ~ 526
SWALE 525
learning
tasks 1165
technique, analytical ~ 955
learning techniques 903
connectionist ~ 1135
generalization ~ 3
learning
the syntax and semantics of a language from the same data 595
theories 1201
theory, computational ~ 1288
to track visual motion 1280
unbiased ~ 378
version of an algorithm 547
weak method for ~ 319
with forgetting, structural ~ 1214
least
cost set 1034
exceptional worlds 455
median of squares, LMedS 1270
specific abductive explanation 916
least-commitment strategy 183
Lee, Han and ~ 529
Lee, Haralick and ~ 417
left-to-right depth-first algorithm 257
legged agent 1158
Legoland scenes 1137
line drawings of ~ 1137
Lehmann, Kraus, ~ and Magidor 925
lemmas 21
Lenat 287
Lenat, D.B. 305, 306, 608, 937, 938, 939, 940, 941, 944
Lenat's
AM discovery system 538
AM program 286
EURISKO discovery system 538
length 262
LET commands 239
letter
recognition 14
segmentation 414
level
of description 664
of local consistency 894
of precision 657
levels of granularity 659
Levesque
and Brachman 625
and Lakemeyer 1213

Brachman and ~ 433
et al. 1351
Levesque, Hector 1142
Levesque's
axiomatization of only knowing 1256
logic 421
Levine, D.S. 1045
lexical ambiguity resolution 1074
lexical components 1074
of words and phrases 1074
lexical
concepts 1074
data 1364
disambiguation 425
information 1074
items 1074
lexical knowledge 923
acquisition 1364
representation 1074
lexical
learning system 1364
properties 1074
lexical semantics 1074
level 1080
of words 1074
lexicographic priority mechanisms 633
lexicon 226, 1074, 1100
computational ~ 1074
development 1073
Leyton 495
LF, logical form, semantic representation for
natural language interpretation 1088
LIBRA, implementation of an automatic
programming framework 238
libraries 1361
library
model fragment ~ 1272
of model fragments 1265
of object models, index a ~ 1271
of representation schemes 692
life, artificial ~ 1134
Lifschitz 1089
Lifschitz, V. 1313
Lifschitz's pointwise circumscription 1403
light source
coordinate system 321
direction 321
Lighthill, James ~ 58
likelihood
conclusions 578
logic to reason about ~ 405
likely
patterns 493
solution difficulty 1306
world states 1239
limit
assumption 1096
cycles 612
heuristic 26
limit theorems
computer proofs of ~ 26
of elementary calculus 26
limit values 40
limitations
of a knowledge base 183
resource ~ 1151
limited
agents, resource ~ 1362
beliefs 1311
default logics 637
numbers of variables, languages with ~ 1379
positional analysis 30
problem domain 62
rationality 641
reasoning 421, 1151, 1311
theory of types 26
limiting
backtracking 1394
recursive 1081
limits
automatic computation of ~ 40
in mathematical analysis 40
Lin and Shoham 1089
Lin, Fangzhen 1142
line data, imperfect ~ 29
line drawings 156, 193, 194, 571, 999, 1137, 1260
analysis 59
complexity of ~ 169
in terms of surfaces, model for understanding
~ 156
interpretation of ~ 42
non-3-D ~ 1260
of geometrical shapes 59
of Legoland scenes 1137
of trihedral scenes 1137
scene represented as ~ 29
line
elements 1260
finder, context sensitive ~ 41
segment, finding a ~ 41
sharing 1260
line-drawing interpretation 205
line-labeling 322
linear
algebra 279
attributes 460

complexity 407
constraint satisfaction approach 1034
constraints 1034
derivation systems 647
evaluation function 452
expected time 248
format 10
frequency domain filtering 24
inequalities 26, 31, 1257
order 1110
pattern-matching algorithm 167
plans, multiple ~ 920
program relaxation 1391
linear programming 31
problem 279
problem, 0–1 integer ~ 1034
linear
regression analysis 964
relationship 358
linear resolution 21, 916
refutations 142
strategies 32
with merging 32
with selection function 21
with subsumption 32
linear
simultaneous equations 153
speedup 674
string-matching algorithm
time 140, 302, 1146, 1267
time satisfiability algorithms 1245
linear-space best-first search 965
algorithm 965
RBFS 965
linear-space search algorithms 1200
linear-time algorithms 585
linearity 73
linear–quadratic dependence 8
linguistic
actions 318
approach to picture interpretation 14
decoding 50
knowledge 111, 418
phenomena 1364
transformations Chomsky's description of ~ 427
linguistics, theoretical ~ 1060
linkage 665, 1029
analysis packages 665
linked lists 590
linking
causal ~ 679
spatial ~ 679
sub-type ~ 679
temporal ~ 679
links 622
defeasible ~ 935
strict ~ 935
Lion algorithm 1165
LISP 13, 17, 63, 79, 82, 101, 116, 247, 308
function 101
interpreter 101
mutators basic ~ 247
programming 247
listening machine 1326
lists 57, 101
literal 21, 249
default rules 637
meanings of words 564
literals 94, 1103
clauses with up to k ~ 1201
disjunctions of ~ 653
negative ~ 213
positive ~ 213
predicate calculus ~ 94
redundant ~ 963
liver and bile disease 1377
LL, logic to reason about likelihood 405
LLILOG, knowledge representation language 904
LMedS, least median of squares 1270
LMS, modelling system 184
load balancing 972
schemes, static ~ 1018
local
behavior determines global behavior 551
compilation techniques 1227
computational techniques 1212
computations 400
local conditioning 1366
LC 1366
local consistency 585, 894, 949, 1120
conditions 894
methods 354
techniques 1110
local constraint propagation 462, 585
algorithms 462
local
differential techniques 1281
distortions 265
evidence 1358
geometric information 392
gradient ascent 907
labeling 169
local minima, escaping from ~ 515
problem 1214
local

network 1218
notion of consistency 1138
optima 1143, 1228
perturbations 502
pragmatics 1059
propagation 368
reasoning 421
sensory probing 169
stability properties 551
surface orientation 194, 265, 321
syntactic restrictions on working memory 1111
locality of a clause 1187
localization 1269
problem 1269
localizing
faults 396
isolated objects 574
locally
consistent 462
infinite search spaces 37
optimal 241
optimal decisions 547
locating a stored prototype 1274
location 268
of points 1283
of the hardest problems 1296
of the phase transition 1300
log-normal distribution 1302
log-polar sensors 1274
log-space complete 585
logarithmic
precision, heuristics with ~ 232
time 585
logarithms 40
logic 374, 395, 470, 601, 1162, 1180, 1338
and artificial intelligence 602
annotated ~ 935
autoepistemic ~ 303, 449, 516, 549, 566, 639, 677, 922, 984, 1154
logic based
diagnosis 684
planner, interval temporal ~ 1211
logic
C, conditional ~ 541
classical ~ 593, 640, 1311, 1343
classical modal ~ 1388
classical notions of ~ 549
classical propositional ~ 1213
clausal ~ 216
complexity of modal ~ 1267
conditional ~ 1057, 1388
cumulative default ~ 649
declarative ~ 1119
deduction in a conditional ~ 1057
default ~ 379, 445, 449, 677, 922, 1138, 1142, 1148, 1182, 1222, 1343, 1365
digital ~ 297
doxastic ~ 1086
dynamic ~ 395, 969, 1243
epistemic ~ 1168, 1213
equational ~ 314, 473
experimental ~ 374
first-order ~ 80, 395, 409, 426, 455, 508, 669, 895, 913, 916, 1119, 1162, 1223
first-order conditional ~ 409, 455
first-order modal ~ 1168
first-order predicate ~ 1246
for approximate reasoning 1162
for belief revision 435
for default reasoning 151
for reasoning about belief revision 1096
for reasoning with inconsistent knowledge 925
for two-place preference operators, complete ~ 1243
formal ~ 31, 628
formal proof in symbolic ~ 88
formula manipulation in ~ 31
fuzzy ~ 1112, 1258
grammars for natural language 216
ideal nonmonotonic ~ 925
inductive predicate ~ 55
levels 662
Levesque's ~ 421
LL 405
mathematical ~ 401
modal ~ 405, 1089, 1154, 1162, 1163, 1171
modal action ~ 1243
Moore's autoepistemic ~ 1154, 1365
multivalued ~ 1241
nonmonotonic ~ 149, 303, 419, 450, 488, 494, 640, 1365, 1404
nonmonotonic modal ~ 1032
nonstandard propositional ~ 1213
logic of belief 1311
extended ~ 549
logic
of chronological ignorance 464
of constraint satisfaction 948
of defaults 151
of implicit and explicit belief 1213
of justified assumptions 922
logic of knowledge 922, 1019, 1220
and belief 1348
and justified assumptions GK 922

logic
of minimal knowledge 1089
of mutual belief 1086
of nonmonotonic reasoning 633
of nonmonotonicity 541
of only knowing 1256
of plurality quantifiers 401
of private beliefs 1086
of problem solving 83
of set theory 127
of system P 925
of temporal incidence 546
of time chance and action 1223
order-sorted ~ 904
order-sorted predicate ~ 904
possibilistic ~ 651, 1388
predicate ~ 314, 925
preference ~ 1243
preferential ~ 675
probabilistic ~ 348, 985, 1124
probability ~ 1112
procedural ~ 308
program 208
logic programming 374, 467, 539, 566, 639, 948, 1105, 1142, 1194
argumentation as a special form of ~ 1194
constraint ~ 934, 951
inductive ~ 1187, 1201, 1370
with stable set semantics 566
logic programs 639, 922, 1187
learning ~ 1101
semantics of ~ 639
with multiple clauses 1187
logic
propositional ~ 80, 575, 1135, 1355, 1162
propositional nonmonotonic ~ 494, 1142
Reiter's default ~ 453, 1148
relevance ~ 1151, 1213
semantical generalization of ~ 348
semimonotonic ~ 649, 1148
sorted first-order ~ 669
strongest modal ~ 1220
subsystem 635
symmetric ~
temporal ~ 281, 395, 669
Logic Theorist program 37
logic
to reason about likelihood 405
variable precision ~ 363
[See also "logics"]
logic-based
calculus for reasoning about the movement of objects 1224
knowledge representation systems 486
logic-centered backward analysis 134
logic-style clauses 653
logical and algebraic reasoning, integrated ~ 1217
logical approach
to artificial intelligence 601
to planning 1223
logical
axioms 374
calculus, restricted ~ 948
completeness 625
connectives 84
logical consequences 638
of the constraints 1119
logical
deduction 635
descriptions 1219
disjunction 687
logical entailment 348
probabilistic ~ 348
logical
form LF 1088
formulas 1225, 1381
foundations of artificial intelligence 489, 490, 491
framework for default reasoning 453
implication closure of goals under ~ 1243
inference system 12, 374
interpreter 948
logical language 601, 935, 1223
first-order ~ 282
L^{-3} 1379
logical
languages, multiple distinct ~ 1036
links 622
minimization 486, 922
model 532
omniscience problem 1213
operators 1223
problems about belief 356
proof 88, 291
reasoning 1124, 1217
relationships 188
logical representation 635
systems 948
logical
rules 374
soundness 625
structure 1194
logical
system 348
systems, non-monotonic ~ 149
theory, ILP constructed ~ 1370

logically
closed belief set 1254
equivalent expressions 374
logicism 602
logics
action ~ 1243
belief ~ 1151, 1311
classical ~ 1191
classical modal ~ 1248
constrained ~ 1068
cumulative ~ 575
cumulative default ~ 1148
description ~ 1361, 1379, 1385
epistemic ~ 931
experimental ~ 1081
expressiveness of ~ 1379
fixed-point nonmonotonic ~ 922
for belief 421
free ~ 636
in AI, temporal ~ 408
maximal ~ 1220
modal ~ 426, 697, 1036
multi-valued ~ 372
multilanguage hierarchical ~ 1036
multivalued ~ 1162
nonclassical ~ 1388
nonmonotonic ~ 464, 541, 922
nonmonotonic modal ~ 1220
of belief 549
of incomplete information 149
of knowledge and belief 697
of normality, conditional ~ 1097
of probability 597
predicate ~ 1379
preference ~ 541
reified temporal ~ 1246
sorted ~ 635
terminological ~ 501, 512
weaker ~ 1311
[See also "logic"]
LOGO turtles 73
long action sequences 522
long-run measure of crossover bias 1244
long-term behavior 1156
of a dynamical system 551
long-term memory, very large ~ 44
look-ahead
method 27
procedure 168
search, minimax ~ 547
tree 27
look-back schemes 1231
looming detection 1274
loop 70, 1361, 1366
closed ~ 571
loop cutset 644, 1253
minimum ~ 1253
loop unwinding 247
loose coupling 904
loosely constrained initial plan 336
loser-take-nothing 1270
lottery paradox 638, 1092
Loveland 1299
Loveland, Gelernter, Rochester, Hansen and ~ 4
Loveland's
model elimination 21
subsumption conditions 10
low
frequency components of a surface 569
resolution imaging 613
low-level vision 194, 199, 273
problems 1001
low-resolution scene parts 1284
lower bound
condition 15
heuristics 1237
on uncertainty 1340
lower
envelopes 1112
previsions 1258
probability 1258
lower-level cognitive functions 590
lowest-cost map 1037
Loy, D. Gareth 1329
Lukaszewicz 1138
lumping 1390
lying by an agent 1352

M

m-abstraction mappings 181
m-ary tree 179, 232
MA* 534
algorithm 534
machine behavior 1156
predicting ~ 1156
machine
composing 1326
deductive consequence generating ~ 18
machine discovery 1376
in chemistry 1039, 1226
of a theorem in particle physics 1376
program, PAULI 1376
programs 1376
systems 523

machine
hypothesis generating ~ 18
intelligence 258
machine learning 246, 287, 310, 311, 467, 504, 517, 522, 526, 686, 1111, 1135, 1187, 1306, 1386
of heuristics 3
procedures 52
program, Protos 584
systems 526
machine
listening 1326
manipulation 139
models of thought 933
planning 583
proof of algorithm termination 1141
reasoning about structure 1037
representations 114
machine translation 1073, 1080
research 1073
machine vision 479, 495, 1077
attention in ~ 1273
reasoning system for ~ 479
[See also "machines"]
machine's geometry 1156
machine-usable form, encoding knowledge in ~ 140
machines 339
information processing in ~ 332
reasoning about ~ 1156
[See also "machine"]
machining plans of mechanical parts 336
Mackworth, A.K. 499
Mackworth and Freuder 354
Mackworth, Huffman and ~ 102
Mackworth's
approach 205
discrete relaxation 168
program Poly 205
MacLaurin's series 40
macro
action 36
generation 576
macro-operator 319, 407, 930
Magellan SAR imagery 569
Magidor, Kraus, Lehmann and ~ 925
magnetic resonance spectra, nuclear ~ 263
main computational problem of default logic 1191
maintain consistency 190
maintaining
mental models of agents 654
qualitative understanding incrementally ~ 663
maintenance 582
of consistent databases 894
reason ~ 962
skeptical reason ~ 962
major findings and hypotheses of AI 607
majorisation 1247
majority rule, weighted ~ 1268
Makinson, Gärdenfors and ~ 1038, 1057
mal-rules, domain ~ 184
malfunctioning device 588
management
costs of SSS*, high ~ 384
electricity transportation ~ 1173
of computational resources 1090
of evidence 328
of evidential reasoning 328
of inference tools 625
uncertainty ~ 1388
manager agents 1307
managing
a workplace 1170
beliefs 527
evidential reasoning 996
large sets of qualitative temporal relations 1169
manifested behavior 396
manipulating
assumption sets 351
interactions 658
justifications 351
manipulation
of knowledge bases 398
of sets of assumptions 435
robot ~ 300
system, planning within a ~ 201
manufacturing parts, plans for ~ 336
many-sorted resolution 324
calculus 324
man–machine
systems 107
theorem proving 434
theorem proving system 48
MAO* algorithm 534
MAP
assignments 1069
explanation 1069
maximum a posteriori probability 1069
map-maker 1278
map-understanding program, Mapsee 532
mapping
a representation of a problem onto a new representation 927
part–whole hierarchies into connectionist networks 591

mappings called abstractions, class of ~ 181
MAPS, dynamical system understanding system 1113
MAPs for belief networks 1175
Mapsee, map-understanding program 532
Marcus parser 425
marginal
expected utility 634
representation 1212
utility MU 634
marginals 1212
computing ~ 1212
marketing 1082
Markov
chain 912
decision processes 1165, 1239
model taggers, single-tag ~ 1356
modeling 1165
trees 1212
Markovian conditions 1338
Marr 431
and Poggio 200
and Ullman 289
Marr's 2 1/2 -D sketch 431
Maryland refutation proof procedure system, MRPPS 46
mass, flows of ~ 1196
Massey, L.D. 617
massively parallel
algorithm for arc consistency 953
cooperative computation 273
machine NON-VON 398
message-passing rule-based systems 522
network 514
match algorithm 695
Rete ~ 219
match
computations 695
formulation 1111
instantiationless ~ 1111
non-combinatorial ~ 1111
of individual productions 1111
Match, problem solving method 220
match
processing 695
Rete ~ 688
match-search 1111
matches of objects, hypothesizing ~ 201
matching 111, 136, 308, 376, 478, 692, 1270, 1361
a pair of stereo images 1276
agents with environments 1159
algorithm structure ~ 68
algorithms 526
ambiguities of ~ 440
ambiguity 1270
chromosome ~ 8
expression 1216
for left-associative joins 695
image ~ 1387
model ~ 478, 479
model-based ~ 393
on demand 695
partial ~ 514
support measure of ~ 1270
valences of structurally related words 1074
material continuity 492
mathematical
analysis 186
concepts 115
conjectures 115
decision theory 60
descriptions 1219
domain 500
expression
field 500
induction 974, 1114
model of an agent's belief 1025
Platonism 932
precision 94
programming 119
properties of nested abnormality theories 1262
mathematical reasoning 166, 579
system 166
mathematical
relations, acausal ~ 1083
simplicity 94
symbols 119
treatment of defeasible reasoning 680
mathematically-based domains 579
mathematicians
reasoning processes of ~ 1055
methods 118
mathematics 500, 628, 1180
concepts 247
foundations of ~ 247
knowledge in ~ 500
knowledge, representation system for ~ 1042
mechanical ~ 31
metaknowledge in ~ 500
of continuously varying quantities 291
of nonmonotonic reasoning 150
pure ~ 500
matrices, conditional probability ~ 1367
matrix, complementarity of a ~ 214
maximal

compactness 587
logics 1220
satisfaction problems 949
maximally
preferred states of belief 633
specific conjunctive generalizations 188
specific conjunctive, MSC 188
maximin 562
maximization of the agents' global utility 1353
maximizing
classification accuracy 1143
the predictive value of production rules 580
maximum
a posteriori probability, MAP 1069, 1175
Boolean satisfiability problem 1305
cardinality 1110
entropy 514
likelihood learning 907
plausibility requirement 631
maxn
algorithm 615
multi-player version of minimax 1107
MBT2, a method in example-based translation 1216
McAllester, David A. 1042
McAllester's conspiracy numbers algorithm 559
McCarl 610
McCarthy 150, 247, 346, 1262
and Hayes 20, 454
John 1313
McCarthy's
circumscription 380, 639
theory of circumscription 485
McConnell-Ginet, Sally ~ 967
McCorduck, P. 270, 271
McDermott
Allen and ~ 408
and Doyle 150, 303, 494
Drew 173
Hanks and ~ 450, 455
Shoham and ~ 640
Shoham, ~ and Sandewall 640
MD/PV model of spatial reasoning 666
mean 1184
complexity of A* 232
mean-valued operators 422
meaning
and grammar 967
representation 65
truth and ~ 510
word ~ 66
meaningful semantic variants 247
means 307
set 307
means–ends
analysis 19
models 1196
measure
of accuracy 447
of belief 368
of matching support 1270
of problem difficulty 407
of realism 100
of the error 521
of unexplored potential 1340
statistical relatedness ~ 66
measurement
in diagnosis 1040
motion ~ 289
of visual motion 289, 1279
principles of ~ 395
theory of ~ 1040
validation 1196
measurements 1067
and actions, plan of ~ 957
of image features 201
measures
of possibility 206
of the cost distribution 1184
of uncertainty 1258
measuring
robot task complexity 1177
the complexity of a line drawing 169
the performance potential of chess programs 555
mechanical
assembly 1153
clocks 573
design 1341
devices 1156
discovery of symmetries 98
effectors 320
engineering 540
equipment 104
errors 1278
inference problems 49
mathematics 31
solution of Schubert's Steamroller 324
speech understanding, effective ~ 49
theorem prover 434
theorem proving 213
mechanics 660
Newtonian ~ 640
problem solving program 120
mechanism
analysis 915
design 915, 1352

mechanisms 573
built of rigid parts 665
negotiation ~ 1352
of disease 133
of the mind 1316, 1317
mechanization of abstraction 927
mechanized
formal reasoning 152
object theory 1251
mechanizing temporal knowledge 110
MECHEM 1226
system for automatic discovery in chemistry 1039
median 1184
computational cost 1304
search cost 1184
medical
consultation 132, 446
consultation by computer 446
databases 129
medical decision making 132
computer-aided ~ 133
medical diagnosis 405, 413, 1143, 1377
categorical reasoning in ~ 132
consultation program for ~ 133
in liver and bile disease 1377
probabilistic reasoning in ~ 132
medical
problem solving 237
treatment consultation, program for ~ 133
medicine 104, 395, 580, 998, 1082
MEET, system for mechanical design 1341
Mehler, Jacques 568
Meinongian theory of Parsons 636
Mellish's
approach 1192
description identification algorithm 1192
memory 260, 337, 652
associative ~ 614, 1070
content addressable ~ 614
for concept data 61
limitations 534
mechanism 1152
organization, conventional ~ 590
requirement, exponential ~ 965
restricted ~ 534
retrieval, human ~ 596
structures 82
unlimited ~ 1342
utilization 67
versus node expansions tradeoff 534
within Soar 1360
working ~ 1111
memory-based parsing 260
memory-constrained 1342
search algorithm MREC 1342
Mendelzon, Katsuno and ~ 1250
mental
capabilities 115, 932
computation 1048
content, central role of ~ 602
context shared ~ 111
mappings, human ~ 1037
models of agents 654
processes, taxonomy of ~ 932
mental state 931, 932
of agents 931
Mercer, Etherington, ~ and Reiter 345
merges in proofs by resolution 10
mergesort 126
algorithms 330
merging
linear resolution with ~ 32
local hypothesized matches 201
multiple knowledge bases 1268
operation 1268
operators 920
plan ~ 920
redundancies 1059
message passing 492
algorithm 413
between adjacent elements 492
systems 522
meta-actions 500
meta-communication explicit ~ 269
meta-control strategy 1157
Meta-DENDRAL 128
expert system 983
meta-graph data structure 1169
meta-interpreters for argumentation systems, generating ~ 1194
meta-knowledge in mathematics 500
meta-language 1404
for knowledge base refinement 442
meta-level 242
control policies 641
control problem 1239
inference 185
reasoning 185
strategies 242
meta-logical properties 549
meta-object protocol 1028
meta-planning 18
meta-physics of consciousness 1052
meta-reasoning 641
meta-rules 177, 178

meta-theoretic theorem proving 1036
meta-theories 603
meta-theory of a mechanized object theory 1251
method
  configuration 1193
  designers 1193
  of conditioning 644
  of conditioning for inference 1253
  of generalization with beliefs 145
  selection 1193
methodology
  for cognitive modelling 1360
  of artificial intelligence research 287
  of inductive learning 235
methods of scientific inquiry 628
metonymy, resolution of ~ 1059
metric
  constraints 1357
  diagram 666
  dimensions 915
  expressivity 1290
  information 268, 632, 1278
  properties 262
Meyer, Jean-Arcady 1131
MGA
  algorithm for finding a loop cutset 1253
  complexity of ~ 1253
Michalski, R.S. 310, 311
Michie, D. 258
micro-economics 1218
micro-electronics domain, specific dictionary for ~ 1371
micro-processor 662
middle game positions 206
  in chess 164
Miller, P.L. 446
Miller, Schubert, Taugher and ~ 1169
MIMD machines 1018
min-conflicts heuristic 952
MIN-FEATURES bias 1121
min/max
  approximation 422
  game trees searching ~ 422
  trees 56
mind 1015, 1312
  mechanisms of the ~ 1316, 1317
  myths about the ~ 1316, 1317
  nature of ~ 1056
minds 339
  information processing in ~ 332
Minima symbolic algebra system 658
minimal
  and sufficient subset of features 1121
  belief 1142
minimal change 678, 1243
  principle of ~ 926
minimal
  completion 150
  conflict sets 1040
  core of beliefs 671
minimal cost
  proof 1069
  strategies, Smith algorithm for ~ 645
minimal
  deceptive problem 655
  diagnosis 917
  entailment 150
  hitting sets 1040
minimal knowledge 1142
  logic of ~ 1089
  problem 1089
minimal model 301, 1154
  semantics 1403
  style semantic 375
minimal models 346, 970
  abstractly ~ 698
  truths of the ~ 346
minimal network 1140, 1257
  equivalent ~ 1122
minimal
  nogoods 1301
  property of a default 638
  rationality 506
  set of abnormalities 684
minimal sets
  of failing components 917
  of violated assumptions 396
minimal
  solution graph 15
  terminological representation language 567
minimality
  criteria of models 698
  of performed changes 962
  of the extension of a predicate 488
minimax 253, 257, 1107
  algorithm 143, 252, 384, 558, 615
  algorithms, fixed-depth ~ 1374
  based techniques 56
  distortion 243
  game trees 362
  games 1374
  lookahead search 547
  operations 243
  problem 560
  search 207, 253, 422, 615, 1374
  search, *-~ 257

search, best-first ~ 1344
search procedure 559
minimax tree search 240
algorithms 240
minimax trees 162, 257
*-~ 257
searching ~ 1206
minimax value
of game trees 143
of the root 1066, 1344
of the root node 162
root ~ 447
minimax
values, plausible ~ 559
minimaxing 253
minimization 461, 1183
Boolean function ~ 1105
causal ~ 1189
intuitive and desired ~ 346
of Horn functions 1105
of the off-line time 1358
problem, bipartite graph~ 1143
problem on a DAG 1069
semantic model of ~ 380
state-based ~ 1189
minimizing
conflicts 952
knowledge procedure for ~ 1089
minimum
cost merged plans 920
entropy technique 588
loop cutset 1253
penalty 1342
possible number of rules 1105
width 1110
Minker's
GCWA 375
generalized closed world assumption 375
Minsky 135
Marvin ~ 627, 628
Minton, Steve 646
min–max
game trees 447
search 447
miracles 496
miscommunications 287
misconceptions 544
existential ~ 654
object-related ~ 533
reasoning about sources of ~ 533
mismatches 544
between past experiences and new problems 1093
missing
data 393
edges 139
information 1165
missionary-and-cannibal problem 45
MIT 200
Mitchell 672
et al.'s rule-learning program 335
T.M. 310, 311
version space strategy of ~ 672
Mitchell's candidate elimination algorithm 1192
ML systems, multi-language systems ~ 1036
mobile robot 605, 1160,1232
platform Flakey 1241
modal
action logic 1243
conditional truth 1248
constructs 1223
duality 1248
modal epistemic logics 1168
for many agents 1168
modal
formalisms 426
framework 1096
information 1088
modal logic 405, 1089, 1097, 1154, 1162, 1163, 1171, 1388
complexity of ~ 1267
first-order ~ 1168
formalization of discrete-event dynamics 1171
K45 1267
$K45_n$ 1267
KD45 1267
K_n 1267
nonmonotonic ~ 1032
quantitative ~ 1388
S4F 1089
$S4_n$ 1267
S5 1267
$S5_n$ 1267
strongest 1220
modal logic system 1198
of common belief 1198
of individual belief 1198
modal logic T_n 1267
modal logics 426, 603, 697, 1036, 1248
complexity for ~ 697
KD45, SW5, S4F and S4.2 1220
nonmonotonic ~ 1220
of belief 697
of knowledge 697
modal

mutual belief operator 1086
operators 1142, 1267
theories autoepistemic expansions of ~ 1154
modal truth 1248
conditional on executability 1248
criteria 1094, 1248
criteria for POPI plans 1094
criterion MTC 1248
modality 426, 1088
provability as a ~ 150
mode of operation of SHUNYATA 1055
model
abstraction 1083
accuracy 918
adequacy 1272
aggregation 1083
building 918
model composition 659
algorithm 659
model
consistency 64
construction operators 679
designer 64
model elimination 80, 90
Loveland's ~ 21
theorem proving procedure 916
model
error 477
features 1274
for belief revision 435
for knowledge and belief 1154
for understanding line drawings in terms of surfaces 156
formation 479
model fragments 659, 1144
approximations 1272
composing ~ 1272
formulation problem 1265
library 1265, 1272
model human
accent strategies 1060
intelligence 610
model
improvement 64
management system, automated ~ 918
matching 478, 479
minimal ~ 301
of a classical logic 1343
of a constraint theory 1068
of a physical system 1265
of a set of clauses 301
of abduction 1178
of adversary planning 189
of an agent 654
of an artifact 396
of belief 1025
of computation, actor ~ 106
of computation data-driven ~ 337
of context 125
of cooperative behavior 176
of generalization 459
of human intelligence 1172
of human society 1218
of language computer's 125
of personality traits 171
of redundancy 459
of representation changes 158
of the world 973
parameter values 1310
model selection 1272
algorithm 1272
model
sensitivity analysis 918
simplicity 1144
surfaces 571
the environment 1211
theories, non-standard ~ 1311
model theory 116, 346
first-order ~ 453
of circumscription 346
model
uncertainty 477
verification 64
views 1269
[See also "models"]
model-based approach
to abductive reasoning 1381
to reasoning 1381
model-based
diagnosis 588, 917, 1178
matching 393
prediction 396
representation 1225, 1381
representations of Horn theories 1225
troubleshooting 662
vision 479
vision systems 201
model-counting problems 1245
model-driven
approach, exhaustive ~ 131
hypothesis formation 131
model-finding 948
model-preference default theories 586
model-preserving transformations 532
model-theoretic 1365
account of default inference 586

interpretation 116
point of view 678
semantics 602, 898, 904
modeling 360
a dynamic and uncertain world 1104
a dynamic environment 1067
a search space 1136
algorithms 1136
assumptions 659 , 1136
belief 1151
cognitive competence 1011
correlations between visible variables 907
creativity 1322
dependency, hidden node for ~ 1367
digital circuits 662
intelligence 106, 1172
languages 679
polygonal regions 482
primitives 291
of robots 411
the physical world 1144
stochastic ~ 1244
student's problem solving 184
system LMS 184
the world as a collection of plane surfaces ~ 204
visual attention 1273
models 107
multiple ~ 660
of a knowledge base 1105
of attention, computational ~ 1273
of chronological ignorance logic 464
of evidential reasoning 328
of knowledge, machine ~ 933
of the belief systems of others 146
of thought, machine ~ 933
of visual objects 383
preferential ~ 575
satisfying assignments 1381
[See also "model"]
modification
conservative plan ~ 1235
of an existing program 70
plan ~ 1129, 1303
process 525
modifications to pieces of LISP code 247
modifier 335
attachments 643
modifiers
of a concept 76
of a syntactic item 216
modifying
design plans 520
plans 1361
primitives 376
modular
algebraic specification 473
knowledge representations 1386
networks, multi-layer ~ 1214
programs 185
structured networks, learning of ~ 1214
structuring, parameterized ~ 473
techniques 898
translation 397, 1365
modularity 136
of causal organizations 1338
rule ~ 1143
modules 1079
modus ponens 419
Mohr and Henderson 457, 529, 688, 934, 1125
Mohr and Henderson's path consistency algorithm 457
molecular
biology 1135
geneticists 131
genetics 182, 183, 371
structural transformations 1226
molecules small ~ 1370
MOLGEN 183
planner for gene-cloning experiments 182
moment-tensor approach to analysis of 3D texture 587
moments 587
momentum 291
monadic predicates 1379
monitor, computer program ~ 73
monitoring 663
conservative ~ 663
patient ~ 1157
problem-solving cost 323
the real-world execution of a plan 36
monocular
analysis 376
observer 1275
views 192
monocularly viewed objects 456
monotone
continuous set operator 1086
formulae 1245
heuristic 914
theory 1381
monotonic
constraints 934
function 664
inference classical ~
monotonicity 575

C-restricted ~ 1198
composition of ~ 658
constraint 578
operators 658
rational ~ 675
rule of individual belief 1198
Montague 116
and Thomason 426
formalism 425
semantic objects 425
semantics 895
Montague's
formalism 116
intensional logic 116
Montanari and Waltz 97
Monte Carlo
studies 253
technique 912
Moore, Knuth and ~ 122
Moore's autoepistemic logic 639, 922, 1154, 1365
Morgan, Jerry 968
morphological change 495
of two-dimensional patterns 495
MOS circuits 295
MOSAIC vision system 376, 478
Moses, Halpern and ~ 1089
Moses, Ladner and Halpern and ~ 1267
most
general set of new conjectures 436
likely to fail principle 168
preferred model 586
specific abductive explanation 916
motion 283
axes 665
between images 1270
command 667, 1232
control 1232
discontinuities 154
estimation, 3D ~ 1279
field 1279
from texture 283
in space 289
in the three-dimensional world 1279
measurement 289
of a particle 120
of rigid and jointed objects 222
parameter 1279
motion perception 1279
human ~ 289
motion
picture analysis 104
planner 667
motion planning 392, 474, 667
robot ~ 477
with uncertainty 1232
motion
strategies 477
visual ~ 289
motions 665
of parts 665
of rigid objects forced ~ 38
motivated action theory 1145
motivation analysis 430
motivations, explanatory ~ 430
move ordering 1066
in game trees 674
tree 30
movement
organization of ~ 289
reasoning about ~ 1224
movers' problem 392
moving
objects 456
space curve 440
Mozer, Michael C. 1051
MP planning algorithm 1129
MP-I planning algorithm 1129
MREC, memory-constrained search algorithm 1342
MRPPS, Maryland refutation proof procedure
system 46
MSC, maximally specific conjunctive 188
MSC-generalizations 188
MTC, modal truth criterion 1248
MTD(f) search algorithm 1374
MU
heuristic 634
marginal utility 634
multi-agent conception of action 604
multi-agent distributed interpretation 1358
systems 1358
multi-agent systems 1173
design of ~ 1160
multi-agents reasoning systems 1268
[See also "multiagent"]
multi-column subtraction 609
multi-contributor causal
links 1129
structures 1129
multi-databases 1268
multi-language systems (ML systems) 1036
multi-layer modular networks 1214
multi-level
perception 414
reasoning system for machine vision 479
multi-plan deal type 1285
multi-player version of minimax 1107

multi-type vertices 322
multi-valued
  attributes 347
  logics 372
  state variables 1234
  [See also "multivalued"]
multiagent
  consensus 1353
  environment 1353
multiagent negotiation 1174
  under time constraints 1174
multiagent systems 1353
  [See also "multi-agent"]
multiattribute value theory 1082
multiclauses 181
multiframes 440
multilanguage hierarchical logics 1036
multilevel
  counterfactuals 163
  flow models 1196
  representations 1219
multimodal
  communication 1058
  interfaces 1058
  presentation, generation of a ~ 1058
  presentation system WIP 1058
multiple
  agents 281, 1358
  alarm situations 1196
  alternative goals 72
  bindings in parallel 594
  clauses, logic programs with ~ 1187
  competing objectives 1082
  complex images 376
  criteria for a game position 1238
  defeasible inheritance 1205
  design descriptions 297
  distinct logical languages 1036
  evidence 358
  extension problem from nonmonotonic reasoning 1288
  extensions of a set of defaults 455
  hypothesis tree 1067
  images 195, 1283
multiple inheritance 473, 514
  hierarchies 1404
  nonmonotonic ~ 935
  reasoning 966
  theories 898
  with exceptions 550, 1404
multiple
  learning strategies 519
  levels of description 609
  linear plans 920
  lines of reasoning 210
  models 660
  objects, perception of ~ 1051
  observations 626
  perspectives 659
  potential solutions 351
  representations 120, 296, 473
  rewrite rule sets 185
  soft constraints 593
  strategies 242
  tagger 1356
  task planning 327
  trauma injury 1345
  updating 366
  viewpoints 572
  views of an object 456
  world models 1067
multiply connected
  belief networks 644
  networks 1366
multisets of literals 181
multivalued logics 1162, 1241
  [See also "multi-valued"]
multivariate polynomials symbolic factorization of ~ 86
mundane reasoning 593
Muresan, Pednault, Zucker and ~ 366, 683
MUSCADET, automatic theorem proving system 500
mushy region 1296, 1300
music
  and connectionism 1329
  cognition 1327
  computer ~ 1327
  systems, interactive ~ 1326
  with AI, understanding ~ 1328
musicology, cognitive ~ 1328
Musser 382
must-not conditions 163
mutagenic activity 1370
mutagenicity, theories for ~ 1370
mutation probabilities 1244
mutators basic LISP ~ 247
mutilated checkerboard problem 158
Mutter, S.A. 617
mutual belief 1086
  expression 1086
mutual independence of each piece of evidence 358
mutual-information-greedy learning algorithm 1121
mutually exclusive 186
  assumptions 683
MYCIN, control structure of ~ 93

MYCIN expert system 237, 683
in medicine 132
MYCIN, knowledge representation of ~ 93
MYCIN system 93
for bacteria identification 328
MYCIN-like symptom–fault rules 297
MYCROFT, system for understanding simple picture programs 73
mythical causality 361
myths about the mind 1316, 1317

N
n-ary constraints 1140
n-person games 1194
n-queens problem 952
N-th order logic 603
Nadel, Lynn 1048
Nagel 417
naive
ontology 636
optimal strategy 562
physics 291, 492
set theory 118
name pronunciation 1368
naming
first-order logic for ~ 1168
in epistemic logic 1168
theories of ~ 1168
Narendran, Kapur, ~ and Zhang 382
narrative text 308
representation system NEXUS 308
narrow
context, establishing a ~ 132
domains 187
range of hard problems 1303
NASA
EVAR robot 1171
space shuttle payload 955
natural
3D surfaces 364
branches in the chess game tree 105
computing networks 1041
natural deduction 107
system 213
natural
extension 1258
figural completion 1260
natural form of a nonmonotonic formalism 639
representation of ~ 357
natural forms, perceiving ~ 357
reasoning about ~ 357
natural
grammars 1080
imagery 456
images 192
intelligence 103
natural language 16, 76, 116, 125, 129, 216, 401, 636, 895, 923, 1118, 1373
analysis 65, 374, 513, 585
and graphics generation 1058
communication 71
constructions, axiom sets for ~ 16
comprehension 504
generation 65, 418, 564
natural language generator 923
FIG 923
natural language
grammars in clausal logic, expression of ~ 216
inference 65
input 125
instructions 1166
natural language interface 399, 418, 1088
system 399
transportable ~ 399
natural language
interpretation 1088
logic grammars for ~
medical records 129
output generation of ~ 418
natural language processing 66, 171, 223, 299, 399, 904, 1058, 1073, 1074, 1118, 1364, 1371
NLP 1364, 1371
systems 84
natural language
query system 226
restricted subset of ~ 141
sentences 636
strings 109
structure of ~ 895
syntax 895
systems 269
temporal references in ~ 25
text 239
text, generating ~ 329
natural language understanding 61, 111, 125, 425, 904, 1006, 1166
project for German 904
system 176
natural language utterances 643, 923
natural
parameter for the traveling salesman 1405
terrain, topography of ~ 569
textures 192

TMS representation 450
naturally
occurring texts, analysis of ~ 329
textured surfaces 565
nature
of competence 1011
of defaults 449
of heuristics 227, 246, 247
of human intelligence 610
Nau, Dana ~ 1107
Nau's pathology theorem 1107
naval fleets, design of ~ 247
navigating robot 1278
navigation 1269
robot ~ 1278
visual ~ 1278
navigational path 1278
navigator 1278
NC-resolution 208
near optimal solution 248
nearest world to the current one 441
nearly independent subproblems 182
necessary truth 1248
necessitation rule for goals 1243
necessity measures 651
negamax algorithm 558
negation 1069
negation as failure 375, 486, 922, 1142, 1194
rule 486
negation
of a polynomial equation 471
of a proposition 1055
of a statement 1348
restricting ~ 1117
negative
chair 1002
goals 1234
negative information 485, 486, 1119
in databases 301
negative
introspection 461, 1086
literals 213
phase of Boltzmann machine learning 907
preconditions 1233
set of trade-offs 1111
negotiation 234, 603
compromise in ~ 1285
contract ~ 234
environments 1352
in real-world applications 1352
mechanism, distributed ~ 1174
mechanisms 1352
model of ~ 1174
multiagent ~ 1174
problem 1285
process 1174, 1285
protocol 1285
protocols, inter-agent ~ 1285
strategies 1174
neighborhood
of the crossover point 1294
semantics 1198
neighboring surfaces 1077
NEOMYCIN, expert system 679
nested
abnormality theories 1262
structure 1262
nesting of modal operators 1267
network
arc 337
consistency algorithms 97, 302, 988
default theories 1343
flow analysis 1391
inference representations 379
learning 515, 595
notation, extension to 84
of binary constraints 894
of facts 227
of hypotheses 596
of tolerance zones 483
performance of the ~ 521
propositions predicate calculus, translations of ~ 84
representations 679
semantic ~ 550
summarizing the mechanisms of disease 133
theory 295
training 515
with randomly selected connection strengths 614
[See also "networks"]
network-based heuristics 420
networks
artificial computing ~ 1041
belief ~ 997
bypassable ~ 82
inheritance ~ 379
learning of modular structured ~ 1214
multi-layer modular ~ 1214
natural computing ~ 1041
networks of constraints 157, 618, 948
sparse ~ 420
networks
of neuron-like processing units 521
of plausible inference 616
of relations 97

semantic ~ 84
[See also "network"]
neural assemblies 259
neural computation 1044
theory 1047
neural
connections 1048
Darwinism 505
mechanism of avoidance behavior 1208
methods for theory construction 1370
modeling 1045
net model 590
neural network 590, 591, 592, 1135, 1208, 1050, 1135, 1214
large-scale ~ 1214
neurobiological realities 1172
neurobiology 1273
neuron-like processing units, networks of ~ 521
neuronal group selection 505
neuroscience 1049
new
axioms invalidating old theorems 149
domain objects, learning ~ 247
evidence 366
new heuristics 287
by discovery 247
discovering ~ 246
learning ~ 247
new
mathematics concepts 247
search algorithm 92
Newborn 261
scoring scheme 261
Newell 610, 1011
Newell, Allen 402, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1023, 1024
Newell's
approach 1011
behaviorist methodology 1011
perspective 1011
physical symbol system hypothesis 610
Newtonian mechanics 640
next generation of expert systems 291
NEXUS
narrative text representation system 308
processing examples of ~ 308
representations 308
input and output 308
Nguyen, H.T. 1030
NIKL
knowledge representation system 512
logic computing system 501
Nilsson 602
A* algorithm of Hart, ~ and Raphael 215
Duda, Hart and ~ 186, 366, 683
Hart, ~ and Raphael
Hart, ~ and Raphael algorithm 8
Nilsson, Nils J. 175, 489, 490
Nilsson's
logic and artificial intelligence 602
probabilistic logic 1124
nipping 487
Nisbett, Richard E. 537
NLP, natural language processing 1364, 1371
NMR, non-monotonic reasoning 1384
nodal bounds 138
node consistency 934
algorithms 302
node
expansion 252, 487, 559
expansion of a ~ 370
expansion, order of ~ 138
expansions, tradeoff memory versus ~ 534
generation 1128
inconsistencies 97
probabilities 1367
to be expanded 1066
node-by-node creation 1367
nodes
encode disjunctions of ~ 352
expanded number of ~ 1128, 1305
expanding ~ 965
set of island ~ 370
nogoods 653, 1301
noise 1279
inherent in SAR imagery 569
large amounts of ~ 1377
modelling 1247
reduction 1387
uncertainty 1067
noisy
belief network 907
inputs 614
sensor readings 1387
sensory data 574
NOMAD-200 mobile robot 1232
non set-of-support resolution strategies 181
non-3-D line drawings 1260
non-activity 281
non-anthropomorphic method in vision 24
non-Bayesian evidential updating 391
non-classification problem-solving 342
non-clausal theorem proving 208
non-combinatorial match 1111
non-condensed clause 963
non-cooperative

domains 1285
perfect-information games 615
non-deterministic strategies 242
[See also "nondeterministic"]
non-directional blocking graph 1153
non-explicit knowledge into algorithms 45
non-hierarchical association between concepts 342
non-Horn deduction 1078
parsing as ~ 1078
non-independencies between nodes 527
non-inferior sets of outcomes at the root node 1238
non-interlaced image sequences 1281
non-logical reasoning in intelligence 20
non-manipulability 1353
non-Markov decision processes 1165
non-modular
direct translation 1365
translation 1365
non-monotonic
assumptions 1384
formalisms 1384
inference 1384
non-monotonic logic 149
of McDermott and Doyle 150
non-monotonic logical systems 149
non-monotonic logics
history of ~ 149
motivation for ~ 149
non-monotonic
modal logic 1032
predicate calculus completeness of the ~ 149
non-monotonic reasoning 147, 148, 338, 1138, 1384
computational complexity of ~ 1384
mathematics of ~ 150
NMR 1384
[See also "nonmonotonic"]
non-optimal algorithm 1125
non-order-preserving 1342
evaluation functions 1342
non-parametric hypothesis testing 1363
non-polynomial cases 1391
non-recursive PROLOG clauses 1187
[See also "nonrecursive"]
non-reified temporal logic 669
non-relaxable time windows 1231
non-resolution theorem proving 107
non-serializable subgoals problems with ~ 319
non-standard model theories 1311
[See also "nonstandard"]
non-temporal
arguments 669
terms 669
[See also "nontemporal"]
non-uniform
branching factor 1066
complexity classes 1384
scaling 1310
NON-VON
architecture 398
massively parallel machine 398
non-wave-shaping admissible bidirectional algorithms 487
non-well-founded mathematical object 1086
nonclassical logics 1388
noncopenetrability 492
nondecreasing cost function 965
nondeductive
inferences 65
reasoning systems 1378
nondeterminism 211
domains with ~ 1189
nondeterministic 309
actions 1183
choices 951
effects events with ~ 1189
programming language 2
nondeterministic programs 1
correctness of ~ 1
formalization of properties of ~
[See also "non-deterministic"]
nonexistence 636
of an overall optimal algorithm for search 277
representations of ~ 636
nonexistent
entities 636
objects referring to ~ 1168
nonfixated low-resolution scene parts 1284
Nonlin planner 668
nonlinear
chaotic dynamics 661
control design 1113
partial differential equations 1221
planner 1076
nonlinear planning
hierarchical ~ 896
problems 530
systems 1088
nonlinear system of equations 1279
nonlinear systems 540
superposition for ~ 908
nonlinear transform 262
nonlinearity 530
degrees of ~ 1372
nonmonotonic 303

behavior 575
consequence relation 890
consequence relations 575
equality 430
form of reasoning 301
formal systems 419
formalisms 516, 566, 639
hierarchies 898
inductive logic 1201
nonmonotonic inference 1038
common-sense 372
procedure 890
relation 1038, 1057
rules 649, 1404
nonmonotonic inheritance 935, 1404
hierarchies 898, 1205
nonmonotonic justifications 352
nonmonotonic logic 303, 419, 450, 464, 488, 494, 541, 640, 922, 925, 1365, 1404
of McDermott and Doyle 303, 494
propositional ~ 494, 1142
restricted scope ~ 603
nonmonotonic
modal logic S4F 1089
modal logics 1220
nonmonotonic multiple inheritance 935
reasoning 966
nonmonotonic prediction 1178
nonmonotonic reasoning 301, 303, 379, 395, 413, 450, 485, 486, 549, 575, 630, 633, 639, 677, 890, 916, 971, 1019, 1038, 1057, 1092, 1154, 1185, 1194, 1288, 1375, 1388
expectations in ~ 1038
formalisms 677
ordering-based ~ 1057
problematic cases of ~ 1092
system Theorist 971
systems 379
nonmonotonic
semantic networks 550
solution 1189
systems 379
temporal reasoning 464
theories 419
truth maintenance systems 566
weighted evaluation function 965
[See also "non-monotonic"]
nonmonotonicity 653, 677, 1185
in connectionist networks 1185
logic of ~ 541
of hierarchies 1205
semantic account of ~ 549
nonnormal default rules 450
nonnormal defaults 352
expressiveness of ~ 649
justifications of ~ 649
nonpathological game 229
nonpolynomial worst-case response times 625
nonpromising nodes 487
nonrecursive 1081
circumscription 511
[See also "non-recursive"]
nonrigid motion 456
nonseparable circumscription 508
nonserializable subgoals 1076
nonstandard
approach 1213
probabilistic model 890
propositional logic 1213
stories 525
nonstandard syntax 895
for first-order logic 895
[See also non-standard"]
nontemporal default reasoning 450
[See also "non-temporal"]
nonterminal nodes 362
nonterminating queries 536
nontrivial reasoning in the presence of inconsistency 1348
nonuniform growth 447
nonverbal reasoning 661
norm
directed actions 130
of consistency 671
normal defaults 352
with prerequisites 397
normal language use 135
normality 1178
conditional logics of ~ 1097
statements of ~ 1097
Norman, Donald A. 531
normative conditional for default reasoning 1096
Norvig 1098, 1099
Norvig, Peter 1382
Norvig's paradigms of artificial intelligence programming 1098, 1099
notation
Hayes' histories ~ 454
resolution graph ~ 10
noun
altered forms of the ~ 76
phrase 76, 318
noun-phrase reference 430
determination 430

NP 963
NP # P 924
NP-complete 158, 566, 567, 618, 687, 697, 928, 929, 956, 957, 1105, 1122, 1137, 1191, 1197, 1222, 1225, 1227, 1231, 1267, 1343, 1355
problem 1122, 1294, 1303, 1405
NP-completeness 1117
of constraint satisfaction 1355
of subsumption 687
of the labeling problem 1137
of the satisfiability problem 1267
NP-hard 512, 553, 586, 631, 645, 919, 924, 966, 1063, 1117, 1143, 1144, 1172, 1175, 1197, 1205, 1248, 1295
complexity class 924
NP-hardness of the MAP finding problem 1175
NPL, nonstandard propositional logic 1213
nuclear
kinds of predicates 636
magnetic resonance spectra 263
reactors 297
null move 560
quiescence 560
null-window
alpha-beta search 1374
search 1374
number
of binary constraints 302
of distinct intercity distances 1302
of frames 440
of instances of a concept 1385
of nodes expanded 1128, 1305
of postconditions 1117
of preconditions 1117
number of solutions
expectation of the ~ 1300
variance of the ~ 1300
number restrictions, qualified ~ 1385
number theory 140, 247
theory, formal ~ 1055
numbers 57
numeric
laws 523
quantifiers 1379
representations 578
numerical
computations 1113
exact value propagation 950
indices 52
information 1283
instabilities 957
labels 199
probabilities 1377
relationships 1283
numerical shape
from occluding boundaries 196
from shading 196
from shading, computing ~ 196
numerical simulation 1156
intelligent ~ 612
of the planning process 1394
numerical
solution methods 957
solver 957
numerically stable algorithm 957

O

O-Plan
open planning architecture 668
user interface 668
OBELIX, real behavior-based robot 903
OBJ language 473
object
boundaries 195
coordinates 1274
features 273
identification 139, 1274
language 1404
object level 242
strategies 242
object
location 1274
models, index a library of ~ 1271
oriented programming 190, 931
object recognition 393, 571, 574, 1310
geometric invariance approach to ~ 1271
object
related misconceptions 533
representations 219
shapes 915
similarity, human notions of ~ 1037
space 54
object theory 1251
mechanized ~ 1251
object trajectory, expectations of ~ 1289
[See also "objects"]
objective
function 241, 279, 1367
knowledge 1163
probabilities
objectness 357
objects
opaque ~ 571
with curved surfaces 322

[See also "object"]
obligation operators 931
obligations 931
observation 1178
by assuming hypotheses proving an ~ 1034
observations 133, 663, 1397
axioms, encoding ~ 1183
explanations for ~ 971
imprecise ~ 1338
of a patient 133
observed
and correct system behavior, discrepancy between the 395
data 400
distribution of problems 1033
intensity 102
texture 484
variation 192
observer motion, control of ~ 1275
obstacles 667
cancellation of 579
obstructive situations 189
Occam's razor 150, 1396
occluded objects 574
occluding boundary 156, 196, 1001
information 196
occluding
contour 193, 273, 1275
objects, scenes with multiple ~ 96
occlusion 273, 393, 532, 1274
occupancy, spatial ~ 1224
occur check 536
occurrence of events 394
odd
cycles 1191
loops 653
odds-likelihood Bayesian scheme 683
ODE, ordinary differential equations 1215
Odyssey
design of ~ 190
implementation of ~ 190
knowledge-based assistant 190
off-line compilation process 1227
design 1160
design of social laws 1160
preprocessing 1264
reasoning 1264
time 1358
off-path preemption 966
offering 931
office environments 605
intelligent creatures in standard ~ 605
office information system 190
offset in time 1281
OIS
open information systems 603
semantics 603
semantics for DAI 603
OISS, open information system semantics 604
omega-categorical relation algebra 1290
omitted heuristics 287
omniscience problem, logical ~ 1213
on-line
complexity 1264
efficiency 1264
on-path preemption 966
one-machine minimum penalty job sequencing problems 1342
one-parameter bifurcations 612
one-way coercion of representation, implicit ~ 473
ongoing interpretation of a sentence 595
only knowing 1256
ontic knowledge representation system for mathematics 1042
ontological
commitments 291, 408, 1193
grounds 1246
problems 636
ontology 1246
naive ~ 636
representation ~ 1196
Russell–Quine ~ 636
temporal ~ 546
opaque
objects 571
objects bounded by smooth surfaces 571
open
circumscription 511
default theories 1188
information system semantics 603
planning architecture, O-plan 668
regions separated by boundaries 295
systems semantics 604
operating
modes 665
regions, device ~ 295
operation
of a circuit 294
of contraction 1254
operational
activities in OIS 603
definition of causal ordering 1083
research codes 119
operationality 443
assessment schemes 443
operations

arithmetical ~ 1141
on finite bases 1254
operations research 250, 278, 668
optimization tools of ~ 1034
operator
combination methods 53
decomposability 319
preconditions criticality of ~ 1394
set 930
operators
for capability 931
for decision 931
for obligation 931
OPM, blackboard control system for multiple-task planning 327
Oppen, Huet and ~ 382
opposing bounds 560
OPS5
production systems 398
Rete algorithm 695
OPT algorithm of Bohanec and Bratko 1308
OPT-2
algorithm for optimal pruning of decision trees 1308
complexity of ~ 1308
optical flow 197, 273, 417, 1000
algorithm 197
estimation 417
estimation approach 417
estimation of ~ 1281
estimators 1281
field 1279
pattern 197
optimal admissible tree search 331
optimal algorithm
AC-4 of Mohr and Henderson 934
for search nonexistence of an overall ~ 277
optimal
allocations 1227
arc consistency algorithm 688
assignments 578
backprojection problems 587
backtrack algorithm 1146
behavior 1164
clause condensing 963
combination of features 452
composition of real-time systems 1227
optimal compression 1105
of propositional Horn production rule knowledge bases 1105
optimal computational strategies 641
optimal cost
path 370
solution 650, 1054
optimal
derivation strategies 645
directional algorithm 615
goal nodes 1305
gruence 1387
in time complexity 354
interpretation of an unknown utterance 215
k-consistency algorithm 529
knowledge base 1105
linear-time algorithms 585
order 432
ordering 257
optimal path 248, 547, 1278
problems 475
optimal plan
finding an ~ 919
merging algorithm 920
optimal
policy 1239
problem-solving search 72
pruning of decision trees 1308
refinement algorithm 1359
schemata 961
search strategies 215
sequence of tests 1399
solution to a relaxed model 914
strategies 1259
optimal uniprocessor algorithm 953
for constraint satisfaction 953
optimal worst-case time
complexity 1125
and space complexity 529
optimality 1121
of A* 95
of alpha-beta pruning 75
of iterative deepening 1202, 1337
optimally refining sociopathic knowledge bases 1143
optimization
criteria 1242
of communication 1358
of Pearl's method of conditioning 1253
preferences 1242
problem, constrained ~ 279
problem, unconstrained ~ 279
problems 119
techniques 1387
tools of operations research 1034
optimizations
domain-specific ~ 953
on programs 91
optimized

arc consistency algorithms 953
sensor settings 1277
optimizing
function 1259
search 1172
transformations 238
OR problem graph 97
oracle 686
orbital dynamics 1171
orbiting space station 1171
order 432
generalization algorithms for ~ 1094
linear ~ 1110
order of magnitude
approximations 1338
equations 657
estimates 1221
reasoning 657, 1272
reasoning, asymptotic ~ 1221
scales 657
order
of node expansion 138
of training examples 432
of value assignments 420
preserving 1342
relation on equivalence classes of arguments 680
relations 1217
order-sorted
algebra 473
logic 904
predicate logic 904
resolution, extended ~ 904
ordered
domains 1355
field 473
monotonicity property 1103
ordered search 56
of MIN/MAX trees 56
ordered set 126
enumerations 126
of actions 1399
operations 126
ordered-search algorithm 87
ordering among
interpretations 678
models change of ~ 698
ordering 118
assembly operations 1153
causal ~ 1144
conjunctive queries 323
constraint, generalized ~ 440
of action, temporal ~ 1170
of default statements 455
of inferences 1193
on explanations, preference ~ 1178
optimal ~ 257
relation 57, 301
relation on interpretations 301
rules, heuristic ~ 323
ordering-based nonmonotonic reasoning 1057
ordinal
conditional functions 651
numbers 118
relations 293
representation 414
ordinary
backtracking 249
circumscription 630
ordinary differential equations 612
ODE 1215
parameterized ~ 540
organic chemistry 1370
analysis of C-13 263
organic
compounds, complex ~ 134
molecules, complex ~ 263
organization
of data 954
of expert systems 982
of knowledge 82
of knowledge, human ~ 82
of movement 289
organizational prescriptions 210
organized structures of vertices edges and faces 139
organizing domain models 659
orientation 262, 265
constraints 194
estimation of surface ~ 1026
estimator 587
from texture 192, 283
of a textured plane 587
of planes 262
of the camera 1271
planar surface ~ 565
surface ~ 194, 195, 273, 283
[See also "orientations"]
orientational errors 1278
orientations 139, 268
at occluding boundaries 265
of surface patches 196
surface ~ 1001
[See also "orientation"]
oriented
elements 587
smoothness approach 417

Origami
theory 204
world, theory of ~ 156
original behavior 570
origins
of human knowledge 524
of knowledge 524
of thinking 1052
Ornstein, Robert 1052
orthogonality 484
orthographic projection 205, 279
Ortony, Andrew 694
OSCAR 913
automated defeasible reasoner 1092
oscillating
spring/block system 465
system 465
oscillation 291
Othello game
4 × 4 ~ 362
Othello
game of ~ 452, 1344
patterns 556
program 230
program, world class ~ 556
programs, BILL, IAGO 556
other agent 1352
outright contradictions 671
Ovchinnikov, S. 1030
overall direction of a path 268
overconstrained 357
plan 336
problems 1299
overgeneral theories 1101
overlapping
gray scale images 1387
of objects 322

P

P, class of polynomial-time deterministic sequential algorithms 585
P ≠ NP 966
#P-complete 577
P-defining theories, completeness of ~ 970
PA, point algebra 1169
PA-
disjunctions 1169
relations 1169
PAC-learnability results 1201
PAC-learnable 1201
language 1187
PAC-learning 1121, 1187
non-recursive PROLOG clauses 1187
packing 1170
painting story program 136
pair algebras 1290
with infinite representations, intractability of ~ 1290
pair of time points 632, 669
pairs of sensed features 1310
Palm, Günther 259
Palmer, Richard G. 1044
PALO, probabilistic hill-climbing algorithm 1288
PAO
as a learning algorithm 1259
search algorithm for approximately optimal strategies 1259
Pao, Y.-H. 258
Papadimitriou
Kirousis and ~ 1137
Kolaitis and ~ 1403
paradigm
constraint logic programming ~ 948
for heuristic problem solving 17
for reasoning by analogy 17
intelligent ~ 343
paradigms
for machine learning 517
of artificial intelligence programming 1098, 1099
PARADISE, pattern recognition applied to directing
search 164, 206
paradox 301
lottery ~ 638, 1092
of the preface 1092
parallel algorithm 1102
SIMD ~ 1018
parallel approach to syntax for generation 923
parallel complexity 585
of constraint networks 1120
of discrete relaxation 585
parallel computers 674
parallel constraint satisfaction 1102
networks 1120
parallel
cooperative computation, massively ~ 273
game tree search algorithms 674
heuristic search 1018
image understanding algorithms 255
parallel implementation
of a learning classifier system ALECSYS 1152
of iterative-deepening-A* 972
parallel

implementations 932, 1111
interactions, harmful ~ 274
local search 1185
machines for artificial intelligence 398
marker-passing architecture 550
parallel network 515
massively ~ 514
parallel
predicate circumscription 516
processes 199
processing 106
projection 440
random access machine 1102
representation 67
parallel search 67
algorithms 1018
for patterns 337
parallel
solution for achieving local consistency 585
version of IDA* 1018
parallelism 484, 953
implicit ~ 1072
in alpha–beta search 221
in vision 255
Paramax Systems Corporation 1079
parameter
describing problem structure 1298
for the traveling salesman, natural ~ 1405
parameter learning
algorithms for ~ 1410
in Bayesian networks 1410
parameter
nets 273
optimization 241
parameter space 481
affine ~ 481
projective ~ 481
parameter values 1293
model ~ 1310
parameter vector 241
[See also "parameters"]
parameterized
algorithms 534
equations 540
interlingual approach 1080
linear evaluation function 241
modular structuring 473
modules 473
ordinary differential equations 540
transformations 1310
parameters 293, 465
of objects 1083
problem-independent ~ 36
[See also "parameter"]
parametric
approach to data analysis 1363
objects 1310
paramodulation 9, 22
paranoia
artifical ~ 11
computer simulation of ~ 111
simulation model, interviews with the ~ 34
paranoid
input–output behavior 11
model 34
patients 34
paranoid processes, naturally occurring ~ 34
simulation of ~ 34
paraphrase methods of Russell and Quine 636
parity problem 1214
parkway traversals 1278
parse tree 378
parser
for the preference semantics system 135
Marcus ~ 425
partial ~ 260
transition network ~ 28
parsers
context-free grammar ~ 1356
taggers for ~ 1356
parsimonious causal explanations 1144, 1272
parsing 111, 239, 260, 294, 904, 1073, 1078, 1118
accuracy 1356
algorithm, graph ~ 582
algorithms 1118
an example 378
as deduction 1059
as non-Horn deduction 1078
bidirectional ~ 1118
methods 111, 260
performance 1356
technique 582
traditional ~ 111
Parsons, Meinongian theory of ~ 636
part structure of three-dimensional forms 357
partial
and incorrect proofs 1071
consistency handling 1388
constraint satisfaction 949
partial decision procedure 466, 1063
for the temporal projection problem 1063
incompleteness of the ~ 1063
partial derivatives 581
partial differential equations 417
nonlinear ~ 1221
partial envisionment 908

partial evaluation 91, 467, 1004
PE 1004
partial evaluator 91
interpretive ~ 91
partial
functions 1180
information 303, 1124
initial states 1234
knowledge 1351
matching 514
models 1221
partial order
game tree search 1238
planner, hierarchical ~ 973
planners 1380
planning 1076, 1229, 1248
representation 1076
search algorithm 1238
partial
ordering planning framework 1094
parser 260
plans, reusing ~ 520
program 316
solutions 1231
partially
achieved goals 1285
implicit 111
instantiated plans 1129
partially ordered
and partially instantiated plans 1094
events 466, 1063
plans 274, 920, 1129
search spaces 72
set 25
partially reduced plan 896
particle
on a complex path 120
physics 1376
reactions 1376
partition 254
automorphism ~ 254
of the mechanism configuration space 665
partitioning
a problem into subproblems 576
of the picture 7
the pairwise configuration spaces 665
vertex ~ 254
partitions 98
parts
interactions 1153
of speech 1356
part–whole hierarchies 591
PAS-I, knowledge state description program 23
PASCAL programs 544
passing messages, patterns of ~ 106
passive
data structure 337
stereo paradigm 1284
past experience, regularities from ~ 231
Pastor, Tretiak and ~ 417
path back to the goal 1128
path consistency 354, 1357
path consistency algorithm 97, 302, 457, 632
PC-3 457
path consistency 529, 928
algorithm of Han and Lee 529
computation 928
directional ~ 1110
problem 354
path
consistent version of the network 1350
finding in a graph 6
finding problem 6
in a graph, finding a ~ 1359
inconsistencies 97
lengths of 5-men endgames 562
path planning 320
in frogs 1208
problem 475
path traversal of the envisionment space 908
path-based
defeasible inheritance 966
inheritance 898
theories 1404
theory 898
pathological behavior 229
pathologies in chess endgames 562
pathology 229
causes of ~ 253
game-tree ~ 1107
in game searching 243
in games, causes of ~ 229
on game trees 253
search-depth ~ 243
theorems 1107
pathophysiological states 133
pathway hypotheses 1039
patient monitoring 1157
pattern
behavior ~ 1152
brightness ~ 197
classification 452, 907
description languages 14
description of a ~ 14
directed inference systems 144
formation 241

frequency, inference ~ 1219
generalisation 14
graph ~ 1219
knowledge 493
match problem 219
matcher 57, 219
pattern matching 111
algorithm, linear ~ 167
process 337
programs 70
rules 109
of changing intensity 289
optical flow ~ 197
pattern recognition 114, 174, 241, 493, 590, 592
applied to directing search 206
machinery, associative ~ 592
system 114
pattern
recognizers 493
representations 219
stored ~ 111
[See also "patterns"]
pattern-directed invocation demons 112
pattern-driven rules 473
pattern-seeking 65
patterned phrases 111
patterns 309, 493, 556, 1181
arbitrary association of ~ 695
description language for ~ 114
discovering ~ 309
in chess 164
in commonsense reasoning 1181
inference ~ 1219
learning structures of visual ~ 642
likely ~ 493
of behavior 1236, 1289
of functional application 116
patterns of interaction 1211
in an environment, inherent ~ 1211
patterns
of passing messages 106
of reasoning 549, 1378
of states in a network 133
parallel search for ~ 337
two-dimensional ~ 495
Paul 382
PAULI, machine discovery program 1376
payoffs, true terminal ~ 243
PC-3, path consistency algorithm ~ 457
PE partial evaluation 1004
PE-based analyzer of problem space definitions
STATIC 1004
PE/EBL systems, hybrid ~ 1004
Pearl 437
Dechter and ~ 1146
Pearl, Judea 616
Pearl, Kim and ~ 626
Pearl's
game 229
method of conditioning 1253
probabilistic-inference algorithm 644
PEBL, plausible explanation-based learning 955
PECOS, system for implementing abstract
algorithms 140
PED, extension of explanation-based learning 1007
Pednault, Zucker and Muresan 366, 683
penalty, minimum ~ 1342
Penberthy and Weld 1380
Penrose, Roger ~ 932
perceiving
3D scenes 54
natural forms 357
perception 1077
active ~ 1171
AI contributions to ~ 320
and action 605
connectionist theories of ~ 255
human ~ 59
human motion ~ 289
human visual ~ 1260
learning and control 606
motion ~ 1279
multi-level ~ 414
of multiple objects 1051
of shapes 1077
of similarity 1037
of structure from motion, human ~ 222
problems of ~ 357
selective ~ 1277
simulation of ~ 20
spatial arrangements for ~ 1170
system, general ~ 1277
systems with action-oriented ~ 1208
to action, connection of ~ 320
perceptual
and motor schemas, interaction of ~ 1208
attention, control of 1277
perceptual conditions 1209
tracking of ~ 1209
perceptual
errors 1176
information 1176
judgments, human ~ 364
organization 357, 393
routines 1277
strategies 28

strategy 1157
systems 1186
targets 1277
Pereira, F. 216
Pereira, Fernando C.N. 513
perfect
information games 615
knowledge 562
logical reasoning 1311
model semantics 639
reasoners 1213
perfect relaxation algorithms 618
efficient ~ 618
perfect syntactic form 125
perfectly clustered data 8
performance
data 1011
demands 295
diagnostic ~ 1377
guarantees 1161
measure 238, 241
measurements 1374
modeling 1011
of a problem solver 1363
of decision-making procedures 1090
of GSP 39
of the network 521
of the Othello program IAGO 230
potential 555
prediction 1210
results of PRODIGY 519
studies of game searching algorithms
empirical ~ 240
tradeoffs 1229
performing inference 591
perimeter
node 1128
node's state descriptor 1128
of nodes 1128
perimeter search 1128
algorithm 1266
algorithm BIDA* 1266
efficiency of ~ 1128
period of an oscillating system 465
periodic 309
periodicity 484, 540
peripheral system 605
Perlis 677
permitted intervals 632
permutation of the labels 1122
perpetually novel events 522
persistence of effects over time 394
personality traits
analysis of ~ 171
model of ~ 171
person–machine interface, extended ~ 269
perspective
distortions 1269
images, interpreting ~ 262
imaging 265
projection 205, 262, 279, 484, 1026
projections of polyhedral scenes 1137
perspective view 1026, 1271
of three-dimensional objects 322
perspective viewing 469
perspectives, multiple ~ 659
perturbations 465
extreme ~ 570
local ~ 502
phase diagrams 612
phase portrait 1215
automatic analysis of the topological structure
of a ~ 1215
phase space 1113, 1215
representation of dynamic systems theory 551
phase transition 1184, 1297, 1300, 1301, 1302, 1304
analyses 1303
behavior in CSPs 1296
easy-hard-easy ~ 1199
phenomena, ubiquity of ~ 1405
search ~ 1294, 1295, 1296, 1298, 1300, 1405
TSP ~ 1405
phase transitions 412, 1292, 1293, 1305
in binary constraint satisfaction problems 1296
in nature 412
of NP-hard problems
universality of ~ 1292
phase-space structure, qualitative ~ 1113
phenomena
collective ~ 1041
cooperative ~ 1041
self-organizing ~ 1041
pheromone grandisol, insect ~ 134
philosophy 20, 90, 217, 272, 372
of science 523
of the behaviorists 1172
Phoenix planner 1236
phonetic transcription 50
phonological information 49
phonology 1059
photo-interpretation 104
photometric

distortions 1276
stereo 195
photometry 194
phrase
interpretations 643
structure trees 427
physical
behavior, global ~ 492
criticalities 1153
curves 193
domains 660
knowledge 111
laws 581, 1378
mechanisms 291
obstacles 476
process 292, 581, 659
reasoning 292, 477
surface 193
symbol system hypothesis, Newell's ~ 610
system behavior 663
physical systems 290, 656
reasoning about ~ 1083
simulating complex ~ 918
physical variables 581
physical world 660, 1144
reasoning about the ~ 1114
physically plausible 289
physics 357
models 1196
naive ~ 492
qualitative ~ 492
quantitative ~ 492
pi-clauses 67
pi-representation, parallel representation 67
pictorial organization 691
picture
corners 42
drawing programs 73
picture interpretation 14
task 14
picture
junctions 42
partitioning of a ~ 7
pictures of polyhedral scenes, interpreting ~ 42
piece of evidence 626
piecewise linear
approximations 540
differential equations 1215
reasoner 540
pigmentation marking 193
pignistic level 1065
Pinker, Steven 568
pinpoints, finitely many ~ 1403
PIP, expert system in medicine 132
PIPE, pipelined image processing engine 1278
pipeline image processor 1274
pipelined image processing engine, PIPE 1278
pitch accent in context 1060
place vocabulary 573, 666
plan
calculus 582
causal structure 1129
comprehension 189
concepts 1339
plan failures 583, 973, 1236
causes of ~ 1236
plan
for subgoals 1230
formulation 189
generalization 1129
generalized STRIPS ~ 36
plan generation 1129, 1235, 1248
algorithm 1211
plan
hierarchical ~ 621
inconsistent ~ 336
inferring an agent's ~ 1006
instances 1339
loosely constrained initial ~ 336
plan merging 920
algorithm, optimal ~ 920
algorithms for ~ 920
theory of ~ 920
plan modification 896, 1129, 1303, 1361
conservative ~ 1235
incremental ~ 896
system 896
plan
of measurements and actions 957
overconstrained ~ 336
plan query language 1088
PQL 1088
plan reasoning 1197
taxonomic ~ 1339
plan recognition 1006
Bayesian model of ~ 1006
Bayesian network 1006
problem 130
plan
reliable ~ 1232
representations 1076
plan reuse 896, 1235
systems 1235
versus plan generation 1235
plan
space 1380

structure 130
subsumption algorithms for ~ 1339
synthesis 82
synthesizer 82
taxonomy 1339
plan validation
computational complexity of ~ 1063
tractability of ~ 1063
[See also "plans", "planner", "planning"]
plan-based integration 1058
planar
face 1137
graph 302
objects 139, 322
patches 1310
surface orientation 565
surfaces 192, 195, 484
plane
equation approach 205
Euclidean geometry 471
plane geometry 473
portion of ~ 4
theorem prover 63
theorem proving 62
plane surfaces model of the world, collection of ~ 204
planned behavior 1241
planner 1228, 1229, 1236, 1239, 1345
antagonist constraints in a ~ 336
behavior 1236
case-based ~ 583
continuous domain ~ 1033
for gene-cloning experiments, MOLGEN 182
hierarchical partial order ~ 973
implemented approximation to an ideal ~ 1033
implemented least-commitment ~, BURIDAN 1240
interval temporal logic based ~ 1211
iterative ~ 336
Nonlin O-Plan 668
Phoenix ~ 1236
PLANNER, problem solving system 234
planner
search-based ~ 1228
sound and complete ~ 1232
planner's interaction with its environment 1236
planners 1076, 1236
case-based ~ 1230
hierarchical ~ 182
partial order ~ 1380
text ~ 1085
traditional ~ 1033
[See also "plan", "planning", "plans"]
planning 51, 183, 189, 284, 285, 356, 372, 441, 504, 563, 583, 585, 621, 667, 919, 958, 973, 1076, 1103, 1129, 1133, 1159, 1169, 1170, 1200, 1232, 1235, 1239, 1241, 1248, 1282, 1294, 1303, 1361
abstraction hierarchies in ~ 1394
planning algorithm
MP ~ 1129
MP-I ~ 1129
TWEAK 404
planning algorithms 914, 1076, 1129, 1229
planning
and control, unified ~ 1228
and execution, interleaving ~ 547
and problem solving 1090
and reasoning with processes program EXCALIBUR 973
applications 1114
approximate ~ 1230
as refinement search 1229
as search 407
automated space ~ 39
BUILD ~ 47
classical ~ 1229
collaborative ~ 1362
collision-free motions 476
complexity of blocks-world ~ 919
computational complexity of ~ 1063
decidability of ~ 1233
decisions 896
deductive ~ 1361
dialogues, collaborative ~ 1362
domain independent ~ 1117, 1380, 1233
domains 681
efficient general purpose ~ 404
planning effort
avoiding repetition of ~ 896
repetition of ~ 1235
planning
for conjunctive goals 404, 1248
for rapid prototyping 1153
formalisms 1234
planning framework
partial ordering ~ 1094
total ordering ~ 1094
planning
from second principles 1361
hierarchical nonlinear ~ 896
improving efficiency of ~ 896
in a dynamic world 281
in continuous domains 1033

in stochastic domains 1239
instance 1303
intractable ~ 1117
literature 919
machine ~ 583
planning, motion ~ 392, 474, 667
strategies 667
planning
of assembly algorithms 1153
operators 1233
partial-order ~ 1076, 1229, 1248
paths 392
paths through the scene 376
probabilistic ~ 1240
planning problems 323, 956, 1117, 1223, 1233, 1234
nonlinear ~ 530
representation of ~ 1223
robot ~ 530
planning process 1361
incremental ~ 1058
simulation of the ~ 1394
planning, process ~ 336
planning program 183
domain-independent ~ 274
planning
propositional STRIPS ~ 1117
propositional ~ 1234
real-life ~ 336
real-time ~ 1164
realization regime 564
referring expressions 318
refinement ~ 1229
research, domain-independent ~ 404
robot motion ~ 477
routes through uncertain territory 268
sentence ~ 1085
situation, changed ~ 896
skeletal ~ 342
spatial ~ 392
standard treatment of ~ 1211
strategies 171
strategy 973
STRIPS ~ 1117
planning system 47, 668, 1088, 1230, 1361, 1380, 1386
ALPINE ~ 1103
planning
task 182
theory, validation-structure-based ~ 896
time 1033, 1239
tractable ~ 1117
under time constraints in stochastic domains 1239
with constraints 182
within a manipulation system 201
[See also "plan", "planner", "plans"]
plans 73, 921, 1339
classification of ~ 1339
collaborative ~ 1351
executing generalized robot ~ 36
first-order representation of ~ 430
for manufacturing parts 336
hierarchical ~ 274
in a chess program 105
in chess 164
inferring properties of ~ 1223
justifying ~ 1129
learning generalized robot ~ 36
of mechanical parts, machining ~ 336
of other agents 176
partially instantiated ~ 1129
partially ordered ~ 274, 920, 1129
real-time control ~ 1161
representing ~ 1223
sequential ~ 1361
structure of ~ 896
synthesis ~ 134
that fail, explaining ~ 583
that fail, repairing ~ 583
[See also "plan", "planner", "planning"]
plausibility 1096, 1178
judgements, intuitive ~ 401
values 577
plausible
causes 1250
definitions 246
events 1250
plausible explanation-based learning 955
PEBL 955
plausible
explanations 955
hypotheses 246
implementations 238
inference 419, 616
interpretations 203, 1186
minimax values 559
model 593
next events 309
paths 227
reasoning 183
sequence continuation 309
playing strength 556
of chess programs 555
playrooms 1170
Plotkin 672

PLR, piecewise linear reasoner automatic analysis program 540
plurality quantifiers 401
logic of ~ 401
pn-search 1066
implementation of ~ 1066
Poggio
Marr and ~ 200
Yuille and ~ 440
POINCARE, automatic system for analyzing one-parameter autonomous planar systems 612
point algebra 956
PA 1169
relations 1169
Vilain and Kautz's ~ 632
point navigation problem 392
point-based
framework 956
temporal disjointness 1197
pointwise circumscription
completeness of ~ 1403
extension of ~ 1403
Lifschitz's ~ 1403
poker, draw ~ 3
policy 1239
political conflicts 189
POLITICS, program for understanding political conflicts 189
POLITICS system 171
Pollack, Jordan B. 1047
Pollack, Martha E. 968
Pollack's definition of individual plans 1351
Pollock 680, 1081
Pollock, John 624
pollution of the search space 90
Poly, Mackworth's program ~ 205
Polya 227
heuristics 53
POLYFACT, learning program 86
polygon 1137
polygonal regions 482
polyhedra 96
recognition of ~ 41
polyhedral
moving object 392
objects 279
scene 1137
scenes, pictures of ~ 42
surface 572
polyhedron assumption 279
polymorphic type system 288
for PROLOG 288
polymorphism 288
polynomial 526
average time 249
complexity 924, 1137, 1232
equation 471
inequation 471
irreducible factors of a ~ 86
network consistency algorithms 988
run-time growth rate 1034
scaling of the average search cost 1184
search complexity 232
polynomial solvability 1391
of cost-based abduction 1391
polynomial time 254, 466, 577, 585, 632, 671, 693, 924, 954, 957, 1117, 1201, 1225, 1239, 1248, 1357, 1381
algorithm 1122, 1144, 1350, 1355
algorithm for geometric constraint satisfaction 957
complexity 1102
computable 898
decidable 895
partial decision procedure 466
relative approximation algorithm 924
polynomial transformations 1234
polynomially solvable 1137
polynomials 40
with integer coefficients 86
polytree algorithm 626
of Kim and Pearl 626
revised ~ 626
Poole 680
a.o., David ~ 971
systems 1038
pooling of evidence 619
POPI plans, partially ordered and partially instantiated plans 1094
population 1072
size 1306
populations, convergent ~ 1390
position
estimate 1284
of the camera 1271
sensing 1232
uncertainty 477
values 560
position-free incidence structure 279
positional
analysis, limited ~ 30
errors 1278
games 35
positioning 1269
problem 1269

understanding ~ 1283
positive
formulas 1403
literals 213
preconditions 1117
possibilistic logic 651, 1388
qualitative ~ 1388
possibilistic reasoning 1388
possibility 461
conditional ~ 1388
measures 651, 1258
measures of ~ 206
theory 444, 651, 1258, 1388
possible
completion paths 1260
correctness generalization, algorithms for ~ 1094
hypotheses 453
interpretations, infinity of ~ 203
performance elements 1288
referents 65
truth 1248
possible worlds 448
approach 441
semantics 409, 455, 697, 1151, 1154, 1168, 1243
style semantics 405
postconditions 1303
number of ~ 1117
posterior marginal distribution 626
posterior probabilities 598
estimating ~ 1397
posterior probability of an hypothesis 358
given evidence 1263
postulates 599
rationality ~ 1375
potential
actions 327
faults 1399
histories 464
method 481
solutions, multiple ~ 351
potentially
faulty rules 1071
qualified by general constraints 448
poverty conjecture 666
power of sensor systems 1177
PQL, plan query language 1088
practical
implementations 1353
learning systems 1288
pragmatic
aspects of a conversation 564
circumstances 564
constraints. 596
information 49
relevance 596
pragmatics 564, 1059
local ~ 1059
Pratt's dynamic logic 1243
pre-arrangement of variables in a linear order 1110
pre-assembly sub-structures 47
pre-defined program segments 153
pre-enumerated set of solutions 342
pre-ordering, total ~ 1057
pre-orderings, incompletely specified ~ 1057
pre-processing text ~ 1073
pre-programmed knowledge 538
pre-segmention into constituent phrases 595
precedence relationships 78
precedents 231
precision 1124
levels 657
of inferences 363
preclusion 1404
precompiled relations between knowledge items 1155
precondition 1303
preconditions, number of ~ 1117
precursor models 1239
predicate 488
predicate calculus 16, 84, 90, 187, 208, 401, 913, 1379
as a deep structure in question-answering programs 16
completeness of non-monotonic ~ 149
databases 394
first-order ~ 5, 10, 19, 67, 575, 948
literals 94
translations of network propositions 84
typed ~ 347, 1180
with equality 22
predicate
circumscription 516, 699
completion 511
predicate logic 314, 925, 1379
first-order ~ 1246
inductive ~ 55
order-sorted ~ 904
subtypes 1180
predicate symbols 345
varying ~ 345
predicate's dependence on time 669
predicates 507, 1233, 1246
circumscribing ~ 338
conjunctive normal form ~ 249

dyadic ~ 1379
evaluation of ~ 915
extranuclear kinds of ~ 636
fixed ~ 516, 699
floating ~ 699
monadic ~ 1379
nuclear kinds of ~ 636
random ~ 249
recursive ~ 536
varying ~ 699
predication
of a syntactic item 216
sortal ~ 904
predict changes in images 54
predicted
and observed behavior, differences between ~ 528
behavior 396
value 1397
predicting
consequences 1250
how a system will react to perturbations in its parameters 465
intonational prominence 1060
machine behavior 1156
the appearances of novel views 1269
the behavior of mechanisms 293
the mutagenic activity of small molecules 1370
prediction 120
prediction
algorithm for ~ 971
based on the expected number of solutions 1300
graphs 201
in the mechanics world 120
in Theorist 971
nonmonotonic ~ 1178
of a machine's long-term behavior 1156
of image features 201
of the location of the hardest problems 1296
prediction problem 640
extended ~ 454, 464
prediction
rules 293
skeptical ~ 971
task 454
within a vision system 201
predictions 291, 394, 1136
top-down ~ 260
predictive
explanations 1178
power of theories 1370
scheduling 1242
search techniques 1228
predictive value 580
maximization PVM 580
predictor 1280
preemption 966
on-path or off-path ~ 966
preference 436, 557
criterion 1145
for simpler hypotheses 460
implicit ~ 1145
logic 541, 1243
operators, two-place ~ 1243
ordering on explanations 1178
preference semantics 922
Shoham's ~ 1089
system 65, 135
[See also "preferences"]
preference-based default theories 633
preferences 1353
between compromises 336
optimization ~ 1242
[See also "preference"]
preferential
consequence relations 890
framework 633
logic 675
model, ranked ~ 890
models 575, 1038
relations 575, 890
semantics 925
preferred
interpretations 532
states of belief, maximally ~ 633
preimage
backchaining approach 667
computation 667
premature
commitment to individual contributors 1129
mathematization 607
premise clauses 237
premisses 925
as assumptions 925
preorder of sentences 1081
preordering strategies 1110
preprocessing 1146
algorithms 1110
technique 24, 29
prescriptions for extending beliefs 682
preselecting subspaces in search space 574
presentation design 1058
preservation
of consistency 375

of winning strategies 35
preserving admissibility 487
PRESS, algebraic manipulation program 185
pressure regulator 581
previously
learned pattern 590
solved game 35
prevision 1258
PRIAR, hierarchical nonlinear planning
implementation 896
Prieditis, van Harmelen and Bundy 1004
primary surfaces 481
primate visual attention 1273
prime
Horn production rule base 1105
implicate/implicant 917
implicates 916, 1301
primitive
actors 106
elements of descriptions 357
operations 951
propositions number of ~ 1267
syntactic operators 247
primitives
for communicating 931
visual 376
Principia of Whitehead and Russell 37
principle
of indifference 1378
of minimal change 926
of rational reasoning 633
principled
classification 1170
comparisons 898
model of cooperation 1173
search control strategy 487
synthesis 1181
principles
of induction 524
of measurement 395
of software design 282
prior probabilities 644
priorities
among defaults 682, 1148
between defaults 649
in AI 1287
prioritization of knowledge 524
prioritized
circumscription 345, 485, 516, 682
combinations of goals 1239
default theories 1288
priority
list 535
mechanisms, lexicographic ~ 633
ordering on rules 1338
system 535
private beliefs 1086
probabilistic analysis 179, 252, 1303
of the performance of the game-searching
SSS* algorithm 252
probabilistic
approach to planning 1223
B* 1340
belief networks 907
conflicts 1397
constructs 1223
context-free grammar parsers 1356
decision procedure 253
dependencies 553
experiments 1259
form of monotonicity constraint 578
framework for scheduling 1346
game model 243
geometry 572
probabilistic hill-climbing algorithm 1288
PALO 1288
probabilistic Horn abduction 1005
probabilistic inference 689, 924, 1175
algorithm, Pearl's ~ 644
computational complexity of ~ 553
probabilistic
information 1112
interpretation 671
knowledge 1005
probabilistic logic 348, 985, 1124
Nilsson's ~ 1124
probabilistic
logical entailment 348
methods 1364
probabilistic model 1104, 1240
nonstandard ~ 890
of language 1364
probabilistic network 578, 964
planning 1240
ranking method 393
probabilistic reasoning 186, 616, 998, 1175, 1212,
1377, 1378
about change 1104
in medical diagnosis 132
probabilistic
relationships 578
retrieval 1070
rule sets 1143
rules 1143
semantics 575, 622, 1069
temporal reasoning 1104

theories 1112
world model 1175
probabilistically coupled propositions 368
probabilities 400, 1112
associated with hypotheses 1005
conditional ~ 924
estimating posterior ~ 1397
imprecise ~ 1377
in networks 1396
mutation ~ 1244
of hypotheses, updating the ~ 366
qualitative ~ 1338
subjective ~ 1378
transition ~ 1239
probability 248, 249, 507, 527, 1067, 1069, 1072, 1223, 1245, 1338
assignments 577
based search 1340
calculus 527
probability density 321
functions 1396
probability distribution 1240
discrete ~ 122
estimates 1340
joint ~ 578, 1358
probability distributions 122, 1175, 1340
second order ~ 1396
probability
estimates 588
functions 696, 1065
functions, classical ~ 391
in Bayesian networks 1366
interval 391, 1124
logic 1112
logics of ~ 597
mappings 1377
mass functions, Shafer ~ 391
matrices, conditional ~ 1367
mixture 1396
of an abstract solution being refinable 1150
of success 507, 1240
of winning 452, 556
on possible worlds 597
on the domain 597
probability range 1124
of an entailed sentence 1124
probability
reasoning about ~ 597
that a planning instance can be solved 1303
probability theory 348, 641, 683, 964
axioms of ~ 368
Bayesian ~ 1006
probability threshold 1104, 1240
probability values 348, 1223
as truth values of sentences 348
probable shapes 204
probing feature vectors 1070
problem
background knowledge 235
decomposition method 307
dependent semantic information 60
problem domain 51, 1180
STRIPS ~ 83
problem
independent parameters 36
reduction 87, 213
relaxation 914
representations 961
search 1054
spaces 1389
problem solver 44, 146, 323, 394, 552, 692, 1363
ABSTRIPS 51
ARF 2
PRODIGY 1103
STRIPS 19
subsystem 146
problem solver's database 507
problem solvers 53
efficiency of ~ 681
powerful ~ 37
robustness of ~ 681
problem solving 19, 20 45, 47, 53, 71 82, 115, 120, 136, 158, 183, 184, 187, 234, 245, 351, 353, 493, 504, 519, 524, 576, 579, 661, 681, 692, 930, 1119, 1272, 1302, 1305, 1350, 1359
abilities 320
actions, real-world consequences of ~ 44
adaptive ~ 1386
AI ~ 1018
application of theorem proving to ~ 19
approach 237
approach, selecting a ~ 131
architecture 351, 493
architecture, Soar ~ 1011
automatic ~ 12
behavior, effective ~ 234
by a society of experts, effective ~ 106
by searching for models 1119
conceptual model of ~ 1193
constructive ~ 342
cooperative ~ 1173
cost 323
decisions 519
distributed ~ 234
effective ~ 1272

efficiency 930
experience, reusing ~ 1093
experts, communicating knowledge-based ~ 106
from scratch 1093
heuristic ~ 17
hierarchical ~ 1150
human ~ 666, 1011
in time-constrained environments 1090
information 187
logic of ~ 83
medical ~ 237
problem solving method 220, 406
chronological-backtracking ~ 1193
reusable ~ 1193
problem solving
model 87
non-classification ~ 342
paradigms 177
performance 407, 1093, 1123
power 51
process 15, 44, 327, 690
problem solving program 319
expert ~ 210
heuristic ~ 2
heuristics 3
mechanics ~ 120
problem solving
robot ~ 83
routine ~ 342
scientific~ 237
search 72, 407
problem solving situation 3, 110
complex ~ 3
problem solving strategy 503
problem solving system 154, 323, 519, 641, 1306
CONNIVER 234
HEARSAY-ii 234
PLANNER 234
PRODIGY 519
PUP6 234
problem solving
tasks, complex ~ 1090
technique 234, 278
with the ATMS 353
problem space 62, 242, 930
definitions 1004
encoding 930
hypothesis 1011
problem spaces 242
problem
specific strategies 242
specification 896
state spaces 530
problem structure 1298
search heuristic 1306
problem types 45
problem-specific
constants 36
domain theories 1135
problems
for artificial intelligence challenging ~ 601
involving uncertainty 1164
stated as procedures 2
procedural
bottom-up heuristics 260
control 211
control knowledge 211
interpretation 116, 239
knowledge, interactive acquisition of ~ 643
languages 211
logic 308
model of the agent's environment 1211
semantics 116
procedure
for minimizing knowledge 1089
from example computations synthesis of a ~ 137
procedures 107, 137
for generating proofs 12
problems stated as ~ 2
process control 1082
process model 189
of analogical reasoning 504
of human personality traits 171
process
of forming and extending theories 246
planning 336
[See also "processes"]
process-algebra based representation 1211
process-based grammar 427
symmetry analysis 427
process-dependent 147
reasoning 147
process-grammar 495
computational model for ~ 495
for shape 427
process-history 427
of shape change 495
process-records transformation of ~ 427
processed schemata expected number of ~ 1072
processes 281
and structures, graph linking ~ 679
with a continuum of gradual change 43
[See also "process"]
processing

best order for ~ 507
elements, independent ~ 337
networks 695
of constraints 1357
of disparity information 202
of semantic nets 337
of signals 1186
processor of symbolic information 115
PRODIGY
performance results of ~ 519
problem solver 930, 1103
problem solving system 519
system 552
PRODIGY/EBL
EBL system 930
state-of-the-art EBL system 1004
benchmark tasks 930
production rule 1105
form, heuristics in ~ 3
representation 184
production rules 231, 236, 239, 580
as a representation 93
as representation 978
censored ~ 363
heuristics as ~ 3
knowledge in the form of ~ 164
with an exception condition 363
production system 220
architecture 211
controlled ~ 211
interpreters 219
representations 1111
production systems 79, 211, 412
theory of efficiency transformations on ~ 211
profile information 456
profitable experiments 246
program
actions, explanations of ~ 146
analysis intelligent ~ 81
as a consultant 93
behavior 256
beliefs 146
program bugs, explication of ~ 544
identification of ~ 544
program
DENDRAL 131
for generating building plans, BUILD 47
for new mathematical concepts and conjectures, AM 115
for segmentation problems, GA1 131
for solving combinatorial problems 119
for understanding stories about painting 136
model 172
segments 153
semantics 57
specification 208
program synthesis
automatic ~ 153
knowledge 126
knowledge in ~ 70
reasoning in ~ 70
rules 126
sample ~ 153
semantics-supported ~ 167
syntax-directed ~ 167
system experimental ~ 180
program synthesising system, PROSYN 153
program transformation 172
incremental ~ 1195
system, experimental ~ 180
program understanding 582
program verification 374
system 57
programming
ability 70
agent-oriented ~ 931
automatic ~ 903
by examples 137
clichés 1101
constructs 57
inductive logic ~ 1370
programming language 934
declarative ~ 951
for unified planning and control 1228
nondeterministic ~ 2
PROLOG 155
programming
rules 126
techniques 91
tool 91
tricks 140
programming-language-independent representation 582
progressive relaxation 296
projected
image 484
surface markings 1026
projection 135, 192
from the environment to the signal 1155
invariant 262
mechanisms, sense ~ 135
of a three-dimensional scene 204
orthographic ~ 279
perspective ~ 262, 279
profile analysis 414
weak-perspective ~ 1269

of three-dimensional models 393
projective
classification 481
geometry 1283
image 481
parameter space 481
transformation of 3D space 1283
PROLOG 155, 216, 288, 394, 513, 948, 1187
clauses 536, 1187
compiler 155
language 239
metaprogram 288
polymorphic type system for ~ 288
program 288, 298, 467
pronunciation, name ~ 1368
proof
by consistency 382
by contradiction technique 471
checker, abstract ~ 927
development, syntactic viewpoint of ~ 535
discovery 1180
proof procedure 90, 208, 214
best-first ~ 138
for first order logic 21
for predicate calculus 90
proof systems, consistency of ~ 382
proof theory 409, 549, 669, 1223
encoding of ~ 1365
for default reasoning logic 151
of conditional entailment 682
[See also "proofs"]
proof-number search 1066
proof-theoretic view of nonmonotonic reasoning 575
proof-transformation operators 1123
proofs 441
by resolution 10
inductive ~ 974
procedures for generating ~ 12
used by EBL systems 930
[See also "proof"]
propagate
disturbances 359
point probabilities 1396
propagating
imprecise probabilities 1396
inherited properties 935
reinforcement values 903
propagation algorithm 1140
Waltz ~ 1140
propagation
approach, tolerance ~ 950
Boolean constraint ~ 653
constraint ~ 951, 1310
exact value ~ 950
forward and backward ~ 1367
in belief networks 368, 626
interval ~ 950
of constraints 112, 157, 182, 360
of Dirichlet distributions 1396
of symbolic constraints 201
rule 293, 1140
through a clause 653
tolerance ~ 950
properties
of nondeterministic programs, formalization of ~ 1
of states 1114
property
inheritance 308
list markings 140
propose-and-revise systems 503
proposition 1104
types 408
proposition's belief 527
propositional 1233
attitudes 426
attitudes, representation of ~ 1036
propositional calculus 314, 1185
extension of the ~ 1185
propositional
causal theories 621
cumulative default reasoning 1182
default theories 1343
domain 1245
expression 1245
fluents 599
propositional formula 214, 352, 532, 926
propositional Horn knowledge bases 1105
clause domain theory 1071
satisfiability 585
theories 586
propositional knowledge 1185
base 678, 926, 1381
representation of ~ 1384
language 890, 1005, 1162, 1245
propositional logic 80, 575, 1135, 1162, 1355
classical ~
nonstandard ~ 1213
of knowledge and belief 697
syntax of ~ 593
propositional
model finding 948
model-preference defaults 586
nonmonotonic logic 494, 1142
planning 1234

satisfiability 1301, 1343
sentences 678
propositional STRIPS 1234
planning 1117, 1303
propositional theorem proving 948
propositional theories 494
classical ~ 1343
propositional
theory 926
version of Nilsson's probabilistic logic 1124
propositions, dependencies among ~ 435
PROSPECTOR, expert system 683
PROSYN, program synthesising system 153
protection strategies 1229
Protégé-ii, knowledge engineering environment 1193
protocol
analysis, automate ~ 23
for exchanging 405
for exchanging secrets 405
interface ~ 353
meta-object ~ 1028
Protos, machine learning program 584
prototype speech understanding system 49
prototypical knowledge 975
for expert systems 975
representation of ~ 236
prototypical properties 409, 1097
prototyping, planning for rapid ~ 1153
PROUST
diagnosis of errors system for PASCAL programs 544
empirical studies of ~ 544
provability 426, 1036, 1081
as a modality 150
in experimental logics in the sense of Jeroslow 1081
provably correct implementation 532
provers, inequality ~ 341
proving
an observation by assuming hypotheses 1034
properties of states 1114
the antecedent of a default 1138
the termination of algorithms by machine 1141
universally quantified formulae in algebraic geometry 471
unsatisfiability 929
pruning 178, 487
a search 668
pruning algorithm 248
alpha–beta ~ 122, 261, 1238
pruning
alpha–beta ~ 615
conditions 534
criterion 1396
deep ~ 615, 1238
heavy ~ 1308
of a network 1366
of decision trees 1308
power 928
shallow ~ 1238
shallow alpha–beta ~ 615
strategy, intelligent ~ 1067
subtrees 1344
theorems 377
pseudo-iterative definition 1138
pseudo-texts 135
Psotka, J. 617
PSPACE-complete 611, 687, 697, 1117, 1303
PSPACE-completeness 1267, 1389
of subsumption 687
PSX2PWL, automatic analysis of phase portaits program 1215
psycholinguistic experimentation 28
psychological
literature 431
models of sentence comprehension 28
plausibility of ARCS 596
theory construction 130
psychologically meaningful deformations 427
psychology 23, 130, 342, 524, 531, 1016
cognitive ~ 161, 228, 276, 313
of computer vision 89
PUP6 problem solving system 234
PUPS computational theory of knowledge origin 524
Purdom 929
pure mathematics 500
purposive vision 1275
pushing motions 477
puzzles 119
sliding-tile ~ 965
PVM, predictive value maximization 580
Pylyshyn, Z.W. 497, 498
Pylyshyn, Zenon W. 458
pyramid, visual processing ~ 1273

Q

Q learning 903
Q*
algorithm 46
algorithm, use of syntactic and semantic information in the ~ 46

search algorithm 46
Q-Learning algorithm Watkins' ~ 1164
QA question-answering system 46
QA4
language 57
system 57
QDE, qualitative differential equation 664
QEP, Clark's query evaluation procedure 375
QEP*
query evaluation procedure 375
soundness of ~ 375
QS
literature 551
qualitative simulation 551
QSI qualitative system identification algorithm 1265
QSIM
algorithm 369, 911
type algorithms 911
quadratic polynomial 481
quadrics 481
qualification problem 448, 454, 464
qualified number restrictions 1385
qualifying domain constraints 448
qualitative
algebra 658
algebraic reasoning 658
qualitative analysis 295
automatic ~ 540
of behavior of systems 1215
of MOS circuits 295
of physical systems 540
qualitative
and quantitative information 1357
arithmetic 658
assessment of uncertainty 964
qualitative behavior 369, 664, 1265
descriptions 293, 369
produced by QSIM 369
of complex systems 1113
qualitative causal
analysis 294
calculus 359
reasoning 369
reasoning systems 369
qualitative
cells 911
changes 908
constraints 1357
default reasoning 1378
differential equations 291, 293, 664, 908
evolution 911
frequency weights 1377
histories 908
influences 578
information 465, 1113, 1278
interval constraint problems 928
kinematic analysis 915
qualitative kinematics 915
in mechanisms 573
qualitative
large signal behavior of MOS circuits 295
methods 660
modeling 545
qualitative models 994
of electrical circuit behavior 545
qualitative networks 1357
augmented by quantitative domain constraints 1357
qualitative phase-space structure 1113
qualitative physics 290, 291, 360, 361, 492, 581, 663, 666, 990
models 1196
qualitative
possibilistic logic 1388
probabilistic networks 578
probabilities 1338
process theory 292, 973, 991
projection 911
qualitative reasoning 290, 292, 294, 360, 656
about kinematic interactions 573
about physical systems 290, 656
about time 1169
problems 581
programs 1265
qualitative
relations between events 693
relationships 578
qualitative representation 295, 1153
for quantity 292
qualitative
resolution 658
qualitative sentences 1338
qualitative simulation 369, 551, 664, 666, 908, 911, 995
algorithm 369
of a mechanical clock 666
qualitative spatial
reasoning 666
reasoning method 293
representations 666
qualitative
state 291
states of a system 551
structure descriptions 369

superposition 908
synergies 578
qualitative system identification 1265
algorithm QSI 1265
qualitative
temporal information 956
understanding 663
qualitative version
of the calculus 291
of the lottery paradox 638
qualitatively distinct features 1113
quality
decision ~ 1227
of a decision 229, 243
of a decision, degradation of ~ 229
quantification 636
of objects, three dimensional ~ 201
over domain individuals 1223
over probability values 1223
over time points 1223
quantified
beliefs 1065
formula 470
quantifier
existential ~ 401
restrictions 1068
scoping 216, 399
universal ~ 401
quantifier-free formula 208, 470
quantifiers 84, 119, 549
for nonmonotonic logic 1142
numeric ~ 1379
plurality ~ 401
quantify over event tokens 1246
quantifying
inductive bias 460
uncertainty 1378
quantifying-in 1151, 1311
quantitative
algebra 658
algebraic reasoning 658
analysis 232
belief arguments 527
constraints 1357
data, summarizing ~ 1373
domain constraints 1357
information 666
modal logic 1388
objective probability 964
physics 492
probabilistic reasoning 1378
study of the alpha–beta algorithm 261
quantity space 292
quantization of brightness levels 197
quantum phenomena 932
quasi-algebraic sets 472
quasi-polynomial time 1121
quaternary domains 1377
Qubic 1066
queens problem, n-~ 952
queries 502
epistemic ~ 1142
from an agent 1358
in databases evaluation of ~ 338
nonterminating ~ 536
query 1257, 1264
a knowledge base 1311
about the system's behavior 659
query answering 1257
algorithm 485
subjunctive ~ 1096
query, dimension of a ~ 1257
query evaluation procedure 375
QEP* 375
query language 1264, 1361
plan ~ 1088
to plan libraries 1361
query
of CAD and image databases 1037
problem in geometry 470
set, restricted ~ 1381
query system
database ~ 216
natural language ~ 226
query-by-example 1037
query-directed simplification 918
querying
a timegraph 1169
bounds 1257
question answering 135, 226
from natural language medical data bases 129
procedure 129
program 16, 25
program, Chronos 25
question answering system 16, 233
deductive ~ 46
QA 46
questioner
goals of a ~ 226
intentions of a ~ 226
questions about database structure 329
quicksort 126
algorithms 330
quiescence
null-move ~ 560
of the propagation 1140

search algorithm 560
Quine 636
Quine, W.V.O. 127
Quinlan and Hunt 37
Quinlan's concept-learning program 335
quotation and unquotation, theory of ~ 315
quotient problem 307

R
R-refutation completeness of renamable resolution 9
R-renaming 9
R-unsatisfiable 9
R1, rule-based configurer of computer systems 220
radar reflectance models 569
radiology reports 129
radiometric information 569
ramification problem 448
ramifications 630
domains with ~ 1189
random 3-SAT 1301
crossover point in ~ 1294
problems, hard ~ 1299
random
binary constraint satisfaction problems 1296
branch values 99
branching factors 1344
chance 1240
CNF formulas 1297
conjunctive normal form predicates 249
costs 248
data 75
formulas, satisfiability of ~ 1293
game trees 1344
graphs 254
networks 928
noise 1377
nontrivial 3SAT formula 929
ordering of successor nodes 257
predicates 249
problems 928, 1293, 1297
SAT 1297
series of scenarios 400
random tree 1200, 1305
model 1305
searching ~ 384
random variables 122, 1175
errors as ~ 179
random
walk, constrained ~ 655
Walsh polynomials 1306
random worlds 1378
method 1378
semantics of ~ 1378
randomised cost-independent search 1244
randomly coded messages 619
randomly generated
graphs 1253
interval networks 928
problems 1300,1405
satisfiability problems 1199
range
data 1310
data analysis 139
image 1310
of search 41
sensors 1067
range-restricted clausal theories, first-order ~ 1201
ranked preferential model 890
ranking
decompositions 1007
method, probabilistic ~ 393
rankings of worlds 1338
Raphael
A* algorithm of Hart, Nilsson and ~ 215
Hart, Nilsson and ~ 92
Hart, Nilsson and ~ algorithm 8
rapid
constraint propagation 1299
prototyping, planning for ~ 1153
transition between soluble and insoluble instances 1405
Rasmussen, Steen 1134
ratio
of clauses to variables 1299
of the number of clauses to the cube of the number of variables 929
rational
balance 548
closure 890
closure of a conditional knowledge base 890
database updating 1375
inferences 591
management of inference tools 625
monotonicity 675
reasoning 633
reconstruction 566
relations 890
trees 536
rationalist approaches in NLP 1364
rationality 625, 675
bounded ~ 1243
disjunctive ~ 675
individual ~ 1353
limited ~ 641

minimal ~ 506
postulate, weak ~ 962
postulates 678, 1375
postulates, Gärdenfors-like ~ 678
resource-bounded ~ 641
raw cognitive map 431
RBFS
linear-space best-first search 965
recursive best-first search 1200
re-recognition 54
reaction
construction 1211
knowledge base 134
reactive
behavior 1211, 1241
behavior simple ~ 1152
planning 1399
repair 1242
schedule management 1242
strategies 1164
systems 1033
reading cursive script 414
real
chair 1002
image sequences 1279, 1281
numbers 470
real patients, interviews with ~ 34
real world
knowledge 136, 187
object classes 201
problem 1180
[See also "real-world"]
real-life planning 336
real-number division algorithm 57
real-time
A* algorithm 547
computing 1161
constraints 613
real-time control 663, 1161, 1164
architecture 1161
plans 1161
system 1228
real-time
controller 1228
diagnosis 1399
DP, RTDP 1164
dynamic programming 1164
expert system tool G2 1196
heuristic search 547
learning 1164
real-time performance 1111
guarantees 1161
real-time
planning 1164, 1399
system design 1227
systems 1227
real-valued
co-ordinate system 1224
constraint propagation network 1310
heuristic functions 242
real-world
belief networks 1377
consequences of problem-solving actions 44
environments 1161
explanations 525
scheduling tasks 955
situations 189, 525
urban scenes 478
visual constraints 456
[See also "real world"]
realistic large-scale problems 1136
rearrangement
dynamic search ~ 1110
search ~ 249
reason
about the content of its knowledge 178
artificial ~ 1332
reason maintenance 394, 653, 962
skeptical ~ 962
system 435, 962
reason with uncertain knowledge 348
reasonable
inference procedures 890
nonmonotonic inference procedure 890
reasoner
high level ~ 154
perfect ~ 1213
reasoning 112, 147, 245, 292, 296, 303, 444, 453, 461, 503, 573, 632, 690, 692, 1079, 1204, 1222, 1339
reasoning abductive ~ 684, 1175, 1222, 1381
reasoning abilities 70, 357
reasoning about
a physical system 1221
action 281, 441, 448, 496, 1183, 1250
actions and change 1338
beliefs 356
causal projections 1338
change 441, 1104
conflicts 958
control 177
default statements 455
defaults 449
dynamic objects 1277
explanations 1338
ignorance 449

incompletely specified worlds 151
inheritance hierarchies with exceptions 622
kinematic interactions 573
likelihood 405
machines, automated ~ 1156
model accuracy 918
molecular structural transformations 1226
movement 1224
natural forms 357
partially ordered events 466
physical objects, AI contributions to ~ 320
physical systems 1083
plans 1394
probability 597
programs 57
qualitative temporal information 956
reasoning processes 183
resources 274
rules 178
shape interaction 573
shapes 573
sources of misconceptions 533
structure, machine ~ 1037
the evolution of mechanical systems in continuous time 640
the goals of classification 347
the physical world 1114
reasoning about time 394
algorithms for ~ 1169
reasoning about truth 509
reasoning
agents in a dynamic world 1130
algebraic ~ 479, 658, 1217
reasoning algorithms, algebraic ~ 479
high-level ~ 1204
standard ~ 1204
reasoning
analogical ~ 504
approximate ~ 381, 1162, 1245
architecture 1345
as theory formation 453
assistant, automated ~ 275
associational and causal ~ 681
asymptotic order of magnitude ~ 1221
autoepistemic ~ 449, 922, 1154
automated ~ 275, 1141, 1381
backward ~ 563, 1145
backward in time 630
backward-chained ~ 563
backwards 563
belief ~ 1154
by analogy 17
capability 170
case-based ~ 1361, 1368
categorical ~ 998
causal ~ 292, 445, 1145
classical ~ 1384
classification ~ 342
closed-world ~ 1384
combination of categorical and probabilistic ~ 132
commonsense ~ 293, 303, 357, 346, 385, 441, 445, 516, 593, 657, 677, 699, 937, 1181, 1381
complexity of ~ 637, 1264, 1311
component 170
computational complexity of ~ 1116
conjectural 148
consistent ~ 1348
constraint ~ 950
constraint-based ~ 947
correct geometric ~ 482
decidable deductive first-order ~ 1311
deductive ~ 419, 1245
default ~ 352, 444, 445, 450, 453, 455, 514, 633, 1138, 1182, 1222, 1224, 1338, 1343
defeasible ~ 680, 913
deterministic ~ 132
diagnostic ~ 296, 395, 989, 1196, 1345
dynamic ~ 563
efficient ~ 1033, 1381
everyday ~ 401
evidential ~ 132, 328, 344, 400, 437, 626, 996, 1005
expert ~ 132
expert system ~ 679
formal temporal ~ 454
formal ~ 640, 1180
formalisms, nonmonotonic ~ 677
forward ~ 112, 1145
forward in time 630
forward-chained ~ 563
forwards 563
framework, diagnostic ~ 1345
general ~ 1180
geometric ~ 392, 468, 470, 477, 478, 479, 482, 1153
geometric methods of ~ 661
graph-based ~ 1370
human ~ 189, 284, 285, 401, 1141
hybrid ~ 635
in connectionist networks 1185
in medical diagnosis, categorical ~ 132
in medical diagnosis, probabilistic ~ 132
in program synthesis 70

inductive ~ 145, 374
inexact ~ 437, 683
inference modes in ~ 147
inheritance ~ 550, 966
intuition in ~ 20
intuitive ~ 294
issues 1272
limited ~ 421, 1151, 1311
local ~ 421
logical ~ 1124, 1217
machinery 581
management of evidential ~ 328
mathematical ~ 166, 579
mathematics of non-monotonic~ 150
mechanism 381
mechanized formal ~ 152
meta-level ~ 185
method geometric ~ 1217
methods choices of ~ 1157
models inexact ~ 906
multiple inheritance ~ 966
multiple lines of ~ 210
mundane ~ 593
non-logical ~ 20
nonmonotonic ~ 148, 301, 303, 338, 379, 450, 485, 486, 575, 630, 633, 639, 890, 916, 1019, 1138, 1194, 1384, 1388
nontrivial ~ 1348
nonverbal ~ 661
off-line ~ 1264
on-line 1264
order of magnitude ~ 657, 1272
patterns of ~ 549, 1378
perfect logical ~ 1311
physical ~ 292, 477
plan ~ 1197
plausible ~ 183
possibilistic ~ 1388
reasoning, probabilistic ~ 186, 616, 998, 1175, 1212, 1377, 1378
temporal ~ 1104
reasoning problems 916, 1162
decision ~ 1162
reasoning process 557
dependent ~ 147
for driving 1277
reasoning processes 183, 504
of mathematicians 1055
reasoning programs 146
qualitative ~ 1265
reasoning
qualitative causal ~ 369
qualitative ~ 290, 292, 294, 360, 581, 656
rational 633
robust ~ 1181
rule-based ~ 1181, 1368
rules, model of ~ 264
scope of ~ 677
sidedness ~ 205
similarity-based ~ 1181
skeptical ~ 637
skeptical or credulous ~ 966
spatial ~ 666, 1113, 1283
strategies 550
strategy 120
structural ~ 1370
symbolic ~ 201, 661, 915, 957
reasoning system 152, 353, 908, 948
automated ~ 328
for machine vision 479
mathematical ~ 166
multi-agents ~ 1268
nondeductive ~ 1378
qualitative causal ~ 369
reasoning tasks 894, 1357
choices of ~ 1157
fundamental ~ 956
in CDL 1182
reasoning, taxonomic plan ~ 1339
reasoning techniques 681
spatial ~ 201
reasoning
temporal ~ 394, 419, 450, 464, 466, 693, 1063, 1104, 1145, 1169, 1246, 1357, 1411
terminological ~ 433, 567
theories of ~ 633
tractable ~ 1162
type ~ 1180
uncertain 1212
undecidability of ~ 1151
reasoning under uncertainty 622, 1377
automated ~ 651
reasoning
underlying explanations 525
verifiable geometric ~ 482
visual ~ 661
weaker forms of ~ 1151
with abstract solution spaces 210
with abstraction, theory of ~ 927
with Horn approximations 1381
with Horn expressions 1381
with incomplete information 363
with inconsistency 1348
reasoning with inconsistent
databases 671

knowledge 925
reasoning
with models 1381
with processes 973
with qualitative models 994
with resource constraints 363
with uncertainty 557
reasons for belief 649
recognising objects from images 1271
recognition 68, 514, 1271
architecture 1271
automated program ~ 582
automatic ~ 50
Bayesian model of plan ~ 1006
character ~ 642
in human vision 393
instance ~ 443
language ~ 111
object ~ 571, 574
of computational structures 582
of correct programs 172
of curved objects 96
of object classes 1310
of objects, incremental ~ 41
of polyhedra 41
of problems 55
of structure regularity 484
of three-dimensional objects 393
problem plan ~ 130
problems 514
process 114, 518, 1271
results 96
rules 519
schema ~ 1059
shape ~ 691
simple letter ~ 14
system 582
recognize three-dimensional objects 393
recognizing
a language 215
an object 1275
deep cases, criteria for ~ 76
DNA sequences 1071
isolated objects 574
Othello patterns 556
rigid objects from noisy sensory data 574
state achievement 1232
the environment 1269
recommendations for treatment 133
reconcile solutions to different subproblems 63
reconfiguration of the cameras 1284
reconstructible surface region 1275
reconstructing a rigid space curve 440
reconstruction
from stereo images, surface ~ 1284
method 1283
of 3D scenes 376
rational ~ 566
reconstructive expert system explanation 690
reconvergent nodes 695
record-keeping capabilities 634
recording information from 3D images 24
recover polyhedral shape 279
recovering
3D motion 1279
3D shape 456
probable shapes 204
surface shape 192
the motion parameter from the motion field 1279
three-dimensional shapes 279
three-dimensional structure 1283
recovery 279
equations, 3D ~ 484
error ~ 477
from revision failures 1242
method 192
of 3D objects 1077
of 3D objects from 2D contours 1077
of a planar surface orientation from its image 565
of the three-dimensional shape 204
of three-dimensional configurations 156
possibilities 673
recurrent models 1239
recursion 106
elimination 247
recursive
application 523
best-first search (RBFS) 1200
circumscription 511
clause 536
construction of complex representations 594
cooperation 906
data structures, variable-sized ~ 592
discounting 689
distributed representations 592
equations 145
functions, synthesising ~ 153
inference 377
labelnode hypergraphs, directed ~ 109
paradigms 126
portions of a search space 377
predicates 536
programs 1195
state space search algorithms 1206

transition network, augmented ~ 28
recursively
defined algorithm 1141
enumerable 913, 1081
reduced
fields of view 1277
search space 680
reducibility 970
reducing
belief to knowledge 1019
computational effort 914
of nodes 650
the effective size of the search space 1346
reductio ad absurdum 1055
reduction 107
complete ~ 896
compulsory ~ 647
ESP ~ 1234
heuristics in automatic theorem proving 13
problem ~ 87
rules 648
rules, advanced ~ 648
reductions, computation-theoretic ~ 1177
redundancies 493
addition of ~ 645
in a search space 958
in search space 648
merging ~ 1059
redundancy 459, 1118, 1129
control 459
elimination 963
high degrees of ~ 648
problem 1118
removing ~ 963
search space ~ 1129
redundant 1138
constraints 957
derivations 21
information 1350
knowledge bases 645
links 966
literals 963
resolution steps 142
rules 1105
reexpansion of nodes
excessive ~ 650
reducing ~ 650
REF 2
extensions to ~ 2
language accepted by the problem solver ARF 2
reference
resolution 1059
time 25
referencing a complex structure via an abbreviated tag 590
referential connections 643
referents, possible ~ 65
referring
expressions 318
to nonexistent objects 1168
refinement 178, 342, 576, 1359
algorithm 1143
algorithm, optimal ~ 1359
automatic ~ 442
cost 1229
discrepancy-driven ~ 918
downward ~ 1150
effect ~ 178
from abstract goals 256
heuristics 442
implement ~ 178
iterative ~ 1239
knowledge base ~ 442, 1071
methods 1143
of probabilistic rule sets 1143
paradigm 238
phase 178
planning 1229
process 256
refinement search 1229
semantics 1229
refinement
structure 256
techniques, traditional ~ 1359
theory ~ 1071, 1135
refinements
of resolution 46
tractability ~ 1229
refining 1103
abstract states 182
of previous search 1374
rules 264
refixation 1284
reflectance
map 195
model parameters 569
reflective behavior 1208
reformat field entries 190
refutation
completeness of renamable resolution 9
graphs 80
plan 142
refutational
approach 471
theorem proving 314

refutations
efficiency of finding ~ 21
linear resolution ~ 142
REF–ARF, a system for solving problems stated as procedures 2
region
analysis 530
analyzer, semantics-based ~ 60
diagram 665
interpretations 104
of exceptionally hard problems 1184
regions
as basic data for scene analysis 7
characterizing operating modes 665
regression methods for theory construction 1370
regrouping constraints 502
regular
graphs 254
patterns shape from ~ 265
regularities
environmental ~ 357
from past experience 231
regularization term 569
regulation devices, fluid ~ 658
reification of event and state types 1246
reified
approach 1246
propositions 408
temporal logic, TRL 1246
temporal logics 1246
reifying event tokens 1246
reinforcement learning 903, 1152, 1165
extending ~ 1165
methods 1164
RL 1165
reinforcement values, propagating ~ 903
reinstating conclusions 913
reinterpretation of a scene 41
Reiter
and de Kleer 1040
Etherington and ~ 1404
Etherington, Mercer and ~ 345
Reiter, Ray ~ 1142
Reiter's
closed world assumption 639
default logic 379, 453, 649, 922, 1138, 1148, 1182, 1222, 1343
default theory 639
diagnosis algorithm 528
theory of diagnosis 528
relatedness measure, statistical ~ 66
relating
information from different viewpoints 54
structure and function 1208
relation algebra 1290
of intervals 1290
of pairs 1290
relation
approximate consequence ~ 1388
as a Horn theory 954
between object space and image space 54
Horn approximation to a ~ 954
of instinctive to reflective behavior 1208
[See also "relations"]
relational
algebraic operations 398
concepts, generalizations of ~ 163
concepts, induction of ~ 163
constraints 104
data 954
database 1064
database, hypergraph of a ~ 1064
networks 679
production composition theorem 94
production system (rps) 94
productions 94
relations 347, 507
among parameters of objects 1083
between clichés 582
[See also "relation"]
relationship
between differences and means 307
between goals 347
between time intervals or points 956
symbolic or numerical ~ 1283
relative
approximation algorithm 924
change of system parameters 465
change values 465
relative completeness 5
of inductive inference systems 5
relative
expressiveness 1379
likelihood conclusions 578
locations 691
relative position 268
of an object 1163
relatively hard problem instances 1184
relaxation algorithms 618
perfect 618
relaxation
approach to splitting 63
discrete ~ 168, 585
linear program ~ 1391
methods 1270
preprocessing 1102

problem ~ 914
progressive ~ 296
rules 618
successive ~ 914
relaxed models 914
hierarchy of ~ 914
relevance 1263
definition 358
logic 1151, 1213
relevant
beliefs 548
causes of observations 684
domain knowledge 503
explanations 684
information potentially ~ 44
reliability
measures 1278
relation 925
reliable
plan 1232
practical robot systems 1232
sources of information 673, 925
reliance placed on heuristics 6
removal
of derived results 190
of redundant rules 1105
removing
harmful interactions 958
inconsistencies 896, 958
redundancy from a clause 963
redundant information 1350
renamable
paramodulation 9
resolution 9
reordering 178
repair
action selection 1242
decisions 1345
domains 1345
method, heuristic ~ 952
reactive ~ 1242
strategies 583
repairing
faulty plans 973
plans that fail 583
repeating cycles of processes, detecting ~ 371
repetition
of planning effort 896, 1235
sub-part ~ 1310
repetitive patterns 1270
replicator systems 911
representable by a network 894
representation 187, 287, 622, 1073
action ~ 1228
analogical ~ 20
and control 1209
approximate ~ 1381
Brady's smoothed local symmetry ~ 383
change 1201
changes, model of ~ 158
clause ~ 67
commonsense algorithm ~ 82
compactness of ~ 1384
competent for natural forms 357
complete ~ 1290
conceptual ~ 418, 431
dimensional ~ 581
expressive action ~ 1228
for commonsense algorithmic world knowledge, theory of ~ 82
for situations 231
for visual shape 691
formula-based ~ 1225, 1381
fully universal ~ 1290
goal 1384
graph-based ~ 1370
homogeneous ~ 1290
image-space ~ 83
in AI, spatial ~ 38
in nonmonotonic logic 419
in the Cyc Project 937, 938, 939, 940, 941, 944
knowledge ~ 116, 136, 190, 282, 342, 503, 512, 553, 567, 585, 625, 629, 636, 937, 1074, 1151, 1154, 1185, 1263, 1311, 1339, 1348, 1377, 1381, 1384
representation language 188, 567, 1005, 1339
knowledge ~ 1339
terminological knowledge ~ 611
representation
marginal ~ 1212
meaning ~ 65
model-based ~ 1225, 1381
of a game 35
of a problem domain, STRIPS ~ 51
of a relation algebra 1290
of belief 391, 1036
of bindings, fully distributed ~ 594
of constraints 1357
of expert knowledge 907
of implicit knowledge 111
of knowledge 55, 418
of large amounts of knowledge 660
of mappings as tables 140
of motion 120
of natural form 357

of planning problems 1223
of plans, first-order ~ 430
of programs by graphs 172
of propositional knowledge 1384
of prototypical knowledge 236
of sentences 546
of sets of clauses 67
of shape and space 666
of stories, first-order ~ 430
of symbolic structures, fully distributed ~ 594
of the environment 55
of the MYCIN system 93
of the scene model 376
of time 1169
of word meaning 66
ontology 1196
process-algebra based ~ 1211
production rules as ~ 978
programming-language-independent ~ 582
propositional attitudes 1036
qualitative ~ 1153
scheme knowledge ~ 1345
schemes 692
semantic ~ 1088
services, utility of ~ 625
shape ~ 573
situated view of ~ 1209
sort ~ 635
space of ~ 158
static ~ 1074
structural ~ 1370
symbolic ~ 1185, 1254
representation system 1116
for mathematics, knowledge ~ 1042
KL-ONE 1116
knowledge ~ 485, 486, 904, 1339
logical ~ 948
terminological ~ 1116
representation
taxonomic ~ 635
theorems 575, 1038
time ~ 1169
TMS ~ 450
tools 342
traditional logical ~ 635
transformations 158
unique-attribute ~ 1111
version space ~ 672
with generative capacities 1196
[See also "representations"]
representation-language 109
representational
activities in OIS 603
capabilities of hybrid systems 1095
hierarchy 383, 414
mapping 504
system 357
transformations 688
variant of the blocks-world 930
vocabulary 602
representations 118
action ~ 1248
analogical ~ 492
artificial-intelligence ~ 1082
causal structure ~ 1129
decision-theoretic ~ 1082
design of ~ 692
discourse ~ 308
domain ~ 1380
dual ~ 1181
expressive action ~ 1380
for cognitive learning 55
for kinematics 666
frame ~ 136
geometric ~ 479
graphical ~ 578, 661
high-level ~ 1204
hybrid ~ 635
implicit in a case system 76
in problem solving 158
infinite ~ 1290
intensity ~ 200
knowledge ~ 1386
language for expressing ~ 158
machine ~ 114
multiple ~ 120, 296, 473
network inference ~ 379
object ~ 219
of commonsense knowledge 942, 943, 944, 946
of existence 636
of kinematic pairs 573
of narrative text 308
of nonexistence 636
of syntactic structure 923
of the environment 521
pattern ~ 219
plan ~ 1076
problem ~ 961
production system ~ 1111
qualitative spatial ~ 666
space of ~ 158
specialized ~ 692
visible-surface ~ 200
volumetric ~ 200
word sense ~ 135

[See also "representation"]
representing
a scene 1269
actions 448
conflicts 958
representing default
knowledge 381
statements 455
representing
design plans 520
geometrical properties 472
hypotheses 1187
knowledge 907, 1225, 1262
large bodies of real world knowledge 187
networks with nonmonotonic multiple inheritance 935
plans 1223
propositional knowledge 1185
qualitative behaviors 1113
reproduction scheme, elitist ~ 1387
requesting 931
requests for data retrieval 226
requirements of future queries 954
resampling techniques 580
Rescher 925
rescue robot, space faring ~ 1171
residual equations 69
resolution 10, 22, 26, 107
ambiguity ~ 1074
calculus, many-sorted ~ 324
classical ~ 1068
conflict ~ 633, 958
deductions by ~ 10
graph notation 10
graphs 10
high virtual ~ 613
linear ~ 916
logic theorem prover, first-order ~ 17
many-sorted ~ 324
methods 13
NC-~ 208
of conflicts 527
of metonymy 1059
of multiple causal inferences 908
operation 10, 67
order-sorted ~ 904
resolution principle 12, 1068
for constrained logics 1068
typed ~ 1180
resolution
program 12
proof trees 12
proofs 181
proofs, by ~ 10
qualitative ~ 658
reference ~ 1059
refinements of ~ 46
refutations, linear ~ 142
sequences of ~ 10
SOL-~ 916
sorted ~ 1068
steps, redundant ~ 142
strategies 80, 181
subsort ~ 904
system clause graph ~ 648
theorem prover 19, 151
untyped ~ 1180
with merging 10
with theory unification 1068
resolution-based
inference systems 324
systems 80, 648
resolve
a conflict 27
ambiguities 295
resolving ambiguity 898, 1205
in nonmonotonic inheritance hierarchies 1205
resolving
arguments 682
conflicts 958
resource
allocation 238, 1174
constraints 363, 668
contention 955
limitations 1151
limited agents 1362
limits 1362
resource-bounded rationality 641
resource-limited problem solving 183
resources 363
restricted
graph structure 1355
language of conclusion sets 1404
logical calculus 948
memory 534
planning problems 1117
quantifiers 1068
queries 1381
scope nonmonotonic logic 603
set of contraints 1122, 1355
subset of natural language 141
restricting negation 1117
restriction
enzyme segmentation data 131
to conjunctive concepts 460

restrictions 307
on figural completion 1260
on the search 1111
resultant clause 10
Rete algorithm 695
for many pattern/many object pattern match problems 219
OPS5 ~ 695
Rete match 688
algorithm 219
implementation techniques 695
Rete networks 695
generalized ~ 695
Rete operations 695
Rete-based matching on demand 695
retina 1274
simulated parallel processing ~ 154
retinal
images 200
projections 203
retracing search paths 1202
retracting conclusions 913
retraction 351
retrieval 178, 478, 525
algorithms 268
analog ~ 596
best-match ~ 1070
efficiency 1070
efficient ~ 1070
information ~ 1073
involving incomplete and inconsistent information 593
knowledge ~ 177
of a good plan 1235
of analogs from memory 596
of data 614
of information 268
operation 129
probabilistic ~ 1070
retrieving design plans 520
reusable
anytime modules 1227
methods 1193
problem-solving methods 1193
reuse 1339
parts of old plans 1235
plan ~ 1235
reusing
partial plans 520
plans 1361
problem solving experience 1093
reutilization space ~ 126
reversible
irregular problem type 45
regular problem type 45
revised knowledge base 926
revising
a knowledge base 1096
beliefs 1250
knowledge bases, semantics of ~ 678
representations 55
revision 1250
belief ~ 435, 651, 962, 1178, 1338
failures, recovery from ~ 1242
iterative ~ 1242
knowledge base ~ 678, 926
of belief 413
of composite beliefs 413
rules 1373
schemes 678
theory ~ 1288
revision-based model for summary generation 1373
reward functions 1239
rewrite rules 107, 185
rewriting 434
a segment of a developing program 316
rules 37, 142
rhetorical relations 1058
rheumatic diseases, diagnosing ~ 264
rich domains 441
Rich, E. 350
rich knowledge bases 1378
ridiculous axiomatization 64
Riesbeck, Christopher 173
rigid
and jointed objects, motion of ~ 222
control structure 183
rigid objects 574
forced motions of ~ 38
three-dimensional structure of ~ 222
rigid
parts, collections of ~ 222
transformations in the image plane 1270
rigidity 357
rigorous semantic foundation 473
rings 473
rippling 974
generalised ~ 974
tactic for heuristic control 974
Ritchie and Hanna 287
Ritt–Wu principle 472
RL
algorithms 1165
reinforcement learning 1165
road scenes 60
roadmap 476

Robinson's unification algorithm 57
robot 121, 477, 667, 1163, 1177, 1232, 1269
  action 1163
robot arm 1281
  IBM 7575 ~ 1278
robot
  behavior-based ~, OBELIX 903
  construction tasks 47
  control 411, 667
  design 1208
  driving 1277
  interaction with the environment 411
  manipulation 300
  manipulator 476
  mobile ~ 605, 1232
  modelling 411
  motion planning 477, 667
  motions 392
  moving in Euclidean space 1283
  NASA EVAR ~ 1171
  navigation 1278
  NOMAD-200 mobile ~ 1232
robot planning 19
  problems 530
robot plans
  executing generalized ~ 36
  learning generalized ~ 36
robot problem solving 83
  system STRIPS 36
robot
  reactions intelligent ~ 36
  real behavior-based ~ 903
  shaping 1152
  space faring rescue ~ 1171
robot system
  control systems of a ~ 1210
  vision systems of a ~ 1210
  reliable practical ~ 1232
robot
  task complexity 1177
  technology 411
robot vision 24
  system 1273
  [See also "robot's". "robots"]
robot's
  dilemma 458
  intelligent controller 1171
  [See also "robot", "robots"]
robotic vision 255
robotics 43, 224, 320, 392, 492, 572, 1067, 1177, 1232
robots 1152, 1208
  autonomous ~ 1153
  behavior-based ~ 903
  configuration space 476
  mobile ~ 1160
  real ~ 1152
  simulated ~ 1152
  worlds of ~ 64
  [See also "robot", "robot's"]
robust 540, 957
  circumscriptive approach 1183
  concept formation system 518
  goal achievement 1171
robust matching 1270
  of uncalibrated images 1270
robust
  method of compressing 670
  optical flow estimation 1281
  reasoning 1181
  text understanding systems 260
robustness 393, 1279
  in dynamic tracking 1289
  in segmentation 1289
  of belief networks 1377
  of degrees of freedom analysis 957
  of networks 614
  of problem solvers 681
  of the revision-based model 1373
Rochester, Gelernter, ~, Hansen and Loveland 4
role
  composition 1379
  of representation in theory formation 287
roles, transitive closure of ~ 1379
roller coaster problems 120
root 138
  minimax value 447
  node 1238
  of the search tree 559
  value 558, 559
roots of knowledge systems 983
Rosenbloom, Laird, Newell and McCarl's overview of Soar 610
Rosenbloom, Paul 402
Rosenfield, Israel ~ 652, 1056
Rosenschein, J.S. ~ 1285
rotated coordinate system 569
rotation invariant 1037
rotational errors 1278
rotationally symmetric contour 1026
rotations 222
rote learning 246
rough
  guide 45
  set theory 673
  surfaces 364

route planning 268
program SPAM 268
routine problem solving 342
rps, relational production system 94
RTDP, real-time DP ~ 1164
Rubik's cube 319
rule
base 1005
discovery 522
induction 580, 1143
interactions 1338
language ARS 112
modularity 1143
of rational monotonicity 675
ordering computing ~ 1338
rule refinement 264
algorithm 1143
algorithm for sociopathic reduction SOCIO-REDUCER 1143
system 442
systems SEEK, SEEK2 442
rule
representation 237
system 643
rule-based
configurer of computer systems 220
expert system 237, 977
expert systems 186
inference systems 366
inferencing 398
models 1181
reasoning 1181, 1368
system 112
systems 227, 522, 1111
rule-learning program
of Brazdil 335
of Langley 335
of Mitchell et al. 335
of Shapiro 335
of Waterman 335
rule-learning programs 335
rule-modifying techniques 335
rule-oriented methods 45
rules 500
for combining uncertainty 1258
for grouping 203
for updating uncertainty 1258
guiding choices 146
of encounter 1353
rules of inference 22, 135, 435, 904
conventional ~ 382
rules
of interaction 1352
of thumb 115
program synthesis ~ 126
reasoning about ~ 178
set of ~ 112
Rumelhart, David E. 1049
run-time symbolic processing 1209
running time
of constraint propagation 403
of alpha-beta pruning 75
runtime performance 1116
Russell 636
Russell, Stuart 1382
Russell, Whitehead and ~ 37
Russell–Quine ontology 636
Russian 76
RWM stategy learning technique 576

S
S&M breadth-first search procedure 37
S&R breadth-first search procedure 37
S4.2 modal logic 1220
S4F
modal logic 1220
nonmonotonic modal logic ~ 1089
S5
formula 697
modal logic 1267
weak ~ 1086
saddle manifolds 612
SALT, knowledge acquisition language 503
same behavior on the boundary between two cells 911
sample complexity 1121
sampling 1288
Gibbs ~ 598
strategies for genetic algorithms 1390
with and without replacement 1244
Samuel 52
Sandewall 1404
Shoham, McDermott and ~ 640
Sandewall's
nonmonotonic logic for almost-continuous systems 640
set of rules, flaws in ~ 1404
SAR
imagery 569
synthetic aperture radar 569
SAS+ formalism 1234
SAT 948
regime 1304
testing algorithms 1297
satisfaction 634

of join-dependencies 1064
problems, maximal ~ 949
satisfactory solution 1346
satisfiability 345, 549, 895, 1304
algorithms 1199, 1245
average frequency of ~ 1301
constraint gap 1295
of circumscription 345, 1403
of formulas 1
of LL formulas 405
of random formulas 1293
phase transition 1295, 1301
problem 1267, 1305, 1343
satisfiability problem, 3SAT ~ 929
NP-completeness of the ~ 1267
satisfiability problems 1199, 1294
crossover point in ~ 1294
generating hard ~ 1293
randomly generated ~ 1199
satisfiability
propositional ~ 1343
propositional Horn ~ 585
satisfiability testing 1293, 1304
constraints for ~ 1068
procedures, evaluation of ~ 1293
satisfiable 698
problems 1199
satisficing
problem-solving search 72
search problem 1259
searches 72
strategies 1259
satisfying
a maximal number of constraints 949
assignments 1245
configuration of successes and failures 1259
saturated databases, closed E-~ 338
saturation 178, 301
savings in search effort 98
scalability in temporal reasoning 1169
scale
phase 570
variations 1274
[See also "scales"]
scale-sensitive 565
scale-space blackboard 691
scales 268
order of magnitude ~ 657
[See also "scale"]
scaling
behavior for genetic algorithms 1306
computational cost ~ 1304
non-uniform ~ 1310
problem 1172
scanning electron microscope SEM 196
scenario changes 1186
scenarios, classification of ~ 1339
scene 195, 279
analysis 7, 104
as a set of 2D views 1269
axioms 532
consistency enforcing global ~ 1271
decomposing a ~ 24
scene description system
heuristic ~ 29
INTERPRET 29
scene
descriptions, symbolic ~ 376
domain knowledge 532
domains 104
labeling 199, 688
labeling analysis of a ~ 169
labels, information content of ~ 169
model 376
scene parts 199
low-resolution ~ 1284
scene
reinterpretation of a ~ 41
represented as a line drawing 29
structure 357
surface elements 1281
surfaces 480
three-dimensional model of a ~ 478
topology 1204
understanding general ~ 1277
scenes
cluttered ~ 574
complex geometric ~ 163
of an object 204
of three-dimensional objects 96
pictures of polyhedral ~ 42
reconstruction of 3D ~ 376
road ~ 60
three-dimensional ~ 139
with a few blocks and wedges 41
with multiple occluding objects 96
sceptic
executable specification language 1360
specification of Soar 1360
Schank, Roger C. 74
schedule
improvement 1242
quality 1242
scheduling 1200, 1282, 1346
constraint-based ~ 955
deliberation ~ 1090, 1239

job shop ~ 1231
model 1242
scheduling problems 952, 1242
flow shop ~ 650
job-shop ~ 27
scheduling system 955, 1386
schema 655
in genetic algorithms, notion of ~ 655
recognition 1059
theorem 655, 961
schemata 655, 1072
Holland ~ 961
optimal ~ 961
scheme identification process 692
Schubert 1262
Taugher and Miller 1169
Schubert's Steamroller, mechanical solution of ~ 324
Schunck, Horn and ~ 417
science and engineering 1083
sciences of the artificial 267
scientific disciplines 374
scientific discovery 309, 1376
systems 538
scientific
hypothesis formation 959
problem solving 237
scope 636
determinations of ~ 677
of nonmonotonic reasoning 677
of quantifiers 636
of reasoning 677
scoping
of conditions 274
of modifiers 216
quantifier ~ 216
scoring scheme 261
Scott, A. Carlisle 960
screening 487
scripts in language comprehension 136
SDS
image 1276
spatio-disparity space 1276
Seager, William 1052
seam 193
search 115, 185, 220, 245, 249, 250, 266, 280, 493, 518, 905, 1103, 1110, 1111, 1237, 1301, 1302, 1305, 1394
search, *-minimax ~ 257
search, admissible ~ 1018
search algorithm 331, 392, 560, 1266, 1340, 1397
B* probability based ~ 1340
B* tree ~ 138, 225
best-first ~ 392, 650, 1069
for approximately optimal strategies PAO 1259
for two-player games 1340
heuristic ~ 277, 487, 1266
hill climbing ~ 593
linear-space best-first ~ 965
memory-constrained ~ 1342
partial order ~ 1238
perimeter ~ 1266
Q* ~ 46
selective ~ 1344
staged ~ 487
search algorithms 92, 162, 251, 530, 674, 914, 1018, 1237, 1372, 1390
admissible ~ 95
behavior of ~ 1301
best first ~ 534, 1374
heuristic ~ 92, 534, 1018, 1389
linear-space ~ 1200
minimax tree ~ 240
parallel ~ 1018
recursive state space ~ 1206
serial ~ 1018
test functions for ~ 1372
search and reasoning 607
in problem solving 245
search, B* ~ 447
search, backtrack ~ 618
search, backtracking ~ 168
search, backward ~ 563
search, Berliner's B* ~ 206
search, best-first ~ 274, 535, 965
heuristic ~ 331
minimax ~ 1344
search
bi-directional ~ 331
breadth-first ~ 37, 331, 965, 1128
brute force ~ 30
cn-~ 1066
combinatorial ~ 112, 1039, 1298
search complexity 257, 1202
analytical model of ~ 1150
polynomial ~ 232
search
conspiracy-number ~ 1066
constrained ~ 574
constraining ~ 115, 242
constraint refinement ~ 263
search control 955, 1240, 1242, 1380
heuristics 668
knowledge 955
knowledge, domain specific ~ 552

knowledge, learning ~ 646
rule learning planner SNLP + EBL 1380
rules 519, 955
strategy 487
search cost 1184, 1298
independent ~ 1244
search decisions 139
search depth 207, 556, 1200, 1305, 1344
search, depth-first ~ 331
backtrack ~ 1231
heuristic ~ 972
iterative-deepening ~ 535
search depths 252
search
directing ~ 211
direction 384
direction, alternating ~ 1359
DP ~ 1304
dual ~ 1186
dynamics 1244
search efficiency 6, 1346
tree ~ 168
search
effort 98
exhaustive ~ 210
expected cost of a ~ 1259
failures, learning from ~ 1380
for a proof of a clause 181
for attractors in phase space 551
for best solutions 72
for patterns, parallel ~ 337
forward ~ 563
generalization as ~ 212
genetic ~ 961
graph 242
guided ~ 952
guiding ~ 1340
search, heuristic ~ 2, 6, 134, 158, 547, 972
search heuristics 974
function to guide ~ 6
graph ~ 1034
search
heuristically guided ~ 8
hill-climbing ~ 1288
images, ability to ~ 1172
implementation of pn-~ 1066
in a graph, agent ~ 1202
induction as ~ 184
information to direct a ~ 46
iterative-deepening ~ 650, 1066
knowledge versus ~ 232
method, heuristic ~ 2
search methods 240, 1298
directional ~ 1206
graph ~ 1342
search, minimax ~ 207, 422, 615
lookahead ~ 547
search
min–max ~ 447
model 232
nonexistence of an overall optimal algorithm for ~ 277
null-window ~ 1374
of an interpretation tree 1310
of MIN/MAX trees, ordered ~ 56
optimal admissible tree ~ 331
optimizing ~ 1172
order 250
ordered ~ 56
search, parallel 67
heuristic ~ 1018
local ~ 1185
search paths 143
retracing ~ 1202
search
perimeter ~ 1128
search phase transition 1294, 1295, 1296, 1298, 1300, 1306, 1405
search
planning as ~ 407
pn-~ 1066
probability based ~ 1340
search problem 171, 184, 212, 250, 1172, 1259, 1292
reduction ~
satisficing ~ 1259
solving ~ 72, 407
search problems 530, 1202
combinatorial ~ 951
intrinsically hard ~ 1298
search procedure 362, 1107, 1231
A*, AI ~ 278
AO*, AI ~ 278
inherent in vision 1273
minimax ~ 5
surpassing alpha–beta 362
search
process 958
programs, AI ~ 1136
proof-number ~ 1066
range of ~ 41
search rearrangement 249
backtracking 249
search
reduction operations 487
refinement ~ 1229

schemes, implicit graph ~
selective ~ 1340
self-terminating ~ 560
search space 37, 46, 98, 112, 115, 393, 479, 574, 958, 1136, 1202, 1231, 1346
dimensionality of ~ 1372
modelling a ~ 1136
pollution of the ~ 90
recursive portions of a ~ 377
reduced ~ 680
redundancy 648, 1129
size 1229
topology 1292
search spaces 72, 459, 1076
infinite ~ 37
large ~ 37
search
speed-up 1397
state space ~ 143
strategic ~ 242
strategies 952
strategies, optimal ~ 215
search strategy 211, 212, 1202, 1259
exhaustive ~ 257
search
tabu ~ 1387
techniques, blind ~ 905
time 519, 1346
time-efficient state space 1206
to a given depth 77
search tree 77, 138, 164, 905, 929
depth 1299
search
tree ~ 254, 1342
trees 21, 447
visual ~ 1172
wavefronts 487
with cut-offs 77
without backtracking 502
search-based planner 1228
search-control knowledge 1004
search-depth pathology 243
searches, control deductive ~ 46
searching
adversary trees 138
algorithms game ~ 240
searching AND/OR
graphs 15
graphs, algorithms for ~ 15
trees 251
searching
brute-force ~ 561
complexity of ~ 1389
deeper 1107
for a solution graph 15
for an optimal path 248
for models 1119
for specific surface markings 1275
framework, agent ~ 1202
game tree ~ 422
game trees 56, 75, 674
game trees under a partial order 1238
in a game tree deeper ~ 229
in a tree 1337
min/max game trees 422
minimax trees 1206
random trees 384, 1206
Searle 932, 1351
Searle, John R. ~ 1312
second moment feedback 587
second order
circumscription 385
effect 122
formula 488
probability distributions 1396
secrets 405
SECS simulation and evaluation of chemical synthesis 134
SEEK
rule refinement system 442
system for interactive advice about rule refinement 264
SEEK2, rule refinement system 442
segment 1137
an image into regions 102
segmentation 104, 273
data 131
data, DNA structure from ~ 131
experiments in ~ 104
human visual ~ 1037
interpretation-guided ~ 104
letter ~ 414
of stereo images 1284
phase of scene analysis 104
robustness in ~ 1289
sensitivity in ~ 1289
segmenting 96
$\mathbf{R}^n$ 1204
Sejnowski, Terrence 1046
Sejnowski, Terrence J. 1383
selecting 266
a chess move 164
a problem solving approach 131
computational actions 641
from a pre-determined set of senses 1074
rewrite rules 185

selection
algorithm, model ~ 1272
between inference steps 507
catalog ~ 342
decision path ~ 78
function, linear resolution with ~ 21
functions 1038
in an image 1273
mechanisms 177
networks, bypassable causal ~ 82
neuronal group ~ 505
of information to extract 1277
of models, automatic ~ 660, 1144
of problems 55
repair action ~ 1242
support set ~ 1222
selectional restrictions 1074
selective
backtracking procedure 336
deepening 561
perception 1277
processing 1289
selective search 1340
algorithm 1344
selective tuning 1273
selectivity 561, 1340
self-consistent approximations 1221
self-joined nodes 695
self-knowledge 461
self-motivated agent 1307
self-organizing phenomena 1041
self-reference
languages with ~ 315, 426
substitutive ~ 426
self-reflective systems 1251
self-terminating search 560
SEM
pictures, analysis of ~ 196
scanning electron microscope 196
semantic
account of nonmonotonicity 549
ambiguity 622
analysis 125
analyzer 125
semantic basis 450
for truth maintenance systems 450
semantic
characterisation 1138
constraints. 596
semantic errors 125, 172
detection of ~ 172
semantic formulas 135
semantic foundations 473
rigorous ~ 473
for default logic 1138
semantic framework 541
semantic information 49, 60, 213, 1060, 1074
to direct a search 46
semantic interpretation 216, 425, 636
of a sentence 1074
of natural language 636
semantic interpreter 425
ABSITY 425
semantic
minimal model style ~ 375
model of minimization 380
semantic net 101, 337
computations 412
processing of ~ 337
semantic network 231, 337, 383
acyclic ~ 550
descriptions of shapes 383
extracting knowledge from a ~ 337
semantic networks 84, 379, 514, 635, 1404
nonmonotonic ~ 550
semantic objects
Montague ~ 425
well-formed ~ 425
semantic
parser 135
preferences 65, 135, 425, 1178
preferences, broken ~ 135
processing 239
representation for natural language interpretation 1088
similarity 596
status of time 669
structural and pragmatic constraints 596
structure 135, 216
trees 90
unification 922
variants meaningful ~ 247
view of nonmonotonic reasoning 575
semantic-free selection rules 76
semantical generalization of logic 348
semantically
clear information 1162
supported set of subsumptions 501
well-founded logic for approximate reasoning 1162
semantics 14, 46, 65, 67, 116, 287, 303, 315, 367, 408, 425, 449, 453, 501, 593, 597, 602, 603, 622, 639, 641, 669, 925, 935, 948, 962, 967, 1059, 1069, 1074, 1086, 1097, 1100, 1125, 1154, 1178, 1198, 1223, 1268, 1348, 1358, 1361, 1388

constraint ~ 1125
for first-order logics of probability 597
for inheritance hierarchies 622
for knowledge representation 601
for preference logics 541
for reasoning consistently 1348
formal ~ 1086
four-valued ~ 501
imperative ~ 73
intuitive ~ 1378
lexical ~ 1074
minimal model ~ 1403
model-theoretic ~ 602, 898, 904
Montague ~ 895
neighbourhood ~ 1198
of classical logic 593
of constraints 934
of induction 5
of inductive inference 5
of logic programs 639
of random worlds 1378
of revising knowledge bases 678
of the joint probability distribution 1358
of update 1250
of words, lexical ~ 1074
open information system ~ 604
possible world ~ 409, 1151, 1154, 1168, 1243
possible-worlds style ~ 405
preference ~ 922
preferential ~ 925
probabilistic ~ 575, 1069
procedural ~ 116
program ~ 57
refinement search ~ 1229
Shoham's preference ~ 1089
situation ~ 372
skeptical ~ 962
stable model ~ 962
stable set ~ 566
three-valued ~ 962
two-valued grounded ~ 962
uniform ~ 1388
update ~ 1243
well-founded ~ 639, 1384
semantics-based region analyzer 60
semantics-supported program synthesis 167
semi-algebraic sets 476
semi-independent model fragments 659
semi-intervals 693, 1411
semigroups with unit elements 906
semimonotonic 1148
logic 649, 1148
sense
projection 135
projection mechanisms 135
sensing 1232
errors 477
modality 1067
uncertainty in ~ 667
sensitivity 1279
analysis 918
in dynamic tracking 1289
in segmentation 1289
of belief networks 1377
of the expected value of control knowledge 266
to problem representation 1359
sensor 54
fusion 1387
observations 1067
readings, noisy ~ 1387
settings, optimized ~ 1277
systems, power of ~ 1177
sensor-based
gross motions 477
systems 1155
sensorimotor transformations 1208
sensors 320
unreliable ~ 1104
sensory
data, noisy ~ 574
errors 1278
sentence
comprehension, contextual constraints in ~ 595
comprehension, psychological models of ~ 28
conceptual analysis of a ~ 61
deriving a ~ 87
entailed by a database 671
fragments 176
planning 1085
temporal meaning in a ~ 25
sentences
Horn type ~ 671
in autoepistemic logic as a default theory 449
of first-order logic 356
sentential operator 1223
separation between events temporal ~ 1236
sequence
continuation, plausible ~ 309
dependent 1342
generating rule discovery program SPARC/E 309
of actions for a given goal, find ~ 1

of images 1279
of operators 45
sequence-generating rule 309
sequences
of events 309
of input/output pairs 1176
of world states 1145
recognizing DNA ~ 1071
sequencing
car ~ 951
table 22
sequent-style back chaining theorem prover 535
sequential
algorithm 1102
algorithms 585
alpha–beta 674
backtrack-free procedures 502
complexity 1120
decision tasks 1165
diagnosis 396
machine 398, 1070
machine theory 98
plans 1361
solutions 585
serial
implementations 932
machine 44
processing 106
search algorithms 1018
serializable subgoals 1076
set
of allowed constraints 1122
of clauses 181, 301
of clauses, inconsistency of a ~ 213
of conjuncts, best ordering for a ~ 323
of constraints 1119
of defaults 1138
of examples 212
of failing components 917
of island nodes 370
of non-examples 212
of possible worlds 1397
of rules 1119
of rules, EL 112
operator 1086
set theory 13, 114, 118, 127, 247, 374
rough ~ 673
ZF ~ 385
set union 126
[See also "sets"]
set-entailment 1343
set-membership 1343
set-of-support strategies 22, 181
set-of-support strategy 90
sets 119
[See also "set"]
settling of a network 591
setup times 1342
SFS shape from shading 569
shaded surfaces 364
shading 196, 279, 569
information 321, 569
shape from ~ 1001
Shafer 651
probability mass functions 391
Shafer's
canonical examples 619
framework 391
Shafer–Dempster
belief theory 527
inference network 527
[See also "Dempster-Shafer"]
shallow
alpha–beta pruning 615
cut-offs 122
inference in broader areas 187
pruning conditions 1238
shape 195, 565, 569, 573, 666
3D ~ 1001
analysis 495
change 495
comparison 691
constraints 204
descriptors, vocabulary of ~ 691
distortion of a ~ 495
domain, two-dimensional ~ 691
domains 691
estimation, 3D ~ 364
fragments 691
from contour 1026
from fractal geometry 565
from regular patterns 265
from shading 196, 1001
from shading, SFS 569
from shading techniques 569
from texture 484, 587, 1026
information 195, 587
interaction, reasoning about ~ 573
models, learning ~ 383
modifications 915
of the environment 431
process-grammar for ~ 427
recognition 691
shape recovery
from a single view 204
process 565

shape
representation 573
surface ~ 192, 193
shape tokens 691
constellations of ~ 691
shape vocabulary, hierarchical ~ 691
[See also "shapes"]
shape-from-image problems 279
shape-from-shading methods 364
shape-from-texture methods 364
shape-recovery method 204
shapes 665
consistent with image data 456
geometrical ~ 59
images of two-dimensional ~ 383
intermediate ~ 495
of parts 665
probable ~ 204
reasoning about ~ 573
[See also "shape"]
Shapiro, Stuart C. 160
Shapiro's
model inference system 686
rule-learning program 335
shared
cooperative activity 1351
mental context 111
SharedPlans 1351
Sheiber, Stuart M. 513
shell abstraction 1341
Shoham 541, 575, 669, 925
and McDermott 640
Lin and ~ 1089
McDermott and Sandewall 640
Shoham, Yoav ~ 1142
Shoham's
preference semantics 922, 1089
propositional causal theories 621
temporal logic 669
unique c.m.i. model theorem 621
shortest path
algorithm, Dijkstra's ~ 965
in a weighted graph 8
problems 475
solutions 72
Shortliffe, Gordon and ~ 416, 437
SHUNYATA program 1055
SHUNYATA's
heuristics, automatic construction of ~ 1055
proof of Gödel's incompleteness theorem 1055
side effects 919
foreseen ~ 548
instructions with ~ 70
of program segments 153
sidedness reasoning 205
Sidner, Grosz and ~ 1351
Siegel, Bossu and ~ 345
SIERRA, learning program 378
sigmoid belief network 907
signal
interpretation, acoustic ~ 1186
signal processing 1186
front-end ~ 1186
signal understanding 1186
processes 1186
signal-to-noise ratios 1186
significant intensity changes 289
SIMD
machine 953, 972
parallel algorithm 1018
single-instruction multiple-data 972
similarity 1037
determining ~ 584
similarity networks 1263
generalization of ~ 1263
similarity of games 35
similarity-based
learning 642
reasoning 1181
Simon 1083
Simon, H. A. 267, 1243
Simon, Iwasaki and ~ 360
Simon's bounded rationality 1243
simple
letter recognition 14
reactive behavior 1152
simple temporal problem 632
STP 632
simple-greedy learning algorithm 1121
simplest
proof 138
subproblems 307
worlds consistent with the defaults 455
simplicial polyhedral surface 572
simplicity 1039
model ~ 1144
simplifying assumptions 918
simulate phase 570
simulated
image sequences 1279
parallel processing ``retina'' 154
problem in area surveillance 234
robots 1152
simulating complex physical systems 918
simulation 53, 400, 918, 1232, 1265

causal ~ 371
cognitive ~ 526
model of human personality 171
numerical ~ 1156
of a Turing machine 33
of adaptive behavior 1131
of behavior 1011
of chemical synthesis 134
of circuit behavior 545
of human intelligence, symbol-processing ~ 610
of paranoid processes 34
of perception 20
of the planning process 1394
of visual thinking 38
procedure, Gibbs sampling ~ 907
qualitative ~ 551, 664, 666, 908, 911, 995
results 1156
stochastic ~ 598
validation of a computer ~ 34
simulations, intelligent control of computational ~ 1156
simulator for the box pushing task 903
simultaneous
actions, modeling ~ 43
constraints 618
interactive processes 43
minimization of several predicates 1403
single
camera 222
level counterfactuals 163
view 195
single-actor action sequences 130
single-agent actions 1351
heuristic search 547
single-contributor causal structures 1129
single-instruction multiple-data SIMD 972
single-tag Markov-model taggers 1356
single-track railway timetable compilation for a ~ 27
singly connected
network 626, 1366, 1367
structures 1249
singular extensions 561
sinking sort 126
Sisyphus room-assignment problem 1193
situated
agents, design of ~ 1209
automata theory 1209
view of representation 1209
situation
calculus 83, 281, 454, 630, 1114, 1189
semantics 372
triggered behavior 1157
situational argument 630
situations, space of ~ 599
six degrees of freedom 392
movers' problem 392
six-dimensional configuration space 392
size of the search tree 164
skeletal planning 342
skeptical
approach to defeasible inheritance nets, directly ~ 620
belief revision model 962
conclusion, ideally ~ 1205
conclusion set 1205
conclusions 898
inheritance, true ~ 898
model 962
prediction 971
reason maintenance 962
reasoning 637, 966
semantics 962
theory of inheritance 550
skewed distributions 1397
skimmers 233
Skolem functions 430
SL strategy for resolution 80
SL-resolution 21
Sleeman D. 325, 326
sliding-tile puzzles 965
Sloman's view of Gödel's sentence 1255
slot-filling 216
small
failure probability 588
molecules 1370
smallest element algorithm, i-th ~ 167
smart environments 1153
SME
design of ~ 526
structure-mapping engine 526
Smith 1296
algorithm for minimal cost strategies 645
Smith, Steven M. ~ 1323
Smoliar, S. 491
Smoliar, S.W. 429
smooth
deformation 1037
opaque object 571
space curve 440
surfaces 364, 571, 1275
smoothed local symmetry representation, Brady's ~ 383
smoothly curved surface 195
smoothness

constraint 196, 1001
of the velocity field 289
surface ~ 196
versus roughness 364
SNAC method of constructing evaluation functions 165
SNLP + EBL search control rule learning planner 1380
Soar 610, 1011, 1360
architecture 609
architecture for general intelligence 406
capabilities of ~ 406
description of ~ 609
development of ~ 609
implementation of ~ 406
organizational principles of ~ 406
problem solving architecture 1011
Rosenbloom, Laird, Newell and McCarl's overview of ~ 610
social
choice theory 633
conceptions of knowledge 604
knowledge 111
law in a computational system 1160
laws 1160
prototypes 171
societies, artificial agent ~ 1160
society
of experts, effective problem-solving by a ~ 106
of mind 421, 627, 628
SOCIO-REDUCER rule refinement algorithm for sociopathic reduction 1143
sociopathic
interactions 1143
knowledge base 1143
reduction 1143
soft constraints, multiple ~ 593
software
design 282
engineering 1386
SOL-resolution 916
variations of ~ 916
solid models, coloured ~ 1037
solution
cost 965, 1305
curves 1215
difficulty, likely ~ 1306
encoding schemes 1244
solution graph 15
of an AND/OR graph 15
searching for a ~ 15
solution
program 71
quality 1093
solution space 210, 1242
solution spaces
creating abstract ~ 210
reasoning with abstract ~ 210
solution trees 1374
solutions
multiple potential ~ 351
pre-enumerated set of ~ 342
to a set of constraints 1257
with uncertainties synthesis of ~ 906
solvable tree 307
solving
combinatorial problems 119
geometric constraint systems 1029
high-level spatial tasks 431
power frames of the same ~ 83
Sonenberg et al. 1351
sort
bubble ~ 126
information 635
sinking ~ 126
subsystem 635
sortal
deduction 635
predication 904
sorted
deduction 635, 1180
first-order logic 669, 692
formulation 1180
logics 635
resolution 1068
sorting 140
algorithms 81, 1141
sorts 904
in-place ~ 126
sound 303, 597, 898, 904, 1240, 1243, 1256
and complete planner 1232
and complete planner of polynomial complexity 1232
approximations 1162
axiomatization 1348
classification 625
soundness 375, 682, 1141
logical ~ 625
of constrained resolution 1068
of QEP* 375
of the careful closure procedure 375
of the geometric reasoning method 1217
of the universal attachment rule 1095
source 121
analogue 436

destination pairs 121
matching expression 1216
sources
of ambiguity 932
of information, reliable ~ 673
of intractability 1144
of knowledge 104, 233
Sowa, J. 491
Sowa, J.F. 332, 415
space and time, standard models of ~ 1204
space complexity 354, 457, 1125, 1344
of best-first search 965
of OPT-2 1308
of the path consistency algorithm 354
worst-case ~ 1192
space
curve 194, 440
faring rescue robot 1171
linear in the search depth 1200
of camera positions 571
of hypotheses 186
of possible repairs 952
of problem instances 1136
of representations 158
of situations 599
of symbolic descriptions 235
optimality 650
problem ~ 930
reutilization 126
station orbiting ~ 1171
use of ~ 1170
variables 295
SPAM, program for route planning 268
Spanish 1080
spanning-tree algorithm 167
SPARC/E sequence generating rule discovery program 309
sparse
associative memory 1070
constraint graph 1110, 1296
in feature space 1070
information about the derivatives 664
network 413
networks of constraints 420
payoff 522
problems 1300
reinforcement 522
sparsity
constant cubic ~ 929
of evidence 1366
spatial arrangement
of items 1170
tasks 39
spatial arrangements 1170
classification of ~ 1170
for choice 1170
for computation 1170
for perception 1170
spatial
configuration 201
correspondence 393
filters, Gaussian derivative ~ 1274
spatial frequency
carrier grid 24
channels 202
independent ~ 202
spatial
geometry 691
linking 679
occupancy 1224
orientation, 3D ~ 262
planning 392
spatial reasoning 666, 1113, 1283
techniques 201
spatial
relations 69
relationships 69, 691
representation in AI 38
spatial representations
learning ~ 1176
qualitative ~ 666
spatial
substrate 573
tasks 431
spatially
located creatures 1170
oriented information processor 38
spatio-disparity space SDS 1276
spatio-temporal
aggregation 203
derivatives 1281
speaker's interpersonal goals toward the hearer 564
specialization 227
of CLP 948
to a task 1210
to an environment 1210
specialized representations 692
specializing rules 264
specific task competence 1226
specification 208
abstract ~ 238
inheritance ~ 935
initial ~ 330
specification language 1185, 1360
for connectionist networks 1185
specification

of a set of bodies 69
of graphics systems 532
of knowledge 233
of nonmonotonic systems 379
of routines to query and update a knowledge base 1311
of spatial relations 69
of the model, initial ~ 400
of the plan rationale 274
of vision systems 532
problem ~ 896
program ~ 238
task level ~ 532
techniques 473
tolerance ~ 483
specifications
for artificial agents 548
for subproblems hierarchy of ~ 330
Horn clause ~ 308
of a component 662
specificity 638, 682, 1378
checking ~ 680
considerations 1338
definition of ~ 898
notion of ~ 680
of conclusions 363
ordering 586
specifying
cognitive models languages for ~ 1360
probability distributions complexity of ~ 1175
spectral features 263
spectrum prediction 263
speech 117
act theory 931
acts 1058
acts, indirect ~ 176
connected ~ 117
continuous ~ 50
synthesis 1060
speech understanding 215
continuous ~ 49
mechanical ~ 49
speech understanding system 117, 215
HARPY 117
prototype ~ 49
speech utterances, continuous ~ 49
speed-up learning 1288
speeding up problem solving 1359
speedup 221, 1018
speedup learning 1363
data 1363
methods 1363
spelling correction application 1070
spherical projection 265
spin glasses 1304
splitting 118
heuristics in automatic theorem proving 13
of a problem 63
Spohn's ordinal conditional functions 651
sponge-like component 94
spreading activation 923
spurious
noise 243
qualitative behaviors 369
square roots of nonnegative elements 473
squeeze tree search technique 254
SR hybrid algebra on signs and reals 658
SSS* 384
= alpha-beta + transposition tables 1374
algorithm 143, 252, 1374
algorithm, Stockman's ~ 1374
search procedure generalization of ~ 362
alternatives to ~ 384
management costs of ~ 384
storage needs of ~ 384
stabilities 1113
stability 294, 360, 1279, 1352
of complex structures 47
types of ~ 1159
stabilization
behavior 1159
of environments 1159
stabilizing an environment program FIXPOINT 1159
stable
equilibrium 293
marriage problem 1194
model semantics 962
set semantics 566
strategies 1352
stack discipline 90
staged search algorithm 487
Stalnaker's minimal change 1243
standard
analytic techniques 359
backtracking 168
circumscription 511
complexity classes 1389
Edmonds' algorithm 8
graph searching methodologies 1034
model 1154
models of space and time 1204
reasoning algorithms 1204
treatment of planning 1211
two-valued semantics 501

Stanford 54
Logic Group 992
Research Institute Artificial Intelligence Group 7
STAR
abstraction 1359
methodology for learning structural descriptions 235
state 291
description language 94
of an agent 931
of the search 95
set 307
state space search 143
algorithms recursive ~ 1206
time-efficient ~ 1206
state variables 1239
state-based minimisation 1189
state-of-the-art EBL system PRODIGY/EBL 1004
state-space 241
learning systems 241
problem solving in robotics 83
stategy learning technique RWM 576
statements of normality 1097
states of the environment 1176
static
analysis 1004
BBN TASKNET 1289
STATIC effectiveness of ~ 930
static
evaluators 52
knowledge 561
load balancing schemes 1018
model 362
ordering strategies 1110
STATIC
PE-based analyzer of problem space definitions 1004
program for extracting knowledge 930
static
representation 1074, 1274
type checking 288
STATIC's algorithms 1004
static-board evaluator 447
stating combinatorial problems 119
stationary distribution 912
stationary monocular views 192
statistical
analysis of genetic pedigrees 912
clustering 903
correlations 1378
dependencies 1236
dependency detection 1236
estimation of orientation of a textured plane 587
information 597, 1378
knowledge bases 1378
learning 1386
mechanics 1292, 1304, 1405
methods 192
model of the performance of a problem solver 1363
physics 1304
relatedness measure 66
steady-state behaviors 1113
Stefik, M.J. 499
Stein 1205
stereo 195, 572, 1310
algorithms 202
analysis 376
data 572
geometric ~ 569
images 1276
matching a pair of ~ 1276
segmentation of ~ 1284
surface reconstruction from ~ 1284
stereo
inputs 202
matching 1270
stereo vision 1276
system 1310
stereographic plane 196
stereological technique 283
stereology 283
mathematical principle 283
stereopsis human ~ 202
stereotyped algorithmic fragments 582
stereotypic behavior of typical AI agents 1157
Stewart, W. Wilson 1131
stochastic
differential equation model 1280
domains 1239
modeling 1244
modeling of genetic algorithms 1244
models for genetic algorithms 1390
simulation 400, 598, 1396
stochastically
more efficient 179
more informed 179
Stockman's SSS* algorithm 1374
storage
minimum amount of ~ 8
needs of SSS*, high ~ 384
requirement 143
restrictions 13

stored
descriptions 96
pattern 111
prototype locating a ~ 1274
state algorithms 1165
stories, first-order representation of ~ 430
storing concept descriptions 114
story
comprehension 171, 430, 1169
understanding system experimental ~ 233
STP, simple temporal problem 632
strategic
approaches to AI 607
knowledge 57, 237, 242
model of negotiation 1174
strategic search 242
algorithms 242
strategies 242
for organizing domain models 659
for solving problems 319
for the synthesis of algorithms 167
problem specific ~ 242
strategy 242
for troubleshooting 296
indirect ~ 206
strategy-based model of adversary planning 189
stratified programs 639
STREAK system for summary generation 1373
strength, computational ~ 693
strength-based prioritization of knowledge 524
stretching 1310
strict
behaviorism 1172
computational behaviorist position 1172
links 935
sentences 671
string-matching algorithm, linear ~ 167
strings of LISP atoms 79
STRIPS 51, 980, 1303
knowledge representation system 94
plan, generalized ~ 36
STRIPS planning 1117
propositional ~ 1117, 1303
STRIPS problem
domain 83
solver 19
STRIPS
representation of a problem domain 51
robot problem-solving system 36
system 83
variants of ~ 1234
STRIPS-style operators 1233
strong
AI thesis 932
model of generalization 459
strongly
condensed clause 963
ordered trees 240
regular graphs 254
structural
ambiguities 425
component 501
constraints describing a text 1100
constraints. 596
decomposition 1341
description of a specific system 659
descriptions 188, 347
disambiguation 425
equations 361
knowledge 237
structural learning 188
with forgetting 1214
structural
properties of optimal assignments to decision variables 578
reasoning 1370
representation 1370
similarity 492
subsumption 501
theory of explanation-based learning 930
transformations molecular ~ 1226
structurally related words 1074
structure 989
and behavior, describing ~ 296
and behavior, knowledge of ~ 296
descriptions, qualitative ~ 369
structure identification 954
in relational data 954
structure
matching algorithm 68
of computer programs 333
of discourse 1085
of equations 295
of jointed objects 222
of natural language 895
of plans 896
parameters for graph coloring 1298
regularity 484
[See also "structures"]
structure-driven algorithms for truth maintenance 1249
structure-mapping
algorithm 526
engine 526
engine SME 526
theory 526

structured
associations 418
networks learning of modular ~ 1214
objects 347
program, hierarchically ~ 330
programming methodology 316
set of if/then associations 237
structures
in empirical data 954
of vertices edges and faces, organized ~ 139
out of toy blocks 47
[See also "structure"]
structuring
a problem space 62
in belief networks 368
stub gateway 1218
student's problem solving 184
study of intelligence 610
sub-implication 301
sub-part repetitions 1310
sub-tree 138
sub-type linking 679
subadditive domains 1352
subassembly 1153
subgoal
assertions 316
collections 1076
distance 407
interactions 530
subgoaling, universal ~ 402
subgoals 21, 347, 407, 1076, 1230
plan for ~ 1230
problems with non-serializable ~ 319
subjective
Bayesian approach 964
Bayesian updating 186
inference 358
information 186
probabilities 1378
subjunctive
conditional 1096
query answering 1096
reasoning 1097
sublanguages, comparative analysis of ~ 1364
sublogics 1388
submicron technology 295
suboptimal
cost path 370
solution 1305
subproblem 420
factoring 914
subproblems 63, 182, 307, 576
independent ~ 182
interact 182
nearly independent ~ 182
subsequent evidence 394
subsort resolution 904
substitution
property 98
rule for equality 9
substitutional framework 635
substitutive self-reference 426
substrings 94
subsumed subgoals 377
subsumption 459, 501, 512, 648, 963, 1339
computational complexity of ~ 687
conditions, Loveland's ~ 10
decidability of ~ 512
in attributive concept descriptions 611
in terminologies 567
inferences 1339
linear resolution with ~ 32
NP-completeness of ~ 687
of concept descriptions 567
problems, co-NP-hard ~ 687
PSPACE-completeness of ~
structural ~ 501
term ~ 1339
tractable ~ 501
subsumption-based knowledge representation
language 1339
CLASSIC 1339
subsumptions, semantically supported set of ~ 501
subtree 1344
values 1066
subtypes
predicate ~ 1180
treatment of ~ 473
success probabilities 1259
successful problem solvers 53
successive
communications 1358
refinement 145
relaxation 914
succinct representation 1389
sufficiently small errors 558
summarizing quantitative data 1373
summary generation system STREAK 1373
superimposed activity patterns 590
supermarkets 1170
superposition 908
for nonlinear systems 908
qualitative ~ 908
superset 917
supply and demand curves 1218
support

knowledge 237
set selection 1222
set selection task 1222
supposed behavior 395
suppressing noise 1276
SUPREM architecture 343, 493
surface 193, 195, 198, 572, 1310
3D shape of a textured ~ 484
boundary 194
cases in languages 76
contours 193, 480
curvature 195
cut by parallel planes 1077
description, generic ~ 480
estimation, active ~ 1284
height information 569
high frequency components of a ~ 569
information 279
low frequency components of a ~ 569
markings projected ~ 1026
model fractal ~ 364
motion 283
surface orientation 194, 195, 265, 273, 283, 480, 1001
estimation 587, 1026
local ~ 321
surface
patches 196
perception 194
physical ~ 193
surface reconstruction
from stereo images 1284
global ~ 1275
surface
region reconstructible ~ 1275
representation of objects 572
shape 192, 193, 484
simplicial polyhedral ~ 572
slant probability density 321
slopes 569
smoothness 196
tilt 321
[See also "surfaces"]
surface topography 569
Venusian ~ 569
surface-based description 376
surface-vanishing line formula 565
surfaces 156, 262, 289
and edges, coherence rules for ~ 42
blending ~ 481
curved ~ 192, 195, 484, 1077
detection of stereo disparity ~ 1276
developable ~ 195
natural 3D ~ 364
objects with curved ~ 322
planar ~ 192, 484
primary ~ 481
rough ~ 364
shaded ~ 364
smooth ~ 364, 571, 1275
textured ~ 364, 565
three-dimensional ~ 999
visible ~ 192
zero-Gaussian curvature ~ 1077
[See also "surface"]
surveillance
application, traffic ~ 1289
systems, visual ~ 1289
Sussman, G.J. 333
Sussman, J. 333
Sussman's anomaly 919
SW5 modal logic 1220
SWALE learning system 525
SWALE's explanations 525
symbol grounding problem 600
symbol processing 590
connectionist 589
simulation of human intelligence 610
symbol structures, composite ~ 590
symbolic
algebra system Minima 658
algebraic solution 957
approach to qualitative kinematics 915
constraints, propagation of ~ 201
description, high-level ~ 1113
descriptions 235
directional instructions 1278
evaluator, SYMEVAL 374
factorization of multivariate polynomials 86
information 115, 666, 1283
labels 199
symbolic logic 250, 601
formal proof in ~ 88
symbolic
machinery 1338
manipulations on algebraic expressions 157
primitives 376
symbolic processing 238
run-time ~ 1209
symbolic programming 140
knowledge about elementary ~ 140
symbolic reasoning 201, 661, 915, 957
about change 1104
symbolic relationships 1283
symbolic representation 1185, 1254
of shape and space 666

of kinematic pairs 573
symbolic
scene descriptions 376
shape representation 573
structures in connectionist systems 594
systems 1185
symbols 568
SYMEVAL, experimental deductive system 374
symmetric contour, rotationally ~ 1026
SYMMETRIC LOGIC 374
symmetric
networks 1185
TSP 1302
symmetries 1077
mechanical discovery of ~ 98
symmetry 98
analyses 427
analysis, process-based ~ 427
axes of ~ 357
structure 427
time-reverse ~ 98
symmetry-seeking model 456
symptom–fault rules 297
synergies qualitative ~ 578
synergy
among constructions 923
in a circuit 157
syntactic
ambiguity, resolution of ~ 1059
analysis 129
categories 1100
syntactic characterization 486
of circumscriptive theories 486
of the merging operation 1268
syntactic
constructions 923
form 125, 345, 582
generalizations 1187
syntactic information 49, 1060
to direct a search 46
syntactic
item, modifiers of a ~ 216
knowledge 923
level 1080
mistakes 125
operators, primitive ~ 247
processing 239
restrictions 1111
status of time 669
structure, representations of ~ 923
structures 216
theory of belief and action 356
transformation 1268
viewpoint of proof development 535
syntactically close 1101
syntax 125, 287, 923, 1059, 1268
and semantics 425
classical ~ 895
for generation 923
in a parallel generator 923
independence of the ~ 1268
natural language ~ 895
nonstandard ~ 895
of propositional logic 593
taxonomic ~ 895
syntax-directed program synthesis 167
synthesis
algorithm, Freuder's ~ 529
and analysis of electrical networks 157
automatic program ~ 70, 153
deductive ~ 167
efficient ~ 238
of a procedure from example computations 137
of algorithms, strategies for the ~ 167
of arbitrary specialized agents, automated ~ 1210
of autonomous agents 1158
of divide-and-conquer algorithms 330
of solutions with uncertainties 906
of uncertainties 906
plan ~ 82
plans 134
process 137, 238
resources 238
rule 316
semantics-supported program ~ 167
speech ~ 1060
syntax-directed program ~ 167
system, computer-based ~ 126
system, experimental program ~ 180
techniques from ALICE 354
synthesizing 251
recursive functions 153
synthetic
aperture radar, SAR 569
data 484
programming 316
psychology 340
system analysis, causal approaches to ~ 361
system behavior, descriptions of ~ 371
economist's approach to ~ 361
engineer's approach to ~ 361
in the form of histories 908
system
design, empirical ~ 1373

for circuit design VEXED 1341
for formal reasoning FOL 152
for mechanical design MEET 1341
for natural language story understanding Wimp3 1006
functionality 220
system identification 1176
qualitative ~ 1265
system
maintenance 690
of governing equations 1113
system's final state 371
systematic treatment of subtypes 473
Szechwan cooking 583

T
T-junction of contour fragments 571
tabu search 1387
tabular
format for expressing expert-modeled rules 264
parsing bidirectional ~ 1118
structure 129
tabulated book games of checkers 52
TACITUS project 1059
tactical sufficiency 555
tactics 1251
tag ambiguity 1356
taggers
for parsers 1356
single-tag Markov-model ~ 1356
tagging models 1356
tangents to the occluding contour 1275
target
analogue 436
behavior 1152
chemical structure 134
mental models 545
representation 239
theory 1101
target-language programs 238
target-matching expression 1216
task
analysis 1193
analysis of Othello 230
complexity 1362
distribution 234, 1174
task domain knowledge 190
representation of ~ 190
task
formalism TF 668
level specification 532
modeling 1193
oriented domains 1352
performance human ~ 269
relevant properties 606
specialization to a ~ 1210
task-driven text interpretation 1073
task-specific knowledge 376, 959
Taugher, Schubert ~ and Miller 1169
tautologies in proofs by resolution 10
tax mechanism, Clarke ~ 1353
taxonomic
classification 625
plan reasoning 1339
representation 635
syntax 895
taxonomical
hierarchy 904
information 904
taxonomy
of mental processes 932
of subgoal collections 1076
of subgoal collections, Korf's ~ 1076
of tractable CSPs 1343
of types of mental states 932
of types of stability 1159
plan ~ 1339
Taylor, Charles 1134
Taylor expansion 1281
TCSP, temporal constraint satisfaction problem 632
teachers, unreliable ~ 673
teaching
concept ~ 113
of programming, computer aided ~ 81
system 113
TEAM, transportable natural-language interface system 399
technology chess program 30
TEIRESIAS
assistance ssytem for building knowledge based
systems 141
expert system 679
teleological
analysis 294
relations 1196
structure of plans 896
tell-operations 282
temporal
abstraction 662
analog of static reason maintenance 394
arguments 669
aspects of problem-solving 110
beginnings of events 693

temporal constraint
networks 632
satisfaction problem TCSP 632
temporal
constraints 632, 1197
data association problems 1067
database management 394
disjointness, point-based ~ 1197
endings of events 693
formalism 454
incidence, logic of ~ 546
information 408, 632, 956, 1088, 1169
information qualitative 956
intervals, disjointness of ~ 1169
temporal knowledge 110
mechanizing ~ 110
temporal
linking 679
location 546
temporal logic 281, 395, 669
based planner, interval ~ 1211
in AI 408
non-reified ~ 669
reified ~ 1246
Shoham's ~ 669
temporal
meaning in a sentence 25
methods 145
objects 1357
ontology, diversification of the ~ 546
ordering of action 1170
priorities 630
problems 632
temporal projection 419, 1189
computational complexity of ~ 1063
temporal qualitative analysis 295
temporal reasoning 394, 419, 450, 454, 466, 693, 1063, 1104, 1145, 1246, 1357, 1411
nonmonotonic ~ 464
probabilistic ~ 1104
scalability in ~ 1169
temporal references 25, 110
in natural language 25
temporal
relationships 1339
representation 419
separation between events 1236
terms 669
temporalizing
the belief operators 931
the knowledge operators 931
tense
marker 25
relations 25
tenses, analysis of ~ 25
tensor
calculus representation 1281
product 594
product representation 594
term subsumption 1339
term-rewriting
method 314
system for Boolean algebra canonical ~ 314
systems 314
terminal
equivalence 157
node scores 99
nodes 122
nodes scored, expected number of ~ 99
payoffs 243
positions 162
terminating
contour fragment 571
the search 1340
termination 487, 632
hypothesis 1141
of algorithms 1141
of generalised ripling 974
of local constraint propagation algorithms 462
of the process of finding the justified facts 680
of the search 138
terminological
axioms 1385
inferences 433
information 625
terminological knowledge 625
representation 567
representation languages 611
terminological
language 567, 625, 1339
logics 501, 512
reasoning 433, 567
terminological representation
language 567
systems 1116
terrain elevation
data 569
estimates 569
terrain navigation 475
terrorism, domain specific dictionary for ~ 1371
test
battery for rational database updating 1375
for intelligence in machines 933
test functions

construction principles for ~ 1372
for search algorithms 1372
test suites construction, principles for ~ 1372
test-pattern generation 951
testing
condensedness 963
consistency 671, 1338
constraints for satisfiability 1068
DRP 1150
entailment 671
for validity 1191
satisfiability ~ 1304
tetrahedra 572
Tetris computer game 1170
text analysis
automatic ~ 1060
program 239
text
categorization 1073
formatting 1085
generation system 329
interpretation 1073
planners 1085
pre-processing 1073
text understanding 260
system 1079
system, KERNEL 1079
text-based intelligent systems 1149
text-to-speech system, Bell laboratories ~ 1060
TEXT, system for generating responses 329
texts, multisentence ~ 1085
textual summaries 1373
texture 24, 192, 279, 283, 587
curves of the ~ 283
discrete ~ 484
distribution 484
observed ~ 484
pattern 265
shape from ~ 1026
statistics intrinsic ~ 587
[See also "textures"]
textured
images 565
plane 587
surface 364, 484, 565
surface, 3D shape of a ~ 484
textures, natural ~ 192
[See also "texture"]
TF, task formalism 668
TFA, topological flow analysis 1215
Thagard, Paul R. 537
thematic roles 595
theorem prover 57, 101, 500, 508, 692, 699, 913, 1119
automated ~ 324
automatic ~ 63
circumscriptive ~ 508
first-order resolution logic ~ 17
for elementary number theory 101
mechanical ~ 434
of Quinlan and Hunt 37
plane geometry ~ 63
sequent-style back chaining ~ 535
theorem provers 166
human ~ 62
theorem proving 19, 21, 32, 40, 62, 90, 181, 374, 916, 948
automated ~ 275
automatic ~ 13, 26, 107, 118, 166, 500
by heuristics 13
geometric ~ 1217
geometry ~ 471, 472
heuristic ~ 22
mechanical ~ 213
metatheoretic ~ 1036
methods first-order theorem-proving methods~ 314
non-clausal ~ 208
non-resolution ~ 107
program 22
program, implementation of ~ 22
propositional ~ 948
refutational ~ 314
search 46
strategies 181
system, man–machine ~ 48
technique IMPLY 48
theoretical
dynamics 612
knowledge of a domain 1135
linguistics 1060
terms 523
theories
extending ~ 246
forming ~ 246
of causal ordering 360, 361
of naming 1168
of reasoning 633
of vision computational ~ 203
with binary clauses 1245
THEORIST
default reasoning implementation 453
prediction in ~ 971
system 1138
system for nonmonotonic reasoning 971
theory 4

approximation 1162
change 1375
construction 1370
for argumentation 1194
for interpretation tasks DATMI 663
theory formation 246, 247, 287, 453
by heuristic search 246
theory
in AI 600
of abstraction 927
of action and time 281
of action and time, Allen's ~ 546
of analogy 436
of analogy, Gentner's 526
of approximate reasoning 381
theory of belief 356
and action, syntactic ~ 356
revision 651, 1038
theory of causal
ordering 1083
reasoning 1145
theory
of cognitive learning 55
of coherent lower previsions 1258
of commonsense understanding 294
of conflict resolution 958
of cooperative behavior 226
of diagnosis 395, 528, 1040
of distributions 484
of efficiency transformations on production systems 211
of epistemic queries 1142
theory of evidence 1062
approximation method in the ~ 1062
Dempster–Shafer ~ 328
theory
of expectations
of explanation 291, 1145
of human stereopsis 202
of inductive learning 235
theory of inheritance 898
skeptical ~ 550
theories 898
theory
of interactions 658
of language generation 318
of measurement 1040
of nonmonotonic inheritance 935
of quotation and unquotation 315
of reasoning with abstraction 927
of representation for commonsense algorithmic world knowledge 82
of the Origami world 156
of warrant 680
possibility ~ 1388
refinement 1071, 1135
revision 1288
unification, resolution with ~ 1068
theory-based
heuristics 250
taxonomy of types of mental states 932
thermodynamics 359, 660
engineering ~ 659
theta-subsumption 459
thinking
human ~ 933
origins of ~ 1052
Thomason
Horty, ~ and Touretzky 620
Montague and ~ 426
Touretzky, Horty and ~ 1404
thought
computer models of ~ 74
machine models of ~ 933
thrashing behavior 97
three-dimensional
configurations, recovery of ~ 156
data obtained by stereo 572
forms part structure of ~ 357
information 201
information, deduction of ~ 201
model 479
model of a scene 478
models projections of ~ 393
movers' problem 392
object recognition 393
objects, knowledge of ~ 393
objects, perspective view of ~ 322
objects, world knowledge about the ~ 139
quantification of objects 201
scene 14, 29, 139
scene projection of a ~ 204
shape 102
shapes recovering ~ 279
three-dimensional structure 192, 289
of jointed objects 222
of moving rigid and jointed objects 222
of rigid objects 222
of visible surfaces 192
three-dimensional surfaces 194, 999
three-layer model 1218
brain-gatekeeper-user ~ 1218
three-layer structure 1218
three-layered hierarchy 1218
three-valued
extensions 639

forms of McCarthy's circumscription 639
nonmonotonic formalisms 639
semantics 962
thresholds of knowledge 607, 608
thumb rules of ~ 115
tic-tac-toe 158
tightest entailed probability interval 1124
tightness of constraints 1346
tightness of the constraints 1300
time 1104, 1223
and action, Allen's theory of ~ 546
time and space complexity 529, 953
optimal worst-case ~ 529
time
and space difficulties 56
and storage restrictions 13
as a continuous phenomenon 43
time complexity 302, 457, 965, 1233
average ~ 1125
of OPT-2 1308
of the labeling problem 1137
optimal in ~ 354
worst-case ~ 1192
time
computation ~ 965, 1227
constraints 64, 668, 1174, 1239
cost 1344
differences 632
in language 25
inference 136
intervals or points relationships between ~ 956
time points 1223
pair of ~ 669
time
reasoning about ~ 394
relations 25
representation 1169
semantic status of ~ 669
specialist 110
spent in decision making 1090
syntactic status of ~ 669
variables 295
windows 1231
time-constrained environments, problem solving in ~ 1090
time-dependent 1227
time-efficient state space search 1206
time-reverse symmetry 98
time-segment 25
relation 25
time-sharing connections 591
time-varying
data 210
images 456
time, understanding of ~ 110
timegraph 1169
consistency of a ~ 1169
querying a ~ 1169
timetable compilation
for a single-track railway 27
program 27
time–space tradeoff 407
TMS
assumption-based ~ 351
justifications 450
representation 450
representations and structure of ~ 146
truth maintenance system 146, 351, 450, 566
Toast, computer program acting as a short-order breakfast cook 1207
Todd, Peter 1329
token reification approach 1246
tolerance
for errors 1362
information 483
tolerance propagation
approach 950
TP 950
tolerance
specification 483
to deformation 1270
zones 483
toleranced
features 483
part 483
Tolman, Edward Chace 1011
Tong, R.M. 1030
tool kit for constructing matching algorithms 526
top-down
decomposition 330
foveal targeting 1274
hierarchy of winner-take-all processes 1273
predictions 260
processing 1118
topography
of natural terrain 569
surface ~ 569
topological
connectivity 412
data structures 1278
direction-giving 1278
flow analysis (TFA) 1215
information 268
linear spaces 500
measure 1037

relationships 414
relationships between landmarks 1278
space 565
topological structure
at boundaries 1204
of a phase portrait, automatic analysis of the ~ 1215
topologically equivalent views 571
topology 376, 470, 935, 954
belief network ~ 1175
of a path 268
of boundaries 1204
of the constraint graph 1300
of the constraint net 950
of the graphs 1175
of the inheritance hierarchy 622
total
ordering planning framework 1094
pre-ordering 1057
totally ordered sequences of actions 1076
Touretzky 966
Touretzky, David 1046
Touretzky
et al 1205
et al.'s theoretic framework 1205
Horty and Thomason 620, 1404
Touretzky's inheritance notion 966
tournament game-playing programs 1374
tower-of-Hanoi problem 45, 158, 1193
toy
animals 96
blocks, structures out of ~ 47
problems 607
TP, tolerance propagation 950
trace 690
traces, execution ~ 1236
track moving objects 1289
tracker, untrained ~ 1280
trackers, tuning ~ 1280
tracking 41
tracking visual
contours 1280
motion 1280
tractability
classification 894
completeness trade-off problem 1288
computational ~ 567, 1254
of plan validation 1063
refinements 1229
results 1311
tractable
algorithm 433
class of abduction problems 631
computationally ~ 890
constraint satisfaction problem 1355
constraints 1122, 1355
CSPs 1343
domain-independent algorithm 1103
incremental updating method 962
information processing problems 108
planning 1117
problems 966, 1117, 1122, 1357
procedure 441, 954
reasoning 1162
simulation of qualitative models 664
subsumption 501
trade-offs 363
between image intensity and surface orientation 195
negative set of ~ 1111
tradeoff
among multiple competing objectives 1082
between precision and computation time 1124
between search space redundancy and premature commitment to contributors 1129
design ~ 1229
of storage for execution time 143
trading
computation time for decision quality 1227
optimality for computational efficiency 1121
traditional
constraint satisfaction techniques 1357
doxastic logic 1086
EBL algorithms 1123
logical representation 635
parsing 111
parsing methods 111
refinement techniques 1359
traffic surveillance application 1289
trainable device 33
training 584, 1135
corpus 1371
examples 432, 1071, 1121, 1185
motion of an object 1280
procedures iterative ~ 590
strategies 1152
with user feedback 414
trait attributions, understanding ~
trajectories of control actions 1241
trajectory traversals 1278
transcription phonetic ~ 50
transfer
frames 121
of control mechanisms 234

of expertise Interactive ~ 141
of knowledge interactive ~ 141
transferable belief
approach 1065
model 1065
transform
1-subdivision ~ 254
1-superline ~ 254
2-subdivision ~ 254
2-superline ~ 254
Hough ~ 574
nonlinear ~ 262
phase 570
the uncertainties of propositions 906
transformation 635, 1268, 1305
heterogeneous ~ 906
imaging ~ 1271
of formulas 40
of process-records 427
of unsorted deductive systems into sorted systems 635
rules 1054
sequences 1195
system, experimental program ~ 180
transformational
analysis 129
approach to automatic programming 140
transformations 478
formatting ~ 129
functional ~ 538
generalizing ~ 235
in the image plane 1270
model-preserving ~ 532
molecular structural ~ 1226
on production systems theory of efficiency ~ 211
parameterized ~ 1310
polynomial ~ 1234
program ~ 172
sensorimotor ~ 1208
truth-value preserving ~ 101, 127
transformed graph 254
transforming
language 414
the searching process of GAs 1390
transient properties 1113
transistor models 295
transition 1305
transition analysis 295, 551, 658
technique 371
transition network
augmented ~ 155
augmented recursive ~ 28
grammatical notation 28
parser 28
transition
pattern 1302
point 1184
probabilities 663, 1239
regime 1304
rules 551
transitional views 571
transitive
closure of roles 1379
transitivity 675
axioms 377
weak form of ~ 675
translatable into circumscription 397
translating
complete sentences by using multiple examples 1216
defaults to circumscription 397
translation 582
example-based ~ 1216
machine ~ 1080
modular ~ 397, 1365
non-modular 1365
of default logic into autoepistemic logic 449
of formal proofs into English 88
translational errors 1278
translations 222
of network propositions predicate calculus 84
transmissions 665
transparent operation 1082
transportability 399
transportable natural-language interface system TEAM 399
transportation management, electricity 1173
transporting knowledge bases 1116
transposition tables 1066, 1374
trauma management 1345
TraumAID 2.0, consultation system for multiple trauma management 1345
travel agent 100
GUS in the role of a ~ 100
traveling salesman problem 650, 1305, 1405
asymmetric ~ 1302
TSP 1302
treating incomplete and uncertain knowledge 673
treatment
medical ~ 133
of subtypes 473
tree
clustering 502
cooperation 906
of frames of reference 268

of processors 221
pruning alpha–beta ~ 257
representation 1350
tree search 164, 254, 384, 1342
algorithm 225
algorithm B* ~ 138, 225
algorithm, heuristic ~ 929
algorithms minimax ~
best-first 1342
depth-first ~ 1342
efficiency 168
in chess programs 77
operations 168
optimal admissible ~ 331
problems 1305
tree searching 206
problems 650
tree with random costs 248
[See also "trees"]
tree-based methods 1370
tree-growth procedure 447
tree-structured 1146
attributes 460
constraint satisfaction problems 1146
CSP 420
representation 368
trees
clique ~ 1212
containing chance nodes 257
Markov ~ 1212
of depth 2 99
of depth 3 99
of depth 4 99
[See also "tree"]
Tretiak and Pastor 417
tri-dimensionality 194
trial and error learning by ~ 903
triangle table 36
triangular quasi-algebraic sets 472
triangulation Delaunay ~ 572
trihedral
corners 195
scenes line drawings of ~ 1137
solid-object world 156
world 156
trimming 487
trip planning 190
trivially serializable subgoals 1076
TRL reified temporal logic 1246
troubleshooting 662
digital circuits 396
digital electronic circuits 296
of complex circuits 662
problems 545
strategy for ~ 296
true
skeptical inheritance 898
terminal payoffs 243
truth and meaning 510
truth assignments 1124
consistent with the given sentences 1124
truth
conditional ~ 1248
conditions 425
truth criteria 1094
modal ~ 1248
truth maintenance 1249
algorithms for ~ 1249
architecture 352
assumption-based ~ 396, 516, 527, 987
truth maintenance system 146, 149, 435, 450, 539, 585, 916
assumption-based ~ 353
TMS 351, 450, 566
nonmonotonic ~ 566
truth
necessary ~ 1248
of facts spanning intervals of time 394
possible ~ 1248
truth preserving
inference rules 18
rules completeness of ~ 18
truth, reasoning about ~ 509
truth set 1086
of a mutual belief expression 1086
truth value 363
of a geometry statement 472
of sentences 348
truth-functional consistency
truth-functionally normalized 208
truth-preserving deductive rules 235
truth-value preserving transformations 101, 127
truths of the minimal models 346
TSP
phase transition 1405
traveling salesman problem 1302
tunable distance measure 1037
tuning
selective ~ 1273
the visual processing network 1273
trackers 1280
Turing machine
capable of given computations, finding a ~ 33
from sample computations, inference of a ~ 33
simulation of a ~ 33

Turing test 933
Turing-like indistinguishability tests 34
Turkish 76
tutor system for foreign languages 125
tutoring systems, intelligent ~ 325, 326
TWEAK planning algorithm 404
two-dimensional
  arrangements, generation of ~ 39
  Euclidean traveling salesman 1405
  image 393, 479
  patterns 495
  phrase layout 1100
  picture plane 204
  projection 194
  shape domain 691
  topological space 565
  velocity field 289
two-person games 1340
two-place preference operators 1243
two-player games 1344
  search algorithm for ~ 1340
two-player zero-sum games 1107
two-predicate scope 401
two-valued
  grounded semantics 962
  semantics, standard ~ 501
two-way transfer of information 234
type 0
  grammars 87
  string grammars 94
  string productions 94
type
  checking 288
  declarations 288
  reasoning 1180
  resolution problem 288
  scheme 288
type structure
  of a computer program 1180
  of the problem domain 1180
type system, polymorphic ~ 288
typed deduction 1180
  procedure 1180
typed
  formulation 1180
  predicate calculus 347, 1180
  resolution principle 1180
types
  limited theory of ~ 26
  of actions 281
  of events 281
  of processes 281
  of properties 281
  of stability 1159
  of theory in artificial intelligence 108
  problem ~ 45
typical
  AI agents 1157
  behavior of classes of problems 1292
  individuals 638
typing 107
  theory 1180
  theory, conditional ~ 1180

U
ubiquity
  of discovery 115
  of phase transition phenomena 1405
UCPOP
  + EBL planning system 1380
  a descendant of SNLP 1380
Ullman, Marr and ~ 289
Ullman's discrete relaxation 168
ultrasonic range data 1067
Ulysses-1 program 1277
Ulysses-2 program 1277
Ulysses-3 program 1277
unambiguity property 382
unambiguous inheritance networks 966
unary constraints 632
unbiased learning 378
uncalibrated
  cameras 1283
  images 1270
uncertain
  evidence 391
  input data 1277
uncertain knowledge 673, 964, 1263
  in expert systems 964
  reason with ~ 348
uncertain
  reasoning 1212
  subjective information 186
  territory, planning routes through ~ 268
  world 1104, 1289
uncertainties
  of propositions 906
  synthesis of ~ 906
uncertainty 320, 477, 557, 580, 1067, 1232, 1258, 1340
  combining ~ 1258
  control ~ 1232
  cooperation under ~ 906
  critical values of ~ 1232
  data association ~ 1067

data correspondence ~ 1067
decision making under ~ 557
due to noise 1067
expressing ~ 557
in control 667
in expert systems 1258
in intelligent systems 1062
in sensing 667
in the geometric models of the environment 477
lower bound on ~ 1340
management 527, 1388
measures of ~ 1258
model ~ 477
noise ~ 1067
problems involving ~ 1164
qualitative assessment of ~ 964
quantifying ~ 1378
reasoning under ~ 622, 1377
reasoning with ~ 557
reduction 1232
updating ~ 1258
valuation 1057
values 906
unconditional plans 1063
unconditionally independent hypotheses 1005
unconstrained optimization problem 279
uncovering trees 1350
undecidability
of reasoning 1151
of strong condensedness 963
of subsumption in NIKL 512
results 1233
theorems 1233
undecidable 586, 1311
formula 1055
underconstrained
and satisfiable problems 1295
problem
problems 1299
region 1294
underlying knowledge 45
understand
connected discourse 136
connected speech 117
understanding 251, 284, 285
a program 81
analogies 436
cognition 386, 387, 388, 389, 390
commonsense ~ 294
complex dynamics 661
image ~ 469, 585
image intensities 102
music with AI 1328
natural language ~ 125, 1166
novice programs 544
obstacle cancellations 579
of instructions 1166
of phenomena, human ~ 1083
of signals 1186
of time 110
planner behavior 1236
political conflicts program POLITICS 189
positioning 1283
processes signal ~ 1186
program ~ 582
simple picture programs system MYCROFT 73
speech ~ 117
system experimental story ~ 233
system language ~ 135
text ~ 260
the actions of others 130
the creative mind 1319
trait attributions 171
undirected graphs 626
undoing false conclusions 136
unexceptional and consistent world, maximally ~ 455
unexpected
context 135
execution events 1242
unguided segmentation 104
unification 635, 1068
algorithm 463
algorithm, Robinson's ~ 57
operation 67
resolution with theory ~ 1068
unified
framework for inheritance theories 898
planning and control 1228
theories of cognition 1009, 1010, 1011
theory of cognition 1012, 1013, 1014, 1015, 1016, 1017
uniform
asymptotic behavior 612
b-ary trees 1202
cost algorithm 248
random game trees 1344
semantics 1388
tree 122, 162, 248
trees of depths 2 and 3 99
trees of fanout N 99
unimodularity 1391
union-find algorithmic schema 463
unions

in attributive concept descriptions 611
unique attribute 1111
representation 1111
unique minimal unsatisfiable subset 1295
uniqueness formula 511
unit branch costs 179
UNITRAN, interlingual machine translation system 1080
universal attachment 1095
formal inference rule of ~ 1095
universal attachment rule
completeness of ~ 1095
correctness of ~ 1095
soundness of ~ 1095
universal
attachment system, implementation of a ~ 1095
form 1304
universal formulas 345
inconsistency for ~ 345
universal
logic of nonmonotonic reasoning 633
preference-based default theories 633
quantifier 401
sentences 380
set of elementary functions 1055
subgoaling 402
theory of default reasoning 633
universality of phase transitions 1292
universally quantified formulae 471
universe 636
over which quantification scopes 636
university of Texas at Austin 48
unknown
logic formulas 1185
utterance optimal interpretation of an ~ 215
viewpoint 393
unless operator 363
unlimited memory 1342
version of of MREC GREC 1342
unobservable processes 1171
unplanned events 1104
unpredictability of natural textures 192
unpredictable
environments 1173
source behaviors 1186
unquantified version of the logic of only knowing 1256
unreliable
data 210
information sources 673
knowledge sources 1185
sensors 1104
teachers 673
UNSAT regime 1304
unsatisfiability 929
proving ~ 929
unsatisfiable 698
problems 1294
subproblem 1199
subproblem hard ~ 1295
subset unique minimal ~ 1295
unsolved problems in artificial intelligence 70
unsorted deductive systems 635
unsound approximation of classical reasoning 1384
unsuccessful plans 105
unsupervised learning problems 907
untrained tracker 1280
untyped resolution 1180
UP
as hands-off manager 1171
universal plan 1171
update
a knowledge base 1311
belief ~ 1250
operator 1250
procedure 441
semantics 1243
semantics of ~ 1250
updated knowledge base 926
updates, complexity of ~ 926
updates to a knowledge base 1257
updating 683
a belief 696
Bayesian ~ 186, 304, 1006
belief 1212
Dempster–Shafer ~ 391
matches 1270
messages 1367
updating method 962
Bayesian ~ 366
incremental ~ 962
updating
multiple ~ 366
updating on uncertain evidence 391
Bayesian ~ 391
updating
rational database ~ 1375
systems behaviour of ~ 1375
the probabilities of hypotheses 366
uncertainty 1258
upper
previsions 1258
probability 1258
upward inheritance 966
urban scene 376

real-world ~ 478
use
of semantic information in the Q* algorithm 46
of space 1170
of syntactic information in the Q* algorithm 46
use-independent characterization of knowledge 602
useful side-effects 919
user
model 533
optimization preferences 1242
preferences 1242
scheduling preferences 1242
user's expectations 170
user-friendly query of CAD and image databases 1037
user-supplied information 22
uses of plans 921
using models of agents 654
UTC unified theory of cognition 1011
utility 625, 634, 933, 1111, 1399
agents' global ~ 1353
function 1288
of actions 1227
of computations 641
of EBL 1380
of representation services 625
of social laws 1160
problem 1288, 1386
utterances
continuous speech ~ 49
intention in ~ 176

V

Valiant's learning framework 460
valid equivalence relations 463
validating a knowledge base 369
validation
computational complexity of plan ~ 1063
of a computer simulation 34
structure 896
tractability of plan ~ 1063
validation-structure-based planning theory 896
validity 549
of formulas 1
of formulas in first-order logic 1
problem 1311
valuation network 1212
value
game-theoretical ~ 1066
of a move 1340
ordering heuristics 1346
theory multiattribute ~ 1082
value-ordering heuristic 952
value/variable pairs 594
van Benthem, Johan 969
van Harmelen, Prieditis, ~ and Bundy 1004
vanishing
line formula 565
lines 262
points 262
points in the image plane 1137
Vapnik and Chervonenkis 460
Vapnik–Chervonenkis dimension 460
variability of estimates 912
variable and value
heuristics, generic ~ 1346
ordering heuristics 1346
variable binding 594
dynamic ~ 613
variable
certainty of conclusions 363
conditional operator 409, 455
ordering heuristics 1346
precision logic 363
signal-to-noise ratios 1186
variable/value ordering heuristics 1231
variables 137
variance of the number of solutions 1300
variants
of default logic 1138
of STRIPS 1234
variation
concomitant ~ 66
in real world data 29
of SOL-resolution 916
variety of mismatches 1093
varying
predicate symbols 345
predicates 699
VAX-11/780 computer systems 220
VBL explanation-based learning technique 1007
vector values for game positions 1238
vehicle guidance 104
vehicles 340
velocity 273
field 289
vector 1279
Venusian surface topography 569
verb acquisition 399
verbal
analogy problems 66
behavior 23
Vere 188

verifiable geometric reasoning 482
verification
hypothesis ~ 1271
model ~ 64
system program ~ 57
VERIFY, program for proving correctness of digital hardware designs 298
verifying integrity constraints in databases 1114
version space
iterative ~ 1192
representation 672
strategy of Mitchell 672
vertex 1137
expansion procedures 1389
feedback set problem 1253
partitioning 254
errors 279
vertices 376
very large
external memory 44
long-term memory 44
very variable problem difficulty 1295
VEXED system for circuit design 1341
viable optimistic estimates to guide the search 1340
view
bifurcation set 571
consistency problems 479
of a smooth opaque object 571
of the brain 652
single ~ 195
space geometry of ~ 571
viewing
direction 195
perspective ~ 469
viewpoint 1271
consistency constraint 393
control 1275
multiple ~ 572
views
degenerate ~ 571
monocular ~ 192
topologically equivalent ~ 571
transitional ~ 571
Vilain and Kautz's point algebra 632
violated assumptions, minimal sets of ~ 396
violating constraints 1231
violation, constraints ~ 119
virtual resolution, high ~ 613
visibility property 572
visible
fragments 571
rim 1275
surfaces 192
visible-surface representations 200
vision 203, 255, 273, 478, 479, 1132
active ~ 1165, 1275, 1277
animate ~ 613
architecture, active ~ 1274
attention in machine ~ 1273
computational ~ 302, 456
computational theory of ~ 200, 203
computer ~ 156, 191, 218, 255, 262, 398, 569, 1102, 1276, 1277, 1349
human ~ 200, 393
human and machine ~ 495
intermediate-level ~ 273
low-level ~ 194, 199, 273
machine ~ 479, 1077
model-based ~ 479
non-anthropomorphic method in ~ 24
problems, low-level ~ 1001
process 200, 376
project 7
psychology of computer ~ 89
purposive ~ 1275
robot and machine ~ 24
robotic ~ 255
search procedure inherent in ~ 1273
sensors 1067
stereo ~ 1276
vision system 376, 478
computer ~ 322
MOSAIC 376, 478
robot ~ 1273
stereo ~ 1310
vision systems
active ~ 1274
design of ~ 532, 1289
implementation of ~ 532
integration of ~ 1289
model-based ~ 201
of a robot system 1210
specification of ~ 532
VISIONS system for computer ~ 1208
VISIONS system for computer vision 1208
visual attention
model, implementation of a ~ 1273
modeling ~ 1273
primate ~ 1273
visual behavior 613
complex ~ 1274
visual
computation 613
constraints 456
event curves 1275
exploration, global ~ 1275

image 1274
visual information, abstraction of ~ 203
visual interpretation 1289
of surface contours 193
visual mechanisms for problem solving 661
visual motion 289
learning to track ~ 1280
measurement of ~ 1279
of contours 1280
navigation in large environments 1278
objects models of ~ 383
patterns learning structures of ~ 642
visual perception 414
human ~ 1260
visual
primitives 376
process of grouping 203
visual processing 691
hierarchy 1273
human ~ 24
network, tuning the ~ 1273
pyramid 1273
visual
reasoning 661
search 1172
shape representation 691
similarity, human perception of ~ 1037
surveillance systems 1289
thinking 38
VLSI devices 247
vocabularies 1229
vocabulary of shape descriptors 691
volume
models 201
representation of free space 572
volumetric representations 200
von Neumann computer architecture 337
von Wright, G. H. 1243
von Wright's preference logic 1243
voting 1353
process 1353

W

walking behavior 1158
Walsh
functions 124
polynomials, random ~ 1306
Waltz
algorithm 1140
filtering algorithm 302
filtering techniques 950
labeling for the trihedral world 156
Montanari and ~ 97
propagation algorithm 1140
Waltz's
discrete relaxation 168
filtering algorithm 104, 934
Wang's implementation of Berlekamp's algorithm 86
Ward, Thomas B. 1323
warrant, theory of ~ 680
warranted conclusions 913
Warren 216
Waterman, D.A. 144, 305, 306
Waterman's rule-learning program 335
Watkins' Q-Learning algorithm 1164
Watson, John 1011
weak
axiomatization of common belief 1198
characterization 530
weak form
of contraposition 675
of transitivity 675
weak inductive knowledge of events in the real world 65
weak isotropy 1026
principle 1026
weak method
for learning 319
of corpus analysis 1073
weak
rationality postulate 962
S5 1086
type of redundancy elimination 963
weak-perspective
approximation 1269
projection 1269
weak-theory domains 584
weaker
forms of reasoning 1151
logics 1311
weakly structured set of if/then associations 237
Webber, Bobrow and ~ 672
weight
of search tree nodes 905
placed on heuristics 6
weighted
abduction 1059
graph, shortest path in a ~ 8
knowledge bases 1268
majority rule 1268
pair 557
vertex feedback set problem 1253
weighted-greedy learning algorithm 1121
weighting factor 557

weights and costs in the abduction scheme 1059
Weiss, S.M. 312
Weiss, Sholom M. 1084
Weld, Penberthy and ~ 1380
well structured problems 44
well-formed
FRAIL objects 425
semantic objects 425
well-founded
logic for approximate reasoning 1162
semantics 639, 1384
theories 698, 970
well-typed program 288
Wellman, Michael 1133
WHISPER, a computer problem-solving system 154
WHISPER's
high level reasoner 154
retina 154
white-knight declobbering clause 1248
Whitehead and Russell 37
Wilensky, R. 284, 285
Williams and Hogg 1296
Williams, de Kleer and ~ 1040
Wilson, Stewart W. 1131
Wimp3, system for natural language story understanding 1006
winner-take-all 1270
processes, top-down hierarchy of ~ 1273
winning strategies, preservation of ~ 35
Winograd, T. 386, 387, 388, 389, 390
Winston 188, 672
Winston, P.H. 334
Winston, Patrick Henry 89
Winston, Young et al 672
Winston's
ANALOGY program 383
empirical method for determining `must-not' conditions 163
WIP, multimodal presentation system 1058
WISP, algorithm for estimation of surface orientation 1026
Witkin 587, 1026
word
choice 923
clusters 66, 1364
word meaning 66
representation of ~ 66
word sense representations 135
word-wise forward checking 250
words
in context 1074
semantics of ~ 1074
working memory 1111
workplace 1170
workshops 1170
world championship
caliber checkers program 685
level 452
level chess 555
world change
continuous ~ 1033
models of ~ 1033
world class Othello program 556
world
dynamic ~ 1130
knowledge 923, 1100
world model 19, 154
probabilistic ~ 1175
world modeling 1161
dynamic ~ 1067
world models 47
construction of ~ 43
world state 1114, 1239, 1240
expected ~ 896
likely ~ 1239
world-championship-level 230
Othello program 230
worlds of robots 64
worst case 934, 1222
analysis 122
bound 1253
complexity 463, 625, 962, 1110, 1162
complexity analysis 920, 1235
situations 572
space complexity 1192
time complexity 953, 1125, 1192
worth functions over states 1285
wrinkle 193
Wu's method 469, 1217

X

x-th action logic 1243
XCON 981
XPLAIN expert
consulting program system 256
system 679

Y

Yager, R.R. 1030
Yager, Ron 444
Yale shooting problem 508, 630
Young et al 672
Young et al.'s concept-learning program 335

Young, Winston ~ et al 672
Yuille and Poggio 440
Yun, Keng and ~ 1346

Z
Zadeh, L.A. 1030
Zeidenberg, Matthew 1050
zero-Gaussian curvature surfaces 1077
ZF set theory 385
Zhang, Kapur, Narendran and ~ 382
Zlotkin, G. 1285
zombie paths 620
Zucker, Pednault, ~ and Muresan 366, 683

ELSEVIER

Artificial Intelligence 96 (1997) 191–227

Artificial Intelligence

Reference List of Indexed Articles [1]

This Reference List of Indexed Articles belongs to the Index of Volumes 1–89 (pp. 3–189 of this issue).

1. Z. Manna, The correctness of nondeterministic programs **1** (1–2) (1970) 1–26
2. R.E. Fikes, REF-ARF: a system for solving problems stated as procedures **1** (1–2) (1970) 27–120
3. D.A. Waterman, Generalization learning techniques for automating the learning of heuristics **1** (1–2) (1970) 121–170
4. P.C. Gilmore, An examination of the Geometry Theorem Machine **1** (3–4) (1970) 171–187
5. B. Meltzer, The semantics of induction and the possibility of complete systems of inductive inference **1** (3–4) (1970) 189–192
6. I. Pohl, Heuristic search viewed as path finding in a graph **1** (3–4) (1970) 193–204
7. C.R. Brice and C.L. Fennema, Scene analysis using regions **1** (3–4) (1970) 205–226
8. U. Montanari, Heuristically guided search and chromosome matching **1** (3–4) (1970) 227–245
9. C.L. Chang, Renamable paramodulation for automatic theorem proving with equality **1** (3–4) (1970) 247–256
10. R.A. Yates, B. Raphael and T.P. Hart, Resolution graphs **1** (3–4) (1970) 257–289
11. K.M. Colby, S. Weber and F.D. Hilf, Artificial paranoia **2** (1) (1970) 1–25
12. D. Luckham and N.J. Nilsson, Extracting information from resolution proof trees **2** (1) (1970) 27–54
13. W.W. Bledsoe, Splitting and reduction heuristics in automatic theorem proving **2** (1) (1970) 55–77
14. M.B. Clowes, On seeing things **2** (1) (1970) 79–116
15. C.L. Chang and J.R. Slagle, An admissible and optimal algorithm for searching AND/OR graphs **2** (2) (1970) 117–128
16. E. Sandewall, Formal methods in the design of question-answering systems **2** (2) (1970) 129–145
17. R.E. Kling, A paradigm for reasoning by analogy **2** (2) (1970) 147–178
18. C.G. Morgan, Hypothesis generation by machine **2** (2) (1970) 179–187
19. R.E. Fikes and N.J. Nilsson, STRIPS: a new approach to the application of theorem proving to problem solving **2** (3–4) (1971) 189–208
20. A. Sloman, Interactions between philosophy and artificial intelligence: the role of intuition and non-logical reasoning in intelligence **2** (3–4) (1971) 209–225
21. R. Kowalski and D. Kuehner, Linear resolution with selection function **2** (3–4) (1971) 227–260
22. L.M. Norton, Experiments with a heuristic theorem-proving program for predicate calculus with equality **2** (3–4) (1971) 261–284
23. D.A. Waterman and A. Newell, Protocol analysis as a task for artificial intelligence **2** (3–4) (1971) 285–318
24. P.M. Will and K.S. Pennington, Grid coding: a preprocessing technique for robot and machine vision **2** (3–4) (1971) 319–329

[1] The gaps in the number sequence do not reflect missing articles or other incompleteness aspects; it is simply a reflection of a change in the way numbers were and are assigned.

Elsevier Science B.V.

25. B.C. Bruce, A model for temporal references and its application in a question answering program **3** (1–3) (1972) 1–25
26. W.W. Bledsoe, R.S. Boyer and W.H. Henneman, Computer proofs of limit theorems **3** (1–3) (1972) 27–60
27. A.L. Cherniavsky, A program for timetable compilation by a look-ahead method **3** (1–3) (1972) 61–76
28. R.M. Kaplan, Augmented transition networks as psychological models of sentence comprehension **3** (1–3) (1972) 77–100
29. G. Falk, Interpretation of imperfect line data as a three-dimensional scene **3** (1–3) (1972) 101–144
30. J.J. Gillogly, The technology chess program **3** (1–3) (1972) 145–163
31. L. Hodes, Solving problems by formula manipulation in logic and linear inequalities **3** (1–3) (1972) 165–174
32. E. Minicozzi and R. Reiter, A note on linear resolution strategies in consequence-finding **3** (1–3) (1972) 175–180
33. A.W. Biermann, On the inference of Turing machines from sample computations **3** (1–3) (1972) 181–198
34. K.M. Colby, F.D. Hilf, S. Weber and H.C. Kraemer, Turing-like indistinguishability tests for the validation of a computer simulation of paranoid processes **3** (1–3) (1972) 199–221
35. R.B. Banerji and G.W. Ernst, Strategy construction using homomorphisms between games **3** (1–3) (1972) 223–249
36. R.E. Fikes, P.E. Hart and N.J. Nilsson, Learning and executing generalized robot plans **3** (1–3) (1972) 251–288
37. L. Siklóssy, A. Rich and V. Marinov, Breadth-first search: some surprising results **4** (1) (1973) 1–27
38. R. Baker, A spatially-oriented information processor which simulates the motions of rigid objects **4** (1) (1973) 29–40
39. C.M. Eastman, Automated space planning **4** (1) (1973) 41–64
40. J.-P. Laurent, A program that computes limits using heuristics to evaluate the indeterminate forms **4** (2) (1973) 69–94
41. Y. Shirai, A context sensitive line finder for recognition of polyhedra **4** (2) (1973) 95–119
42. A.K. Mackworth, Interpreting pictures of polyhedral scenes **4** (2) (1973) 121–137
43. G.G. Hendrix, Modeling simultaneous actions and continuous processes **4** (3–4) (1973) 145–180
44. H.A. Simon, The structure of ill structured problems **4** (3–4) (1973) 181–201
45. M. Shimura and F.H. George, Rule-oriented methods in problem solving **4** (3–4) (1973) 203–223
46. J. Minker, D.H. Fishman and J.R. McSkimin, The Q* algorithm—a search strategy for a deductive question-answering system **4** (3–4) (1973) 225–243
47. S.E. Fahlman, A planning system for robot construction tasks **5** (1) (1974) 1–49
48. W.W. Bledsoe and P. Bruell, A man–machine theorem-proving system **5** (1) (1974) 51–72
49. W.A. Woods and J. Makhoul, Mechanical inference problems in continuous speech understanding **5** (1) (1974) 73–91
50. C.C. Tappert and N.R. Dixon, A procedure for adaptive control of the interaction between acoustic classification and linguistic decoding in automatic recognition of continuous speech **5** (2) (1974) 95–113
51. E.D. Sacerdoti, Planning in a hierarchy of abstraction spaces **5** (2) (1974) 115–135
52. A.K. Griffith, A comparison and evaluation of three machine learning procedures as applied to the game of checkers **5** (2) (1974) 137–148
53. J.M. Scandura, J.H. Durnin and W.H. Wulfeck II, Higher order rule characterization of heuristics for compass and straight edge constructions in geometry **5** (2) (1974) 149–183
54. I. Sobel, On calibrating computer controlled cameras for perceiving 3-D scenes (Technical Note) **5** (2) (1974) 185–198
55. M. Kochen, Representations and algorithms for cognitive learning **5** (3) (1974) 199–216
56. L.R. Harris, The heuristic search under conditions of error **5** (3) (1974) 217–234
57. R.J. Waldinger and K.N. Levitt, Reasoning about programs **5** (3) (1974) 235–316

58. J. McCarthy, Book review of "Artificial intelligence: a general survey", in: *Artificial Intelligence: A Paper Symposium* (Sir James Lighthill) **5** (3) (1974) 317–322
59. P.C. Maxwell, Alternative descriptions in line drawing analysis **5** (4) (1974) 325–348
60. J.A. Feldman and Y. Yakimovsky, Decision theory and artificial intelligence I: a semantics-based region analyzer **5** (4) (1974) 349–371
61. R.C. Schank and C.J. Rieger III, Inference and the computer understanding of natural language **5** (4) (1974) 373–412
62. A.J. Nevins, Plane geometry theorem proving using forward chaining **6** (1) (1975) 1–23
63. A.J. Nevins, A relaxation approach to splitting in an automatic theorem prover **6** (1) (1975) 25–39
64. L. Siklóssy and J. Roach, Model verification and improvement using DISPROVER **6** (1) (1975) 41–52
65. Y. Wilks, A preferential, pattern-seeking, semantics for natural language inference **6** (1) (1975) 53–74
66. R.M. Haralick and K. Ripken, An associative-categorical model of word meaning **6** (1) (1975) 75–99
67. D.H. Fishman and J. Minker, *Π*-representation: a clause representation for parallel search **6** (2) (1975) 103–127
68. A.P. Ambler, H.G. Barrow, C.M. Brown, R.M. Burstall and R.J. Popplestone, A versatile system for computer-controlled assembly **6** (2) (1975) 129–156
69. A.P. Ambler and R.J. Popplestone, Inferring the positions of bodies from specified spatial relationships **6** (2) (1975) 157–174
70. Z. Manna and R. Waldinger, Knowledge and reasoning in program synthesis **6** (2) (1975) 175–208
71. E.B. Koffman and S.E. Blount, Artificial intelligence and automatic programming in CAI **6** (3) (1975) 215–234
72. H.A. Simon and J.B. Kadane, Optimal problem-solving search: all-or-none solutions **6** (3) (1975) 235–247
73. I.P. Goldstein, Summary of MYCROFT: a system for understanding simple picture programs **6** (3) (1975) 249–288
74. L. Uhr, Book review of *Computer Models of Thought and Language* (Roger C. Schank and Kenneth Mark Colby, eds.) **6** (3) (1975) 289–292
75. D.E. Knuth and R.W. Moore, An analysis of alpha–beta pruning **6** (4) (1975) 293–326
76. B. Bruce, Case systems for natural language **6** (4) (1975) 327–360
77. G.M. Adelson-Velskiy, V.L. Arlazarov and M.V. Donskoy, Some methods of controlling the tree search in chess programs **6** (4) (1975) 361–371
78. L.J. Mazlack, Computer construction of crossword puzzles using precedence relationships **7** (1) (1976) 1–19
79. C.L. Hedrick, Learning production systems from examples **7** (1) (1976) 21–49
80. R.E. Shostak, Refutation graphs **7** (1) (1976) 51–64
81. G.R. Ruth, Intelligent program analysis **7** (1) (1976) 65–85
82. C. Rieger, An organization of knowledge for problem solving and language comprehension **7** (2) (1976) 89–127
83. O. Štěpánková and I.M. Havel, A logical theory of robot problem solving **7** (2) (1976) 129–161
84. L.K. Schubert, Extending the expressive power of semantic networks **7** (2) (1976) 163–198
85. S.C. Shapiro, Book review of *Artificial Intelligence* (Earl B. Hunt) **7** (2) (1976) 199–201
86. B.G. Claybrook, A new approach to the symbolic factorization of multivariate polynomials **7** (3) (1976) 203–241
87. G. Levi and F. Sirovich, Generalized AND/OR graphs **7** (3) (1976) 243–259
88. D. Chester, The translation of formal proofs into English **7** (3) (1976) 261–278
89. A. Rosenfeld, Book review of *The Psychology of Computer Vision* (Patrick Henry Winston, ed.) **7** (3) (1976) 279–282
90. D. Brand, Analytic resolution in theorem proving **7** (4) (1976) 285–318
91. L. Beckman, A. Haraldson, Ö. Oskarsson and E. Sandewall, A partial evaluator, and its use as a programming tool **7** (4) (1976) 319–357

92. A. Martelli, On the complexity of admissible search algorithms **8** (1) (1977) 1–13
93. R. Davis, B. Buchanan and E. Shortliffe, Production rules as a representation for a knowledge-based consultation program **8** (1) (1977) 15–45
94. S.A. Vere, Relational production systems **8** (1) (1977) 47–68
95. D. Gelperin, On the optimality of A* **8** (1) (1977) 69–76
96. R. Nevatia and T.O. Binford, Description and recognition of curved objects **8** (1) (1977) 77–98
97. A.K. Mackworth, Consistency in networks of relations **8** (1) (1977) 99–118
98. B. Cohen, The mechanical discovery of certain problem symmetries **8** (1) (1977) 119–131
99. M.M. Newborn, The efficiency of the alpha–beta search on trees with branch-dependent terminal node scores **8** (2) (1977) 137–153
100. D.G. Bobrow, R.M. Kaplan, M. Kay, D.A. Norman, H. Thompson and T. Winograd, GUS, a frame-driven dialog system **8** (2) (1977) 155–173
101. F.M. Brown, Doing arithmetic without diagrams **8** (2) (1977) 175–200
102. B.K.P. Horn, Understanding image intensities **8** (2) (1977) 201–231
103. Y. Schukin, Book review of *Natural and Artificial Intelligence* (*Conceptual Approach*)—*Materials of the Fourth International Joint Conference on Artificial Intelligence* (in Russian) (V.V. Chavchanidze et al., eds.) **8** (2) (1977) 233–238
104. J.M. Tenenbaum and H.G. Barrow, Experiments in interpretation-guided segmentation **8** (3) (1977) 241–274
105. J. Pitrat, A chess combination program which uses plans **8** (3) (1977) 275–321
106. C. Hewitt, Viewing control structures as patterns of passing messages **8** (3) (1977) 323–364
107. W.W. Bledsoe, Non-resolution theorem proving **9** (1) (1977) 1–35
108. D. Marr, Artificial Intelligence—a personal view **9** (1) (1977) 37–48
109. H. Boley, Directed recursive labelnode hypergraphs: a new representation-language **9** (1) (1977) 49–85
110. K. Kahn and G.A. Gorry, Mechanizing temporal knowledge **9** (1) (1977) 87–108
111. R.C. Parkison, K.M. Colby and W.S. Faught, Conversational language comprehension using integrated pattern-matching and parsing **9** (2) (1977) 111–134
112. R.M. Stallman and G.J. Sussman, Forward reasoning and dependency-directed backtracking in a system for computer-aided circuit analysis **9** (2) (1977) 135–196
113. J.A. Self, Concept teaching **9** (2) (1977) 197–221
114. B.L. Cohen, A powerful and efficient structural pattern recognition system **9** (3) (1977) 223–255
115. D.B. Lenat, The ubiquity of discovery **9** (3) (1977) 257–285
116. J.R. Hobbs and S.J. Rosenschein, Making computational sense of Montague's intensional logic **9** (3) (1977) 287–306
117. M.F. Medress, F.S. Cooper, J.W. Forgie, C.C. Green, D.H. Klatt, M.H. O'Malley, E.P. Neuburg, A. Newell, D.R. Reddy, B. Ritea, J.E. Shoup-Hummel, D.E. Walker and W.A. Woods, *Speech understanding systems*. Report of a Steering Committee **9** (3) (1977) 307–316
118. D. Pastre, Automatic theorem proving in set theory **10** (1) (1978) 1–27
119. J.-L. Lauriere, A language and a program for stating and solving combinatorial problems **10** (1) (1978) 29–127
120. A. Bundy, Will it reach the top? Prediction in the mechanics world **10** (2) (1978) 129–146
121. P.H. Winston, Learning by creating and justifying transfer frames **10** (2) (1978) 147–172
122. G.M. Baudet, On the branching factor of the alpha–beta pruning algorithm **10** (2) (1978) 173–199
123. H.J. Berliner, A chronology of computer chess and its literature (Review Article) **10** (2) (1978) 201–214
124. F. O'Gorman, Edge detection using Walsh functions **10** (2) (1978) 215–223
125. R.M. Weischedel, W.M. Voge and M. James, An artificial intelligence approach to language instruction (Technical Note) **10** (3) (1978) 225–240
126. C. Green and D. Barstow, On program synthesis knowledge **10** (3) (1978) 241–279
127. F.M. Brown, Towards the automation of set theory and its logic **10** (3) (1978) 281–316
128. B.G. Buchanan and E.A. Feigenbaum, Dendral and Meta-Dendral: their applications dimension **11** (1–2) (1978) 5–24

129. R. Grishman and L. Hirschman, Question answering from natural language medical data bases **11** (1–2) (1978) 25–43
130. C.F. Schmidt, N.S. Sridharan and J.L. Goodson, The plan recognition problem: an intersection of psychology and artificial intelligence **11** (1–2) (1978) 45–83
131. M. Stefik, Inferring DNA structures from segmentation data **11** (1–2) (1978) 85–114
132. P. Szolovits and S.G. Pauker, Categorical and probabilistic reasoning in medical diagnosis **11** (1–2) (1978) 115–144
133. S.M. Weiss, C.A. Kulikowski, S. Amarel and A. Safir, A model-based method for computer-aided medical decision-making **11** (1–2) (1978) 145–172
134. W.T. Wipke, G.I. Ouchi and S. Krishnan, Simulation and evaluation of chemical synthesis—SECS: an application of artificial intelligence techniques **11** (1–2) (1978) 173–193
135. Y. Wilks, Making preferences more active **11** (3) (1978) 197–223
136. E. Charniak, On the use of framed knowledge in language comprehension **11** (3) (1978) 225–265
137. M.A. Bauer, Programming by examples **12** (1) (1979) 1–21
138. H. Berliner, The B* tree search algorithm: a best-first proof procedure **12** (1) (1979) 23–40
139. K. Sugihara, Range-data analysis guided by a junction dictionary **12** (1) (1979) 41–69
140. D.R. Barstow, An experiment in knowledge-based automatic programming **12** (2) (1979) 73–119
141. R. Davis, Interactive transfer of expertise: acquisition of new inference rules **12** (2) (1979) 121–157
142. C.L. Chang and J.R. Slagle, Using rewriting rules for connection graphs to prove theorems **12** (2) (1979) 159–178
143. G.C. Stockman, A minimax algorithm better than alpha–beta? **12** (2) (1979) 179–196
144. R. Young, Book review of *Pattern-Directed Inference Systems* (R. Hayes-Roth and D.A. Waterman, eds.) **12** (2) (1979) 197–202
145. F.M. Brown and S.-Å. Tärnlund, Inductive reasoning on recursive equations **12** (3) (1979) 207–229
146. J. Doyle, A truth maintenance system **12** (3) (1979) 231–272
147. T. Winograd, Extended inference modes in reasoning by computer systems **13** (1–2) (1980) 5–26
148. J. McCarthy, Circumscription—a form of non-monotonic reasoning **13** (1–2) (1980) 27–39
149. D. McDermott and J. Doyle, Non-monotonic logic I **13** (1–2) (1980) 41–72
150. M. Davis, The mathematics of non-monotonic reasoning (Technical Note) **13** (1–2) (1980) 73–80
151. R. Reiter, A logic for default reasoning **13** (1–2) (1980) 81–132
152. R.W. Weyhrauch, Prolegomena to a theory of mechanized formal reasoning **13** (1–2) (1980) 133–170
153. R. Follett, Synthesising recursive functions with side effects **13** (3) (1980) 175–200
154. B.V. Funt, Problem-solving with diagrammatic representations **13** (3) (1980) 201–230
155. F.C.N. Pereira and D.H.D. Warren, Definite clause grammars for language analysis—a survey of the formalism and a comparison with augmented transition networks **13** (3) (1980) 231–278
156. T. Kanade, A theory of Origami world **13** (3) (1980) 279–311
157. G.J. Sussman and G.L. Steele Jr, CONSTRAINTS—a language for expressing almost-hierarchical descriptions **14** (1) (1980) 1–39
158. R.E. Korf, Toward a model of representation changes **14** (1) (1980) 41–78
159. R.J. Popplestone, A.P. Ambler and I.M. Bellos, An interpreter for a language for describing assemblies **14** (1) (1980) 79–107
160. M. Brady, Book review of *Techniques of Artificial Intelligence* (Stuart C. Shapiro) **14** (1) (1980) 109–110
161. K. Prazdny, Book review of *Cognitive Psychology* (J. Green, ed.) **14** (1) (1980) 110–112
162. J. Pearl, Asymptotic properties of minimax trees and game-searching procedures **14** (2) (1980) 113–138
163. S.A. Vere, Multilevel counterfactuals for generalizations of relational concepts and productions **14** (2) (1980) 139–164
164. D. Wilkins, Using patterns and plans in chess **14** (2) (1980) 165–203

165. H.J. Berliner, Backgammon computer program beats world champion (Performance Note) **14** (2) (1980) 205–220
166. F.M. Brown, An investigation into the goals of research in automatic theorem proving as related to mathematical reasoning **14** (3) (1980) 221–242
167. W. Bibel, Syntax-directed, semantics-supported program synthesis **14** (3) (1980) 243–261
168. R.M. Haralick and G.L. Elliott, Increasing tree search efficiency for constraint satisfaction problems **14** (3) (1980) 263–313
169. E.C. Freuder, On the knowledge required to label a picture graph **15** (1–2) (1980) 1–17
170. J.L. Weiner, BLAH, a system which explains its reasoning **15** (1–2) (1980) 19–48
171. J.G. Carbonell, Towards a process model of human personality traits **15** (1–2) (1980) 49–74
172. A. Adam and J.-P. Laurent, LAURA, a system to debug student programs **15** (1–2) (1980) 75–122
173. P. London, Book review of *Artificial Intelligence Programming* (Eugene Charniak, Christopher Riesbeck and Drew McDermott) **15** (1–2) (1980) 123–124
174. R. Sproull, Book review of *Artificial Intelligence and Pattern Recognition in Computer Aided Design* (J.C. Latombe, ed.) **15** (1–2) (1980) 125–126
175. J. McDermott, Book review of *Principles of Artificial Intelligence* (Nils J. Nilsson) **15** (1–2) (1980) 127–131
176. J.F. Allen and C.R. Perrault, Analyzing intention in utterances **15** (3) (1980) 143–178
177. R. Davis, Meta-rules: reasoning about control **15** (3) (1980) 179–222
178. R. Davis, Content reference: reasoning about rules **15** (3) (1980) 223–239
179. N. Huyn, R. Dechter and J. Pearl, Probabilistic analysis of the complexity of A^* **15** (3) (1980) 241–254
180. J. Darlington, An experimental program transformation and synthesis system **16** (1) (1981) 1–46
181. D.A. Plaisted, Theorem proving with abstraction **16** (1) (1981) 47–108
182. M. Stefik, Planning with constraints (MOLGEN: Part 1) **16** (2) (1981) 111–140
183. M. Stefik, Planning and meta-planning (MOLGEN: Part 2) **16** (2) (1981) 141–170
184. D.H. Sleeman and M.J. Smith, Modelling student's problem solving **16** (2) (1981) 171–188
185. A. Bundy and B. Welham, Using meta-level inference for selective application of multiple rewrite rule sets in algebraic manipulation **16** (2) (1981) 189–212
186. E.P.D. Pednault, S.W. Zucker and L.V. Muresan, On the independence assumption underlying subjective Bayesian updating **16** (2) (1981) 213–222
187. E. Charniak, A common representation for problem-solving and language-comprehension information **16** (3) (1981) 225–255
188. T.G. Dietterich and R.S. Michalski, Inductive learning of structural descriptions: evaluation criteria and comparative review of selected methods **16** (3) (1981) 257–294
189. J.G. Carbonell, Counterplanning: a strategy-based model of adversary planning in real-world situations **16** (3) (1981) 295–329
190. R.E. Fikes, Odyssey: a knowledge-based assistant **16** (3) (1981) 331–361
191. M. Brady, Preface—the changing shape of computer vision **17** (1–3) (1981) 1–15
192. A.P. Witkin, Recovering surface shape and orientation from texture **17** (1–3) (1981) 17–45
193. K.A. Stevens, The visual interpretation of surface contours **17** (1–3) (1981) 47–73
194. H.G. Barrow and J.M. Tenenbaum, Interpreting line drawings as three-dimensional surfaces **17** (1–3) (1981) 75–116
195. R.J. Woodham, Analysing images of curved surfaces **17** (1–3) (1981) 117–140
196. K. Ikeuchi and B.K.P. Horn, Numerical shape from shading and occluding boundaries **17** (1–3) (1981) 141–184
197. B.K.P. Horn and B.G. Schunck, Determining optical flow **17** (1–3) (1981) 185–203
198. T.O. Binford, Inferring surfaces from images **17** (1–3) (1981) 205–244
199. L.S. Davis and A. Rosenfeld, Cooperating processes for low-level vision: a survey **17** (1–3) (1981) 245–263
200. H.K. Nishihara, Intensity, visible-surface, and volumetric representations **17** (1–3) (1981) 265–284
201. R.A. Brooks, Symbolic reasoning among 3-D models and 2-D images **17** (1–3) (1981) 285–348

202. J.E.W. Mayhew and J.P. Frisby, Psychophysical and computational studies towards a theory of human stereopsis **17** (1–3) (1981) 349–385
203. B.E. Flinchbaugh and B. Chandrasekaran, A theory of spatio-temporal aggregation for vision **17** (1–3) (1981) 387–407
204. T. Kanade, Recovery of the three-dimensional shape of an object from a single view **17** (1–3) (1981) 409–460
205. S.W. Draper, The use of gradient and dual space in line-drawing interpretation **17** (1–3) (1981) 461–508
206. D.E. Wilkins, Using knowledge to control tree searching **18** (1) (1982) 1–51
207. D.S. Nau, The Last Player Theorem **18** (1) (1982) 53–65
208. N.V. Murray, Completely non-clausal theorem proving **18** (1) (1982) 67–85
209. A. Newell, The knowledge level **18** (1) (1982) 87–127
210. M. Stefik, J. Aikins, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E. Sacerdoti, The organization of expert systems, a tutorial **18** (2) (1982) 135–173
211. M.P. Georgeff, Procedural control in production systems **18** (2) (1982) 175–201
212. T.M. Mitchell, Generalization as search **18** (2) (1982) 203–226
213. D.A. Plaisted, A simplified problem reduction format **18** (2) (1982) 227–261
214. W. Bibel, A comparative study of several proof procedures **18** (3) (1982) 269–293
215. W.A. Woods, Optimal search strategies for speech understanding control **18** (3) (1982) 295–326
216. M.C. McCord, Using slots and modifiers in logic grammars for natural language **18** (3) (1982) 327–367
217. D. Dennett, Recent work in philosophy of interest to AI (Correspondent's Report) **19** (1) (1982) 3–5
218. M. Brady, Computer vision (Correspondent's Report) **19** (1) (1982) 7–16
219. C.L. Forgy, Rete: a fast algorithm for the many pattern/many object pattern match problem **19** (1) (1982) 17–37
220. J. McDermott, R1: a rule-based configurer of computer systems **19** (1) (1982) 39–88
221. R.A. Finkel and J.P. Fishburn, Parallelism in alpha–beta search **19** (1) (1982) 89–106
222. J.A. Webb and J.K. Aggarwal, Structure from motion of rigid and jointed objects **19** (1) (1982) 107–130
223. B.J. Grosz, Natural language processing (Correspondent's Report) **19** (2) (1982) 131–136
224. T. Lozano-Pérez, Robotics (Correspondent's Report) **19** (2) (1982) 137–143
225. A.J. Palay, The B* tree search algorithm—new results **19** (2) (1982) 145–163
226. S.J. Kaplan, Cooperative responses from a portable natural language query system **19** (2) (1982) 165–187
227. D.B. Lenat, The nature of heuristics **19** (2) (1982) 189–249
228. Z.W. Pylyshyn, Literature from cognitive psychology (Correspondent's Report) **19** (3) (1982) 251–255
229. D.S. Nau, An investigation of the causes of pathology in games **19** (3) (1982) 257–278
230. P.S. Rosenbloom, A world-championship-level Othello program **19** (3) (1982) 279–320
231. P.H. Winston, Learning new principles from precedents and exercises **19** (3) (1982) 321–350
232. J. Pearl, Knowledge versus search: a quantitative analysis using *A** **20** (1) (1983) 1–13
233. W.G. Lehnert, M.G. Dyer, P.N. Johnson, C.J. Yang and S. Harley, BORIS—an experiment in in-depth understanding of narratives **20** (1) (1983) 15–62
234. R. Davis and R.G. Smith, Negotiation as a metaphor for distributed problem solving **20** (1) (1983) 63–109
235. R.S. Michalski, A theory and methodology of inductive learning **20** (2) (1983) 111–161
236. J.S. Aikins, Prototypical knowledge for expert systems **20** (2) (1983) 163–210
237. W.J. Clancey, The epistemology of a rule-based expert system—a framework for explanation **20** (3) (1983) 215–251
238. E. Kant, On the efficient synthesis of efficient programs **20** (3) (1983) 253–305
239. L.M. Norton, Automated analysis of instructional text **20** (3) (1983) 307–344

240. M.S. Campbell and T.A. Marsland, A comparison of minimax tree search algorithms **20** (4) (1983) 347–367
241. L. Rendell, A new basis for state-space learning systems and a successful implementation **20** (4) (1983) 369–392
242. M.P. Georgeff, Strategies in heuristic search **20** (4) (1983) 393–425
243. J. Pearl, On the nature of pathology in game searching **20** (4) (1983) 427–453
244. J. Pearl, Preface **21** (1–2) (1983) 1–6
245. H.A. Simon, Search and reasoning in problem solving **21** (1–2) (1983) 7–29
246. D.B. Lenat, Theory formation by heuristic search. The nature of heuristics II: background and examples **21** (1–2) (1983) 31–59
247. D.B. Lenat, EURISKO: a program that learns new heuristics and domain concepts. The nature of heuristics III: program design and results **21** (1–2) (1983) 61–98
248. R.M. Karp and J. Pearl, Searching for an optimal path in a tree with random costs **21** (1–2) (1983) 99–116
249. P.W. Purdom Jr, Search rearrangement backtracking and polynomial average time **21** (1–2) (1983) 117–133
250. B. Nudel, Consistent-labeling problems and their algorithms: expected-complexities and theory-based heuristics **21** (1–2) (1983) 135–178
251. V. Kumar and L.N. Kanal, A general branch and bound formulation for understanding and synthesizing And/Or tree search procedures **21** (1–2) (1983) 179–198
252. I. Roizen and J. Pearl, A minimax algorithm better than alpha–beta? Yes and no **21** (1–2) (1983) 199–220
253. D.S. Nau, Pathology on game trees revisited, and an alternative to minimaxing **21** (1–2) (1983) 221–224
254. G. Fowler, R. Haralick, F.G. Gray, C. Feustel and C. Grinstead, Efficient graph automorphism by vertex partitioning **21** (1–2) (1983) 245–269
255. M. Brady, Parallelism in vision (Correspondent's Report) **21** (3) (1983) 271–283
256. W.R. Swartout, XPLAIN: a system for creating and explaining expert consulting programs **21** (3) (1983) 285–325
257. B.W. Ballard, The $*$-minimax search procedure for trees containing chance nodes **21** (3) (1983) 327–350
258. R.G. Smith, Book review of *Machine Intelligence* 10 (J.E. Hayes, D. Michie and Y.-H. Pao, eds.) **21** (3) (1983) 351–357
259. P.P. Schreiber, Book review of *Neural Assemblies—An Alternative Approach to Artificial Intelligence, Part I* [*Studies of Brain Function* 7] (Günther Palm) **21** (3) (1983) 358–359
260. M. Lebowitz, Memory-based parsing **21** (4) (1983) 363–404
261. N.M. Darwish, A quantitative analysis of the alpha–beta pruning algorithm **21** (4) (1983) 405–433
262. S.T. Barnard, Interpreting perspective images **21** (4) (1983) 435–462
263. N.A.B. Gray, Applications of artificial intelligence for organic chemistry: analysis of C-13 spectra **22** (1) (1984) 1–21
264. P. Politakis and S.M. Weiss, Using empirical analysis to refine expert system knowledge bases **22** (1) (1984) 23–48
265. K. Ikeuchi, Shape from regular patterns **22** (1) (1984) 49–75
266. J.A. Barnett, How much is control knowledge worth? A primitive example **22** (1) (1984) 77–89
267. M. Stefik, Book review of *The Sciences of the Artificial, 2nd Ed.* (H.A. Simon) **22** (1) (1984) 95–97
268. D. McDermott and E. Davis, Planning routes through uncertain territory **22** (2) (1984) 107–156
269. R. Reichman-Adar, Extended person–machine interface **22** (2) (1984) 157–218
270. M. Stefik, Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) **22** (2) (1984) 219–222
271. J. de Kleer, Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) **22** (2) (1984) 222–226
272. D.C. Dennett, Recent work in philosophy II (Correspondent's Report) **22** (3) (1984) 231–233

273. D.H. Ballard, Parameter nets **22** (3) (1984) 235–267
274. D.E. Wilkins, Domain-independent planning: representation and plan generation **22** (3) (1984) 269–301
275. L. Wos, S. Winker, B. Smith, R. Veroff and L. Henschen, A new use of an automated reasoning assistant: open questions in equivalential calculus and the study of infinite domains **22** (3) (1984) 303–356
276. J.R. Anderson, Cognitive Psychology (Correspondent's Report) **23** (1) (1984) 1–11
277. L. Mérõ, A heuristic search algorithm with modifiable estimate **23** (1) (1984) 13–27
278. D.S. Nau, V. Kumar and L. Kanal, General branch and bound, and its relation to A* and AO* **23** (1) (1984) 29–58
279. K. Sugihara, An algebraic approach to shape-from-image problems **23** (1) (1984) 59–95
280. H. Berliner and M. Campbell, Using chunking to solve chess pawn endgames **23** (1) (1984) 97–120
281. J.F. Allen, Towards a general theory of action and time **23** (2) (1984) 123–154
282. H.J. Levesque, Foundations of a functional approach to knowledge representation **23** (2) (1984) 155–212
283. K. Kanatani, Detection of surface orientation and motion from texture by a stereological technique **23** (2) (1984) 213–237
284. D.M. Russell, Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) **23** (2) (1984) 239–242
285. D. Berlin, Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) **23** (2) (1984) 242–244
286. G.D. Ritchie and F.K. Hanna, AM: a case study in AI methodology **23** (3) (1984) 249–268
287. D.B. Lenat and J.S. Brown, Why AM and EURISKO appear to work **23** (3) (1984) 269–294
288. A. Mycroft and R.A. O'Keefe, A polymorphic type system for PROLOG **23** (3) (1984) 295–307
289. E.C. Hildreth, Computations underlying the measurement of visual motion **23** (3) (1984) 309–354
290. D.G. Bobrow, Qualitative reasoning about physical systems: an introduction **24** (1–3) (1984) 1–5
291. J. de Kleer and J.S. Brown, A qualitative physics based on confluences **24** (1–3) (1984) 7–83
292. K.D. Forbus, Qualitative process theory **24** (1–3) (1984) 85–168
293. B.J. Kuipers, Commonsense reasoning about causality: deriving behavior from structure **24** (1–3) (1984) 169–203
294. J. de Kleer, How circuits work **24** (1–3) (1984) 205–280
295. B.C. Williams, Qualitative analysis of MOS circuits **24** (1–3) (1984) 281–346
296. R. Davis, Diagnostic reasoning based on structure and behavior **24** (1–3) (1984) 347–410
297. M.R. Genesereth, The use of design descriptions in automated diagnosis **24** (1–3) (1984) 411–436
298. H.G. Barrow, VERIFY: a program for proving correctness of digital hardware designs **24** (1–3) (1984) 437–491
299. B.J. Grosz, Natural-language processing (Correspondent's Report) **25** (1) (1985) 1–4
300. T. Lozano-Pérez, Compliance in robot manipulation (Correspondent's Report) **25** (1) (1985) 5–12
301. G. Bossu and P. Siegel, Saturation, nonmonotonic reasoning and the closed-world assumption **25** (1) (1985) 13–63
302. A.K. Mackworth and E.C. Freuder, The complexity of some polynomial network consistency algorithms for constraint satisfaction problems **25** (1) (1985) 65–74
303. R.C. Moore, Semantical considerations on nonmonotonic logic **25** (1) (1985) 75–94
304. C. Glymour, Independence assumptions and Bayesian updating **25** (1) (1985) 95–99
305. C.L. Dym, Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) **25** (1) (1985) 101–104
306. J. de Kleer, Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) **25** (1) (1985) 105–107
307. S. Niizuma and T. Kitahashi, A problem-decomposition method using differences or equivalence relations between states **25** (2) (1985) 117–151
308. R. Alterman, A dictionary based on concept coherence **25** (2) (1985) 153–186

309. T.G. Dietterich and R.S. Michalski, Discovering patterns in sequences of events **25** (2) (1985) 187–232
310. K. VanLehn, Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell) **25** (2) (1985) 233–236
311. M.J. Stefik, Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell) **25** (2) (1985) 236–238
312. C.L. Dym, Book review of *A Practical Guide to Designing Expert Systems* (S.M. Weiss and C.A. Kulikowski) **25** (2) (1985) 238–239
313. E.E. Smith, Cognitive Psychology (Correspondent's Report) **25** (3) (1985) 247–253
314. J. Hsiang, Refutational theorem proving using term-rewriting systems **25** (3) (1985) 255–300
315. D. Perlis, Languages with self-reference I: foundations. (or: We can have everything in first-order logic!) **25** (3) (1985) 301–322
316. N. Dershowitz, Synthetic programming **25** (3) (1985) 323–373
317. D.G. Bobrow and P.J. Hayes, Artificial Intelligence—where are we? **25** (3) (1985) 375–415
318. D.E. Appelt, Planning English referring expressions **26** (1) (1985) 1–33
319. R.E. Korf, Macro-operators: a weak method for learning **26** (1) (1985) 35–77
320. M. Brady, Artificial Intelligence and Robotics **26** (1) (1985) 79–121
321. C.-H. Lee and A. Rosenfeld, Improved methods of estimating shape from shading using the light source coordinate system **26** (2) (1985) 125–143
322. S.J. Lee, R.M. Haralick and M.C. Zhang, Understanding objects with curved surfaces from a single perspective view of boundaries **26** (2) (1985) 145–169
323. D.E. Smith and M.R. Genesereth, Ordering conjunctive queries **26** (2) (1985) 171–215
324. C. Walther, A mechanical solution of Schubert's steamroller by many-sorted resolution **26** (2) (1985) 217–224
325. D. Auguste, Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown) **26** (2) (1985) 233–238
326. M. Stefik, Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown) **26** (2) (1985) 238–245
327. B. Hayes-Roth, A blackboard architecture for control **26** (3) (1985) 251–321
328. J. Gordon and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space **26** (3) (1985) 323–357
329. K.R. McKeown, Discourse strategies for generating natural-language text **27** (1) (1985) 1–41
330. D.R. Smith, Top-down synthesis of divide-and-conquer algorithms **27** (1) (1985) 43–96
331. R.E. Korf, Depth-first iterative-deepening: an optimal admissible tree search **27** (1) (1985) 97–109
332. W.J. Clancey, Book review of *Conceptual Structures—Information Processing in Mind and Machine [Systems Programming Series]* (J.F. Sowa) **27** (1) (1985) 113–124
333. K.D. Forbus, Book review of *Structure and Interpretation of Computer Programs* (H. Abelson and G.J. Sussman with J. Sussman) **27** (1) (1985) 124–127
334. D. Reese, Book review of *Artificial Intelligence, 2nd Ed.* (P.H. Winston) **27** (1) (1985) 127–128
335. A. Bundy, B. Silver and D. Plummer, An analytical comparison of some rule-learning programs **27** (2) (1985) 137–181
336. Y. Descotte and J.-C. Latombe, Making compromises among antagonist constraints in a planner **27** (2) (1985) 183–217
337. L. Bic, Processing of semantic nets on dataflow architectures **27** (2) (1985) 219–227
338. V. Lifschitz, Closed-world databases and circumscription **27** (2) (1985) 229–235
339. M.J. Stefik, Book review of *Minds, Machines, and Evolution* (C. Hookway) **27** (2) (1985) 237–245
340. M.J. Stefik, Book review of *Vehicles: Experiments in Synthetic Psychology* (V. Braitenberg) **27** (2) (1985) 246–248
341. W.W. Bledsoe, K. Kunen and R. Shostak, Completeness results for inequality provers **27** (3) (1985) 255–288
342. W.J. Clancey, Heuristic classification **27** (3) (1985) 289–350

343. H. Berliner and C. Ebeling, The SUPREM architecture: a new intelligent paradigm (Research Note) **28** (1) (1986) 3–8
344. J. Pearl, On evidential reasoning in a hierarchy of hypotheses (Research Note) **28** (1) (1986) 9–15
345. V. Lifschitz, On the satisfiability of circumscription (Research Note) **28** (1) (1986) 17–27
346. D. Perlis and J. Minker, Completeness results for circumscription **28** (1) (1986) 29–42
347. R.E. Stepp and R.S. Michalski, Conceptual clustering of structured objects: a goal-oriented approach **28** (1) (1986) 43–69
348. N.J. Nilsson, Probabilistic logic **28** (1) (1986) 71–87
349. J. McCarthy, Applications of circumscription to formalizing common-sense knowledge **28** (1) (1986) 89–116
350. R. Rada, Book review of *Artificial Intelligence* (Elaine Rich) **28** (1) (1986) 119–121
351. J. de Kleer, An assumption-based TMS **28** (2) (1986) 127–162
352. J. de Kleer, Extending the ATMS **28** (2) (1986) 163–196
353. J. de Kleer, Problem solving with the ATMS **28** (2) (1986) 197–224
354. R. Mohr and T.C. Henderson, Arc and path consistency revisited (Research Note) **28** (2) (1986) 225–233
355. K. VanLehn, Book review of *The Architecture of Cognition* (John R. Anderson) **28** (2) (1986) 235–240
356. A.R. Haas, A syntactic theory of belief and action **28** (3) (1986) 245–292
357. A.P. Pentland, Perceptual organization and the representation of natural form **28** (3) (1986) 293–331
358. R.R. Kadesch, Subjective inference with multiple evidence (Research Note) **28** (3) (1986) 333–341
359. Y. Iwasaki and H.A. Simon, Causality in device behavior **29** (1) (1986) 3–32
360. J. de Kleer and J.S. Brown, Theories of causal ordering **29** (1) (1986) 33–61
361. Y. Iwasaki and H.A. Simon, Theories of causal ordering: reply to de Kleer and Brown **29** (1) (1986) 63–72
362. T. Ibaraki, Generalization of alpha–beta and SSS* search procedures **29** (1) (1986) 73–117
363. R.S. Michalski and P.H. Winston, Variable precision logic **29** (2) (1986) 121–146
364. A.P. Pentland, Shading into texture **29** (2) (1986) 147–170
365. M. Selfridge, A computer model of child language learning **29** (2) (1986) 171–216
366. R.W. Johnson, Independence and Bayesian updating methods (Research Note) **29** (2) (1986) 217–222
367. R.J. Kleiman, Book review of *Semantics and Cognition* (R. Jackendoff) **29** (2) (1986) 225–235
368. J. Pearl, Fusion, propagation, and structuring in belief networks **29** (3) (1986) 241–288
369. B. Kuipers, Qualitative simulation **29** (3) (1986) 289–338
370. P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Heuristic search through islands (Research Note) **29** (3) (1986) 339–347
371. D.S. Weld, The use of aggregation in causal simulation **30** (1) (1986) 1–34
372. M.L. Ginsberg, Counterfactuals **30** (1) (1986) 35–79
373. H.J. Levesque, Making believers out of computers **30** (1) (1986) 81–108
374. F.M. Brown, An experimental logic based on the fundamental deduction principle **30** (2) (1986) 117–263
375. M. Gelfond and H. Przymusinska, Negation as failure: careful closure procedure **30** (3) (1986) 273–287
376. M. Herman and T. Kanade, Incremental reconstruction of 3D scenes from multiple, complex images **30** (3) (1986) 289–341
377. D.E. Smith, M.R. Genesereth and M.L. Ginsberg, Controlling recursive inference **30** (3) (1986) 343–389
378. K. VanLehn, Learning one subprocedure per lesson **31** (1) (1987) 1–40
379. D.W. Etherington, Formalizing nonmonotonic reasoning systems **31** (1) (1987) 41–85
380. P.L. Mott, A theorem on the consistency of circumscription (Research Note) **31** (1) (1987) 87–98

381. R.R. Yager, Using approximate reasoning to represent default knowledge (Research Note) **31** (1) (1987) 99–112
382. D. Kapur and D.R. Musser, Proof by consistency **31** (2) (1987) 125–157
383. J.H. Connell and M. Brady, Generating and generalizing models of visual objects **31** (2) (1987) 159–183
384. T.A. Marsland, A. Reinefeld and J. Schaeffer, Low overhead alternatives to SSS* (Research Note) **31** (2) (1987) 185–199
385. D. Perlis, Circumscribing with sets (Research Note) **31** (2) (1987) 201–211
386. A. Vellino, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores)) **31** (2) (1987) 213–220
387. M.J. Stefik and D.G. Bobrow, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 220–226
388. L.A. Suchman, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 227–232
389. W.J. Clancey, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) **31** (2) (1987) 232–250
390. T. Winograd and F. Flores, On *Understanding Computers and Cognition: A New Foundation for Design*, a response to the reviews **31** (2) (1987) 250–261
391. H.E. Kyburg Jr, Bayesian and non-Bayesian evidential updating **31** (3) (1987) 271–293
392. B.R. Donald, A search algorithm for motion planning with six degrees of freedom **31** (3) (1987) 295–353
393. D.G. Lowe, Three-dimensional object recognition from single two-dimensional images **31** (3) (1987) 355–395
394. T.L. Dean and D.V. McDermott, Temporal data base management **32** (1) (1987) 1–55
395. R. Reiter, A theory of diagnosis from first principles **32** (1) (1987) 57–95
396. J. de Kleer and B.C. Williams, Diagnosing multiple faults **32** (1) (1987) 97–130
397. T. Imielinski, Results on translating defaults to circumscription (Research Note) **32** (1) (1987) 131–146
398. D.E. Shaw, On the range of applicability of an artificial intelligence machine **32** (2) (1987) 151–172
399. B.J. Grosz, D.E. Appelt, P.A. Martin and F.C.N. Pereira, TEAM: an experiment in the design of transportable natural-language interfaces **32** (2) (1987) 173–243
400. J. Pearl, Evidential reasoning using stochastic simulation of causal models (Research Note) **32** (2) (1987) 245–257
401. S. Cushing, Some quantifiers require two-predicate scopes (Research Note) **32** (2) (1987) 259–267
402. J. Shrager, Book review of *Universal Subgoaling and Chunking: The Automatic Generation and Learning of Goal Hierarchies* (John Laird, Paul Rosenbloom and Allen Newell) **32** (2) (1987) 269–273
403. E. Davis, Constraint propagation with interval labels **32** (3) (1987) 281–331
404. D. Chapman, Planning for conjunctive goals **32** (3) (1987) 333–377
405. J.Y. Halpern and M.O. Rabin, A logic to reason about likelihood **32** (3) (1987) 379–405
406. J.E. Laird, A. Newell and P.S. Rosenbloom, SOAR: an architecture for general intelligence **33** (1) (1987) 1–64
407. R.E. Korf, Planning as search: a quantitative approach **33** (1) (1987) 65–88
408. Y. Shoham, Temporal logics in AI: semantical and ontological considerations **33** (1) (1987) 89–104
409. J.P. Delgrande, A first-order conditional logic for prototypical properties **33** (1) (1987) 105–130
410. T.D. Koschmann, Book review of *Mind over Machine: The Power of Human Intuition and Expertise in the Era of the Computer* (Hubert L. Dreyfus and Stuart E. Dreyfus) **33** (1) (1987) 135–140
411. S. Rock, Book review of *Robot Technology, Volume* 1: *Modelling and Control, and Volume* 2: *Interaction with the Environment* (Philippe Coiffet) **33** (1) (1987) 141–142
412. B.A. Huberman and T. Hogg, Phase transitions in artificial intelligence systems **33** (2) (1987) 155–171

413. J. Pearl, Distributed revision of composite beliefs **33** (2) (1987) 173–215
414. S.N. Srihari and R.M. Božinović, A multi-level perception approach to reading cursive script **33** (2) (1987) 217–255
415. S.W. Smoliar, Book review of *Conceptual Structures: Information Processing in Mind and Machine* (J.F. Sowa) **33** (2) (1987) 259–266
416. G. Shafer and R. Logan, Implementing Dempster's rule for hierarchical evidence **33** (3) (1987) 271–298
417. H.-H. Nagel, On the estimation of optical flow: relations between different approaches and some new results **33** (3) (1987) 299–324
418. P.S. Jacobs, Knowledge-intensive natural language generation **33** (3) (1987) 325–378
419. S. Hanks and D. McDermott, Nonmonotonic logic and temporal projection **33** (3) (1987) 379–412
420. R. Dechter and J. Pearl, Network-based heuristics for constraint-satisfaction problems **34** (1) (1987) 1–38
421. R. Fagin and J.Y. Halpern, Belief, awareness, and limited reasoning **34** (1) (1987) 39–76
422. R.L. Rivest, Game tree searching by min/max approximation **34** (1) (1987) 77–96
423. P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Admissibility of AO* when heuristics overestimate (Research Note) **34** (1) (1987) 97–113
424. R.P. Loui, Book review of *Change in View* (G. Harman) **34** (1) (1987) 119–124
425. G. Hirst, Semantic interpretation and ambiguity **34** (2) (1988) 131–177
426. D. Perlis, Languages with self-reference II: knowledge, belief, and modality **34** (2) (1988) 179–212
427. M. Leyton, A process-grammar for shape **34** (2) (1988) 213–247
428. S.W. Smoliar, Book review of *Epistemology and Cognition* (A.I. Goldman) **34** (2) (1988) 251–264
429. A.I. Goldman, On *Epistemology and Cognition*, a response to the review by S.W. Smoliar **34** (2) (1988) 265–267
430. E. Charniak, Motivation analysis, abductive unification, and nonmonotonic equality **34** (3) (1988) 275–295
431. W.K. Yeap, Towards a computational theory of cognitive maps **34** (3) (1988) 297–360
432. J.N. MacGregor, The effects of order on learning classifications by example: heuristics for finding the optimal order (Research Note) **34** (3) (1988) 361–370
433. B. Nebel, Computational complexity of terminological reasoning in BACK (Research Note) **34** (3) (1988) 371–383
434. D. Cvetković and I. Pevac, Man–machine theorem proving in graph theory **35** (1) (1988) 1–23
435. J.P. Martins and S.C. Shapiro, A model for belief revision **35** (1) (1988) 25–79
436. R. Greiner, Learning by understanding analogies **35** (1) (1988) 81–125
437. C.-H. Lee, A comparison of two evidential reasoning schemes (Research Note) **35** (1) (1988) 127–134
438. M.J. Stefik, On Book Reviews: policy and process **35** (1) (1988) 135–136
439. D.S. Weld, Book review of *Women, Fire, and Dangerous Things* (George Lakoff) **35** (1) (1988) 137–141
440. C.-H. Lee, Interpreting image curve from multiframes **35** (2) (1988) 145–163
441. M.L. Ginsberg and D.E. Smith, Reasoning about action I: a possible worlds approach **35** (2) (1988) 165–195
442. A. Ginsberg, S.M. Weiss and P. Politakis, Automatic knowledge base refinement for classification systems **35** (2) (1988) 197–226
443. R.M. Keller, Defining operationality for explanation-based learning **35** (2) (1988) 227–241
444. D. Dubois and H. Prade, Default reasoning and possibility theory (Research Note) **35** (2) (1988) 243–257
445. J. Pearl, Embracing causality in default reasoning (Research Note) **35** (2) (1988) 259–271
446. M.P. Wellman, Book review of *Expert Critiquing Systems: Practice-Based Medical Consultation by Computer* (P.L. Miller) **35** (2) (1988) 273–276
447. D.A. McAllester, Conspiracy numbers for min–max search **35** (3) (1988) 287–310

448. M.L. Ginsberg and D.E. Smith, Reasoning about action II: the qualification problem **35** (3) (1988) 311–342
449. K. Konolige, On the relation between default and autoepistemic logic **35** (3) (1988) 343–382
450. P.H. Morris, The anomalous extension problem in default reasoning **35** (3) (1988) 383–399
451. W. Bibel, Constraint satisfaction from a deductive viewpoint (Research Note) **35** (3) (1988) 401–413
452. K.-F. Lee and S. Mahajan, A pattern classification approach to evaluation function learning **36** (1) (1988) 1–25
453. D. Poole, A logical framework for default reasoning **36** (1) (1988) 27–47
454. Y. Shoham and D. McDermott, Problems in formal temporal reasoning **36** (1) (1988) 49–61
455. J.P. Delgrande, An approach to default reasoning based on a first-order conditional logic: revised report **36** (1) (1988) 63–90
456. D. Terzopoulos, A. Witkin and M. Kass, Constraints on deformable models: recovering 3D shape and nonrigid motion **36** (1) (1988) 91–123
457. C.-C. Han and C.-H. Lee, Comments on Mohr and Henderson's path consistency algorithm (Research Note) **36** (1) (1988) 125–130
458. S.W. Smoliar, Book review of *The Robot's Dilemma: The Frame Problem in Artificial Intelligence* (Zenon W. Pylyshyn, ed.) **36** (1) (1988) 131–137
459. W. Buntine, Generalized subsumption and its applications to induction and redundancy **36** (2) (1988) 149–176
460. D. Haussler, Quantifying inductive bias: AI learning algorithms and Valiant's learning framework **36** (2) (1988) 177–221
461. D. Perlis, Autocircumscription (Research Note) **36** (2) (1988) 223–236
462. H.-W. Güsgen and J. Hertzberg, Some fundamental properties of local constraint propagation (Research Note) **36** (2) (1988) 237–247
463. G. Escalada-Imaz and M. Ghallab, A practically efficient and almost linear unification algorithm (Research Note) **36** (2) (1988) 249–263
464. Y. Shoham, Chronological ignorance: experiments in nonmonotonic temporal reasoning **36** (3) (1988) 279–331
465. D.S. Weld, Comparative analysis **36** (3) (1988) 333–373
466. T. Dean and M. Boddy, Reasoning about partially ordered events **36** (3) (1988) 375–399
467. F. van Harmelen and A. Bundy, Explanation-based generalisation = partial evaluation (Research Note) **36** (3) (1988) 401–412
468. D. Kapur and J.L. Mundy, Geometric reasoning and artificial intelligence: introduction to the Special Volume **37** (1–3) (1988) 1–11
469. D. Kapur and J.L. Mundy, Wu's method and its application to perspective viewing **37** (1–3) (1988) 15–36
470. D.S. Arnon, Geometric reasoning with logic and algebra **37** (1–3) (1988) 37–60
471. D. Kapur, A refutational approach to geometry theorem proving **37** (1–3) (1988) 61–93
472. H.-P. Ko, Geometry theorem proving by decomposition of quasi-algebraic sets: an application of the Ritt–Wu principle **37** (1–3) (1988) 95–122
473. J.A. Goguen, Modular algebraic specification of some basic geometrical constructions **37** (1–3) (1988) 123–153
474. J.T. Schwartz and M. Sharir, A survey of motion planning and related geometric algorithms **37** (1–3) (1988) 157–169
475. J.S.B. Mitchell, An algorithmic approach to some problems in terrain navigation **37** (1–3) (1988) 171–201
476. J. Canny, Constructing roadmaps of semi-algebraic sets I: completeness **37** (1–3) (1988) 203–222
477. B.R. Donald, A geometric approach to error detection and recovery for robot motion planning with uncertainty **37** (1–3) (1988) 223–271
478. E.L. Walker and M. Herman, Geometric reasoning for constructing 3D scene descriptions from images **37** (1–3) (1988) 275–290

479. M. Barry, D. Cyrluk, D. Kapur, J. Mundy and V.-D. Nguyen, A multi-level geometric reasoning system for vision **37** (1–3) (1988) 291–332
480. R. Horaud and M. Brady, On the geometric interpretation of image contours **37** (1–3) (1988) 333–353
481. C. Hoffmann and J. Hopcroft, The geometry of projective blending surfaces **37** (1–3) (1988) 357–376
482. V.J. Milenkovic, Verifiable implementations of geometric algorithms using finite precision arithmetic **37** (1–3) (1988) 377–401
483. A. Fleming, Geometric relationships between toleranced features **37** (1–3) (1988) 403–412
484. K. Kanatani and T.-C. Chou, Shape from texture: general principle **38** (1) (1989) 1–48
485. T.C. Przymusinski, An algorithm to compute circumscription **38** (1) (1989) 49–73
486. M. Gelfond, H. Przymusinska and T. Przymusinski, On the relationship between circumscription and negation as failure **38** (1) (1989) 75–94
487. J.B.H. Kwa, BS*: an admissible bidirectional staged heuristic search algorithm (Research Note) **38** (1) (1989) 95–109
488. A. Rabinov, A generalization of collapsible cases of circumscription (Research Note) **38** (1) (1989) 111–117
489. S.W. Smoliar, Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) **38** (1) (1989) 119–124
490. J.F. Sowa, Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) **38** (1) (1989) 125–131
491. N. Nilsson, On *Logical Foundations of Artificial Intelligence*, a response to the reviews by S. Smoliar and J. Sowa **38** (1) (1989) 132–133
492. F. Gardin and B. Meltzer, Analogical representations of naive physics **38** (2) (1989) 139–159
493. H. Berliner and C. Ebeling, Pattern knowledge and search: the SUPREM architecture **38** (2) (1989) 161–198
494. G.F. Shvarts, Fixed points in the propositional nonmonotonic logic (Research Note) **38** (2) (1989) 199–206
495. W.-C. Lin, C.-C. Liang and C.-T. Chen, A computational model for process-grammar (Research Note) **38** (2) (1989) 207–224
496. V. Lifschitz and A. Rabinov, Miracles in formal theories of action (Research Note) **38** (2) (1989) 225–237
497. A.K. Mackworth, Book review of *Computation and Cognition: Toward a Foundation of Cognitive Science* (Z.W. Pylyshyn) **38** (2) (1989) 239–240
498. M.J. Stefik, Book review of *Computation and Cognition: Toward a Foundation of Cognitive Science* (Z.W. Pylyshyn) **38** (2) (1989) 241–247
499. Z. Pylyshyn, On *Computation and Cognition: Toward a Foundation of Cognitive Science*, a response to the reviews by A.K. Mackworth and M.J. Stefik **38** (2) (1989) 248–251
500. D. Pastre, MUSCADET: an automatic theorem proving system using knowledge and metaknowledge in mathematics **38** (3) (1989) 257–318
501. P.F. Patel-Schneider, A four-valued semantics for terminological logics **38** (3) (1989) 319–351
502. R. Dechter and J. Pearl, Tree clustering for constraint networks (Research Note) **38** (3) (1989) 353–366
503. S. Marcus and J. McDermott, SALT: a knowledge acquisition language for propose-and-revise systems **39** (1) (1989) 1–37
504. R.P. Hall, Computational approaches to analogical reasoning: a comparative analysis **39** (1) (1989) 39–120
505. S.W. Smoliar, Book review of *Neural Darwinism: The Theory of Neuronal Group Selection* (Gerald M. Edelman) **39** (1) (1989) 121–136
506. L. Spector and J. Hendler, Book review of *Minimal Rationality* (Christopher Cherniak) **39** (1) (1989) 137–139
507. D.E. Smith, Controlling backward inference **39** (2) (1989) 145–208
508. M.L. Ginsberg, A circumscriptive theorem prover **39** (2) (1989) 209–230

509. G. Priest, Reasoning about truth (Research Note) **39** (2) (1989) 231–244
510. D. Perlis, Truth and meaning (Research Note) **39** (2) (1989) 245–250
511. P. Besnard, Y. Moinard and R.E. Mercer, The importance of open and recursive circumscription (Research Note) **39** (2) (1989) 251–262
512. P.F. Patel-Schneider, Undecidability of subsumption in NIKL (Research Note) **39** (2) (1989) 263–272
513. C. Ravi Shankar, Book review of *Prolog and Natural-Language Analysis* [*CSLI Lecture Notes* 10] (Fernando C.N. Pereira and Stuart M. Sheiber) **39** (2) (1989) 275–278
514. L. Shastri, Default reasoning in semantic networks: a formalization of recognition and inheritance **39** (3) (1989) 283–355
515. G. Tesauro and T.J. Sejnowski, A parallel network that learns to play backgammon **39** (3) (1989) 357–390
516. J. de Kleer and K. Konolige, Eliminating the fixed predicates from a circumscription (Research Note) **39** (3) (1989) 391–398
517. J.G. Carbonell, Introduction: paradigms for machine learning **40** (1–3) (1989) 1–9
518. J.H. Gennari, P. Langley and D. Fisher, Models of incremental concept formation **40** (1–3) (1989) 11–61
519. S. Minton, J.G. Carbonell, C.A. Knoblock, D.R. Kuokka, O. Etzioni and Y. Gil, Explanation-based learning: a problem solving perspective **40** (1–3) (1989) 63–118
520. J. Mostow, Design by derivational analogy: issues in the automated replay of design plans **40** (1–3) (1989) 119–184
521. G.E. Hinton, Connectionist learning procedures **40** (1–3) (1989) 185–234
522. L.B. Booker, D.E. Goldberg and J.H. Holland, Classifier systems and genetic algorithms **40** (1–3) (1989) 235–282
523. P. Langley and J.M. Zytkow, Data-driven approaches to empirical discovery **40** (1–3) (1989) 283–312
524. J.R. Anderson, A theory of the origins of human knowledge **40** (1–3) (1989) 313–351
525. R.C. Schank and D.B. Leake, Creativity and learning in a case-based explainer **40** (1–3) (1989) 353–385
526. B. Falkenhainer, K.D. Forbus and D. Gentner, The structure-mapping engine: algorithm and examples **41** (1) (1989) 1–63
527. K.B. Laskey and P.E. Lehner, Assumptions, beliefs and probabilities **41** (1) (1989) 65–77
528. R. Greiner, B.A. Smith and R.W. Wilkerson, A correction to the algorithm in Reiter's theory of diagnosis (Research Note) **41** (1) (1989) 79–88
529. M.C. Cooper, An optimal k-consistency algorithm (Research Note) **41** (1) (1989) 89–95
530. D. Joslin and J. Roach, A theoretical analysis of conjunctive-goal problems (Research Note) **41** (1) (1989) 97–106
531. D.S. Weld, Book review of *The Psychology of Everyday Things* (Donald A. Norman) **41** (1) (1989) 111–114
532. R. Reiter and A.K. Mackworth, A logical framework for depiction and image interpretation **41** (2) (1989) 125–155
533. K.F. McCoy, Generating context-sensitive responses to object-related misconceptions **41** (2) (1989) 157–195
534. P.P. Chakrabarti, S. Ghose, A. Acharya and S.C. de Sarkar, Heuristic search in restricted memory (Research Note) **41** (2) (1989) 197–221
535. X. Nie and D.A. Plaisted, Refinements to depth-first iterative-deepening search in automatic theorem proving (Research Note) **41** (2) (1989) 223–235
536. D. de Schreye, M. Bruynooghe and K. Verschaetse, On the existence of nonterminating queries for a restricted class of PROLOG-clauses (Research Note) **41** (2) (1989) 237–248
537. J. Shrager, Book review of *Induction: Process of Inference, Learning and Discovery* (John H. Holland, Keith J. Holyoak, Richard E. Nisbett, and Paul R. Thagard) **41** (2) (1989) 249–252
538. W.-M. Shen, Functional transformations in AI discovery systems **41** (3) (1990) 257–272

539. R. Dechter, Enhancement schemes for constraint processing: backjumping, learning, and cutset decomposition **41** (3) (1990) 273–312
540. E. Sacks, Automatic qualitative analysis of dynamic systems using piecewise linear approximations **41** (3) (1990) 313–364
541. J. Bell, The logic of nonmonotonicity (Research Note) **41** (3) (1990) 365–374
542. W.J. Clancey and E. Soloway, Artificial intelligence and learning environments: Preface **42** (1) (1990) 1–6
543. J.R. Anderson, C.F. Boyle, A.T. Corbett and M.W. Lewis, Cognitive modeling and intelligent tutoring **42** (1) (1990) 7–49
544. W.L. Johnson, Understanding and debugging novice programs **42** (1) (1990) 51–97
545. B.Y. White and J.R. Frederiksen, Causal model progressions as a foundation for intelligent learning environments **42** (1) (1990) 99–157
546. A. Galton, A critical examination of Allen's theory of action and time **42** (2–3) (1990) 159–188
547. R.E. Korf, Real-time heuristic search **42** (2–3) (1990) 189–211
548. P.R. Cohen and H.J. Levesque, Intention is choice with commitment **42** (2–3) (1990) 213–261
549. H.J. Levesque, All I know: a study in autoepistemic logic **42** (2–3) (1990) 263–309
550. J.F. Horty, R.H. Thomason and D.S. Touretzky, A skeptical theory of inheritance in nonmonotonic semantic networks **42** (2–3) (1990) 311–348
551. E. Sacks, A dynamic systems perspective on qualitative simulation **42** (2–3) (1990) 349–362
552. S. Minton, Quantitative results concerning the utility of explanation-based learning **42** (2–3) (1990) 363–391
553. G.F. Cooper, The computational complexity of probabilistic inference using Bayesian belief networks (Research Note) **42** (2–3) (1990) 393–405
554. H.J. Berliner and D.F. Beal, Introduction **43** (1) (1990) 1–5
555. H.J. Berliner, G. Goetsch, M.S. Campbell and C. Ebeling, Measuring the performance potential of chess programs **43** (1) (1990) 7–20
556. K.-F. Lee and S. Mahajan, The development of a world class Othello program **43** (1) (1990) 21–36
557. H. Horacek, Reasoning with uncertainty in computer chess **43** (1) (1990) 37–56
558. I. Althöfer, An incremental negamax algorithm **43** (1) (1990) 57–65
559. J. Schaeffer, Conspiracy numbers **43** (1) (1990) 67–84
560. D.F. Beal, A generalised quiescence search algorithm **43** (1) (1990) 85–98
561. T. Anantharaman, M.S. Campbell and F.-H. Hsu, Singular extensions: adding selectivity to brute-force searching **43** (1) (1990) 99–109
562. S.T. Dekker, H.J. van den Herik and I.S. Herschberg, Perfect knowledge revisited **43** (1) (1990) 111–123
563. A. Ligęza, Dynamic backward reasoning systems **43** (2) (1990) 127–152
564. E.H. Hovy, Pragmatics and natural language generation **43** (2) (1990) 153–197
565. S.S. Chen, J.M. Keller and R.M. Crownover, Shape from fractal geometry **43** (2) (1990) 199–218
566. C. Elkan, A rational reconstruction of nonmonotonic truth maintenance systems (Research Note) **43** (2) (1990) 219–234
567. B. Nebel, Terminological reasoning is inherently intractable (Research Note) **43** (2) (1990) 235–249
568. M. Derthick, Book review of *Connections and Symbols* [Reprinted from *Cognition: International Journal of Cognitive Science* 28 (1988)] (Steven Pinker and Jacques Mehler, eds.) **43** (2) (1990) 251–265
569. R.T. Frankot and R. Chellappa, Estimation of surface topography from SAR imagery using shape from shading techniques **43** (3) (1990) 271–310
570. D.S. Weld, Exaggeration **43** (3) (1990) 311–368
571. J.H. Rieger, The geometry of view space of opaque objects bounded by smooth surfaces **44** (1–2) (1990) 1–40
572. O.D. Faugeras, E. Le Bras-Mehlman and J.D. Boissonnat, Representing stereo data with the Delaunay triangulation **44** (1–2) (1990) 41–87

573. B. Faltings, Qualitative kinematics in mechanisms **44** (1–2) (1990) 89–119
574. W.E.L. Grimson, The combinatorics of object recognition in cluttered environments using constrained search **44** (1–2) (1990) 121–165
575. S. Kraus, D. Lehmann and M. Magidor, Nonmonotonic reasoning, preferential models and cumulative logics **44** (1–2) (1990) 167–207
576. H. Altay Güvenir and G.W. Ernst, Learning problem solving strategies using refinement and macro generation **44** (1–2) (1990) 209–243
577. P. Orponen, Dempster's rule of combination is *#P*-complete (Research Note) **44** (1–2) (1990) 245–253
578. M.P. Wellman, Fundamental concepts of qualitative probabilistic networks **44** (3) (1990) 257–303
579. J.W. Shavlik and G.F. DeJong, Learning in mathematically-based domains: understanding and generalizing obstacle cancellations **45** (1–2) (1990) 1–45
580. S.M. Weiss, R.S. Galen and P.V. Tadepalli, Maximizing the predictive value of production rules **45** (1–2) (1990) 47–71
581. R. Bhaskar and A. Nigam, Qualitative physics using dimensional analysis **45** (1–2) (1990) 73–111
582. L.M. Wills, Automated program recognition: a feasibility demonstration **45** (1–2) (1990) 113–171
583. K.J. Hammond, Explaining and repairing plans that fail **45** (1–2) (1990) 173–228
584. B.W. Porter, R. Bareiss and R.C. Holte, Concept learning and heuristic classification in weak-theory domains **45** (1–2) (1990) 229–263
585. S. Kasif, On the parallel complexity of discrete relaxation in constraint satisfaction networks **45** (3) (1990) 275–286
586. B. Selman and H.A. Kautz, Model-preference default theories **45** (3) (1990) 287–322
587. A. Blake and C. Marinos, Shape from texture: estimation, isotropy and moments **45** (3) (1990) 323–380
588. J. de Kleer, Using crude probability estimates to guide diagnosis (Research Note) **45** (3) (1990) 381–391
589. G.E. Hinton, Preface to the Special Issue on Connectionist Symbol Processing **46** (1–2) (1990) 1–4
590. D.S. Touretzky, BoltzCONS: dynamic symbol structures in a connectionist network **46** (1–2) (1990) 5–46
591. G.E. Hinton, Mapping part–whole hierarchies into connectionist networks **46** (1–2) (1990) 47–75
592. J.B. Pollack, Recursive distributed representations **46** (1–2) (1990) 77–105
593. M. Derthick, Mundane reasoning by settling on a plausible model **46** (1–2) (1990) 107–157
594. P. Smolensky, Tensor product variable binding and the representation of symbolic structures in connectionist systems **46** (1–2) (1990) 159–216
595. M.F. St. John and J.L. McClelland, Learning and applying contextual constraints in sentence comprehension **46** (1–2) (1990) 217–257
596. P. Thagard, K.J. Holyoak, G. Nelson and D. Gochfeld, Analog retrieval by constraint satisfaction **46** (3) (1990) 259–310
597. J.Y. Halpern, An analysis of first-order logics of probability **46** (3) (1990) 311–350
598. T. Hrycej, Gibbs sampling in Bayesian networks (Research Note) **46** (3) (1990) 351–363
599. V. Lifschitz, Frames in the space of situations (Research Note) **46** (3) (1990) 365–376
600. D. Kirsh, Foundations of AI: the big issues **47** (1–3) (1991) 3–30
601. N.J. Nilsson, Logic and artificial intelligence **47** (1–3) (1991) 31–56
602. L. Birnbaum, Rigor mortis: a response to Nilsson's "Logic and artificial intelligence" **47** (1–3) (1991) 57–77
603. C. Hewitt, Open Information Systems Semantics for Distributed Artificial Intelligence **47** (1–3) (1991) 79–106
604. L. Gasser, Social conceptions of knowledge and action: DAI foundations and open systems semantics **47** (1–3) (1991) 107–138
605. R.A. Brooks, Intelligence without representation **47** (1–3) (1991) 139–159
606. D. Kirsh, Today the earwig, tomorrow man? **47** (1–3) (1991) 161–184
607. D.B. Lenat and E.A. Feigenbaum, On the thresholds of knowledge **47** (1–3) (1991) 185–250

608. B.C. Smith, The owl and the electric encyclopedia **47** (1–3) (1991) 251–288
609. P.S. Rosenbloom, J.E. Laird, A. Newell and R. McCarl, A preliminary analysis of the Soar architecture as a basis for general intelligence **47** (1–3) (1991) 289–325
610. D.A. Norman, Approaches to the study of intelligence **47** (1–3) (1991) 327–346
611. M. Schmidt-Schauß and G. Smolka, Attributive concept descriptions with complements **48** (1) (1991) 1–26
612. E.P. Sacks, Automatic analysis of one-parameter planar ordinary differential equations by intelligent numeric simulation **48** (1) (1991) 27–56
613. D.H. Ballard, Animate vision **48** (1) (1991) 57–86
614. R.L. Greene, Connectionist hashed associative memory (Research Note) **48** (1) (1991) 87–98
615. R.E. Korf, Multi-player alpha–beta pruning (Research Note) **48** (1) (1991) 99–111
616. S.K. Andersen, Book review of *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference* (Judea Pearl) **48** (1) (1991) 117–124
617. W.L. Johnson, Book review of *Intelligent Tutoring Systems: Lessons Learned* (J. Psotka, L.D. Massey and S.A. Mutter, eds.) **48** (1) (1991) 125–134
618. U. Montanari and F. Rossi, Constraint relaxation may be perfect **48** (2) (1991) 143–170
619. F. Voorbraak, On the justification of Dempster's rule of combination **48** (2) (1991) 171–197
620. D. Makinson and K. Schlechta, Floating conclusions and zombie paths: two deep difficulties in the "directly skeptical" approach to defeasible inheritance nets **48** (2) (1991) 199–209
621. J. Bell, Extended causal theories (Research Note) **48** (2) (1991) 211–224
622. E. Neufeld, Notes on "A clash of intuitions" (Research Note) **48** (2) (1991) 225–240
623. D. McLeod and P.L. Yanover, Book review of *Expert Database Systems: Proceedings from the Second International Conference* (Larry Kerschberg, ed.) **48** (2) (1991) 245–252
624. S.W. Smoliar, Book review of *How to Build a Person: A Prolegomenon* (John Pollock) **48** (2) (1991) 253–256
625. J. Doyle and R.S. Patil, Two theses of knowledge representation: language restrictions, taxonomic classification, and the utility of representation services **48** (3) (1991) 261–297
626. M.A. Peot and R.D. Shachter, Fusion and propagation with multiple observations in belief networks (Research Note) **48** (3) (1991) 299–318
627. M.G. Dyer, A society of ideas on cognition: review of Marvin Minsky's *The Society of Mind* **48** (3) (1991) 321–334
628. M. Ginsberg, Book review of *The Society of Mind* (Marvin Minsky) **48** (3) (1991) 335–339
629. R.J. Brachman, H.J. Levesque and R. Reiter, Introduction to the Special Volume on Knowledge Representation **49** (1–3) (1991) 1–3
630. A.B. Baker, Nonmonotonic reasoning in the framework of situation calculus **49** (1–3) (1991) 5–23
631. T. Bylander, D. Allemang, M.C. Tanner and J.R. Josephson, The computational complexity of abduction **49** (1–3) (1991) 25–60
632. R. Dechter, I. Meiri and J. Pearl, Temporal constraint networks **49** (1–3) (1991) 61–95
633. J. Doyle and M.P. Wellman, Impediments to universal preference-based default theories **49** (1–3) (1991) 97–128
634. O. Etzioni, Embedding decision-analytic control in a learning architecture **49** (1–3) (1991) 129–159
635. A.M. Frisch, The substitutional framework for sorted deduction: fundamental results on hybrid reasoning **49** (1–3) (1991) 161–198
636. G. Hirst, Existence assumptions in knowledge representation **49** (1–3) (1991) 199–242
637. H.A. Kautz and B. Selman, Hard problems for simple default logics **49** (1–3) (1991) 243–279
638. D. Poole, The effect of knowledge on belief: conditioning, specificity and the lottery paradox in default reasoning **49** (1–3) (1991) 281–307
639. T. Przymusinski, Three-valued nonmonotonic formalisms and semantics of logic programs **49** (1–3) (1991) 309–343
640. M. Rayner, On the applicability of nonmonotonic logic to formal reasoning in continuous time **49** (1–3) (1991) 345–360
641. S. Russell and E. Wefald, Principles of metareasoning **49** (1–3) (1991) 361–395

642. Y. Suganuma, Learning structures of visual patterns from single instances **50** (1) (1991) 1–36
643. F.C.N. Pereira and M.E. Pollack, Incremental interpretation **50** (1) (1991) 37–82
644. H.J. Suermondt and G.F. Cooper, Initialization for the method of conditioning in Bayesian belief networks (Research Note) **50** (1) (1991) 83–94
645. R. Greiner, Finding optimal derivation strategies in redundant knowledge bases (Research Note) **50** (1) (1991) 95–115
646. G.F. DeJong and J. Gratch, Book review of *Learning Search Control Knowledge: An Explanation-Based Approach* (Steve Minton) **50** (1) (1991) 117–127
647. G. Sutcliffe, Compulsory reduction in linear derivation systems (Letter to the Editor) **50** (1) (1991) 131–132
648. N. Eisinger, H.J. Ohlbach and A. Präcklein, Reduction rules for resolution-based systems **50** (2) (1991) 141–181
649. G. Brewka, Cumulative default logic: in defense of nonmonotonic inference rules **50** (2) (1991) 183–205
650. U.K. Sarkar, P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Reducing reexpansions in iterative-deepening search by controlling cutoff bounds (Research Note) **50** (2) (1991) 207–221
651. D. Dubois and H. Prade, Epistemic entrenchment and possibilistic logic (Research Note) **50** (2) (1991) 223–239
652. W.J. Clancey, Book review of *The Invention of Memory: A New View of the Brain* (Israel Rosenfield) **50** (2) (1991) 241–284
653. D. McDermott, A general framework for reason maintenance **50** (3) (1991) 289–329
654. A.S. Maida, Maintaining mental models of agents who have existential misconceptions **50** (3) (1991) 331–383
655. M.D. Vose, Generalizing the notion of schema in genetic algorithms (Research Note) **50** (3) (1991) 385–396
656. B.C. Williams and J. de Kleer, Qualitative reasoning about physical systems: a return to roots **51** (1–3) (1991) 1–9
657. O. Raiman, Order of magnitude reasoning **51** (1–3) (1991) 11–38
658. B.C. Williams, A theory of interactions: unifying qualitative and quantitative algebraic reasoning **51** (1–3) (1991) 39–94
659. B. Falkenhainer and K.D. Forbus, Compositional modeling: finding the right model for the job **51** (1–3) (1991) 95–143
660. S. Addanki, R. Cremonini and J.S. Penberthy, Graphs of models **51** (1–3) (1991) 145–177
661. K.M.-K. Yip, Understanding complex dynamics by visual and symbolic reasoning **51** (1–3) (1991) 179–221
662. W.C. Hamscher, Modeling digital circuits for troubleshooting **51** (1–3) (1991) 223–271
663. D. DeCoste, Dynamic across-time measurement interpretation **51** (1–3) (1991) 273–341
664. B.J. Kuipers, C. Chiu, D.T. Dalle Molle and D.R. Throop, Higher-order derivative constraints in qualitative simulation **51** (1–3) (1991) 343–379
665. L. Joskowicz and E.P. Sacks, Computational kinematics **51** (1–3) (1991) 381–416
666. K.D. Forbus, P. Nielsen and B. Faltings, Qualitative spatial reasoning: the CLOCK project **51** (1–3) (1991) 417–471
667. J.-C. Latombe, A. Lazanas and S. Shekhar, Robot motion planning with uncertainty in control and sensing **52** (1) (1991) 1–47
668. K. Currie and A. Tate, O-Plan: the open planning architecture **52** (1) (1991) 49–86
669. F. Bacchus, J. Tenenberg and J.A. Koomen, A non-reified temporal logic (Research Note) **52** (1) (1991) 87–108
670. I. Althöfer, Data compression using an intelligent generator: the storage of chess games as an example (Research Note) **52** (1) (1991) 109–113
671. M. Goldszmidt and J. Pearl, On the consistency of defeasible databases **52** (2) (1991) 121–149
672. C. Mellish, The description identification problem **52** (2) (1991) 151–167
673. M. Kubat, Conceptual inductive learning: the case of unreliable teachers (Research Note) **52** (2) (1991) 169–182

674. I. Althöfer and B. Balkenhol, A game tree with distinct leaf values which is easy for the alpha–beta algorithm (Research Note) **52** (2) (1991) 183–190
675. M. Freund, D. Lehmann and P. Morris, Rationality, transitivity, and contraposition (Research Note) **52** (2) (1991) 191–203
676. M.P. Wellman, Book review of *The Ecology of Computation* (B.A. Huberman, ed.) **52** (2) (1991) 205–218
677. D.W. Etherington, S. Kraus and D. Perlis, Nonmonotonicity and the scope of reasoning **52** (3) (1991) 221–261
678. H. Katsuno and A.O. Mendelzon, Propositional knowledge base revision and minimal change **52** (3) (1991) 263–294
679. W.J. Clancey, Model construction operators **53** (1) (1992) 1–115
680. G.R. Simari and R.P. Loui, A mathematical treatment of defeasible reasoning and its implementation **53** (2–3) (1992) 125–157
681. R.G. Simmons, The roles of associational and causal reasoning in problem solving **53** (2–3) (1992) 159–207
682. H. Geffner and J. Pearl, Conditional entailment: bridging two approaches to default reasoning **53** (2–3) (1992) 209–244
683. F.C. Lam and W.K. Yeap, Bayesian updating: on the interpretation of exhaustive and mutually exclusive assumptions (Research Note) **53** (2–3) (1992) 245–254
684. K. Konolige, Abduction versus closure in causal theories (Research Note) **53** (2–3) (1992) 255–272
685. J. Schaeffer, J. Culberson, N. Treloar, B. Knight, P. Lu and D. Szafron, A world championship caliber checkers program (Research Note) **53** (2–3) (1992) 273–289
686. L. De Raedt and M. Bruynooghe, Belief updating from integrity constraints and queries (Research Note) **53** (2–3) (1992) 291–307
687. F.M. Donini, M. Lenzerini, D. Nardi, B. Hollunder, W. Nutt and A. Marchetti Spaccamela, The complexity of existential quantification in concept languages (Research Note) **53** (2–3) (1992) 309–327
688. M. Perlin, Arc consistency for factorable relations (Research Note) **53** (2–3) (1992) 329–342
689. G.D. Kleiter, Bayesian diagnosis in expert systems **54** (1–2) (1992) 1–32
690. M.R. Wick and W.B. Thompson, Reconstructive expert system explanation **54** (1–2) (1992) 33–70
691. E. Saund, Putting knowledge into a visual shape representation **54** (1–2) (1992) 71–119
692. J. Van Baalen, Automated design of specialized representations **54** (1–2) (1992) 121–198
693. C. Freksa, Temporal reasoning based on semi-intervals **54** (1–2) (1992) 199–227
694. M.A. Arbib, Book review of *The Cognitive Structure of Emotions* (Andrew Ortony, Gerald L. Clore and Allan Collins) **54** (1–2) (1992) 229–240
695. H.S. Lee and M.I. Schor, Match algorithms for generalized Rete networks **54** (3) (1992) 249–274
696. J.Y. Halpern and R. Fagin, Two views of belief: belief as generalized probability and belief as evidence **54** (3) (1992) 275–317
697. J.Y. Halpern and Y. Moses, A guide to completeness and complexity for modal logics of knowledge and belief **54** (3) (1992) 319–379
698. C.J. Liau and B.I. Lin, Abstract minimality and circumscription (Research Note) **54** (3) (1992) 381–396
699. M. Cadoli, T. Eiter and G. Gottlob, An efficient method for eliminating varying predicates from a circumscription (Research Note) **54** (3) (1992) 397–410
889. X. Nie and D.A. Plaisted, A semantic backward chaining proof system **55** (1) (1992) 109–128
890. D. Lehmann and M. Magidor, What does a conditional knowledge base entail? **55** (1) (1992) 1–60
894. R. Dechter, From local to global consistency **55** (1) (1992) 87–108
895. D.A. McAllester and R. Givan, Natural language syntax and first-order inference **56** (1) (1992) 1–20
906. C. Zhang, Cooperation under uncertainty in distributed expert systems **56** (1) (1992) 21–69
907. R.M. Neal, Connectionist learning of belief networks **56** (1) (1992) 71–113

908. E.W. Coiera, Qualitative superposition **56** (2–3) (1992) 171–196
911. O. Dordan, Mathematical problems arising in qualitative simulation of a differential equation **55** (1) (1992) 61–86
912. J. York, Use of the Gibbs sampler in expert systems **56** (1) (1992) 115–130
913. J.L. Pollock, How to reason defeasibly **57** (1) (1992) 1–42
914. O. Hansson, A. Mayer and M. Valtorta, A new result on the complexity of heuristic estimates for the A^* algorithm (Research Note) **55** (1) (1992) 129–143
915. B. Faltings, A symbolic approach to qualitative kinematics **56** (2–3) (1992) 139–170
916. K. Inoue, Linear resolution for consequence finding **56** (2–3) (1992) 301–353
917. J. de Kleer, A.K. Mackworth and R. Reiter, Characterizing diagnoses and systems **56** (2–3) (1992) 197–222
918. D.S. Weld, Reasoning about model accuracy **56** (2–3) (1992) 255–300
919. N. Gupta and D.S. Nau, On the complexity of blocks-world planning **56** (2–3) (1992) 223–254
920. D.E. Foulser, M. Li and Q. Yang, Theory and algorithms for plan merging **57** (2–3) (1992) 143–181
921. M.E. Pollack, The uses of plans **57** (1) (1992) 43–68
922. F. Lin and Y. Shoham, A logic of knowledge and justified assumptions **57** (2–3) (1992) 271–289
923. N. Ward, A parallel approach to syntax for generation **57** (2–3) (1992) 183–225
924. P. Dagum and M. Luby, Approximating probabilistic inference in Bayesian belief networks is NP-hard (Research Note) **60** (1) (1993) 141–153
925. N. Roos, A logic for reasoning with inconsistent knowledge **57** (1) (1992) 69–103
926. T. Eiter and G. Gottlob, On the complexity of propositional knowledge base revision, updates, and counterfactuals **57** (2–3) (1992) 227–270
927. F. Giunchiglia and T. Walsh, A theory of abstraction **57** (2–3) (1992) 323–389
928. P.B. Ladkin and A. Reinefeld, Effective solution of qualitative interval constraint problems (Research Note) **57** (1) (1992) 105–124
929. P.C. Jackson Jr, Proving unsatisfiability for problems with constant cubic sparsity (Research Note) **57** (1) (1992) 125–137
930. O. Etzioni, A structural theory of explanation-based learning **60** (1) (1993) 93–139
931. Y. Shoham, Agent-oriented programming **60** (1) (1993) 51–92
932. A. Sloman, The emperor's real mind: review of Roger Penrose's *The Emperor's New Mind: Concerning Computers, Minds and the Laws of Physics* **56** (2–3) (1992) 355–396
933. D. Michie, Turing's Test and conscious thought **60** (1) (1993) 1–22
934. P. Van Hentenryck, Y. Deville and C.-M. Teng, A generic arc-consistency algorithm and its specializations **57** (2–3) (1992) 291–321
935. K. Thirunarayan and M. Kifer, A theory of nonmonotonic inheritance based on annotated logic **60** (1) (1993) 23–50
937. C. Elkan and R. Greiner, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 41–52
938. R. Neches, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 65–79
939. D. McDermott, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 53–63
940. D. Skuce, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 81–94
941. J.F. Sowa, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 95–104
942. W. Croft, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) **61** (1) (1993) 105–112
943. D.S. Weld, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) **61** (1) (1993) 113–120

944. M.S. Tuttle, Book review of *Representations of Commonsense Knowledge* (Ernest Davis) and *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) **61** (1) (1993) 121–148
945. R.V. Guha and D.B. Lenat, Re: CycLing paper reviews (Response) **61** (1) (1993) 149–174
946. E. Davis, *Representations of Commonsense Knowledge*: response to the reviews **61** (1) (1993) 175–179
947. E.C. Freuder and A.K. Mackworth, Introduction to the Special Volume on Constraint-Based Reasoning **58** (1–3) (1992) 1–2
948. A.K. Mackworth, The logic of constraint satisfaction **58** (1–3) (1992) 3–20
949. E.C. Freuder and R.J. Wallace, Partial constraint satisfaction **58** (1–3) (1992) 21–70
950. E. Hyvönen, Constraint reasoning based on interval arithmetic: the tolerance propagation approach **58** (1–3) (1992) 71–112
951. P. Van Hentenryck, H. Simonis and M. Dincbas, Constraint satisfaction using constraint logic programming **58** (1–3) (1992) 113–159
952. S. Minton, M.D. Johnston, A.B. Philips and P. Laird, Minimizing conflicts: a heuristic repair method for constraint satisfaction and scheduling problems **58** (1–3) (1992) 161–205
953. P.R. Cooper and M.J. Swain, Arc consistency: parallelism and domain dependence **58** (1–3) (1992) 207–235
954. R. Dechter and J. Pearl, Structure identification in relational data **58** (1–3) (1992) 237–270
955. M. Zweben, E. Davis, B. Daun, E. Drascher, M. Deale and M. Eskey, Learning to improve constraint-based scheduling **58** (1–3) (1992) 271–296
956. P. van Beek, Reasoning about qualitative temporal information **58** (1–3) (1992) 297–326
957. G.A. Kramer, A geometric constraint engine **58** (1–3) (1992) 327–360
958. Q. Yang, A theory of conflict resolution in planning **58** (1–3) (1992) 361–392
959. R.K. Lindsay, B.G. Buchanan, E.A. Feigenbaum and J. Lederberg, DENDRAL: a case study of the first expert system for scientific hypothesis formation **61** (2) (1993) 209–261
960. S. Marcus, Book review of *A Practical Guide to Knowledge Acquisition* (A. Carlisle Scott, Jan E. Clayton and Elizabeth L. Gibson) **60** (1) (1993) 167–170
961. D.L. Battle and M.D. Vose, Isomorphisms of genetic algorithms (Research Note) **60** (1) (1993) 155–165
962. C. Witteveen and G. Brewka, Skeptical reason maintenance and belief revision **61** (1) (1993) 1–36
963. G. Gottlob and C.G. Fermüller, Removing redundancy from a clause **61** (2) (1993) 263–289
964. L.E. Sucar, D.F. Gillies and D.A. Gillies, Objective probabilities in expert systems **61** (2) (1993) 187–208
965. R.E. Korf, Linear-space best-first search **62** (1) (1993) 41–78
966. B. Selman and H.J. Levesque, The complexity of path-based defeasible inheritance **62** (2) (1993) 303–339
967. C.R. Perrault, Book review of *Meaning and Grammar: An Introduction to Semantics* (Gennaro Chierchia and Sally McConnell-Ginet) **63** (1–2) (1993) 493–502
968. J. Oberlander, Book review of *Intentions in Communication* (Philip R. Cohen, Jerry Morgan and Martha E. Pollack, eds.) **63** (1–2) (1993) 511–520
969. D. Israel, Book review of *Language in Action: Categories, Lambdas and Dynamic Logic* (Johan van Benthem) **63** (1–2) (1993) 503–510
970. M. Jaeger, Circumscription: completeness reviewed (Research Note) **60** (2) (1993) 293–301
971. M. Thielscher, On prediction in Theorist (Research Note) **60** (2) (1993) 283–292
972. C. Powley, C. Ferguson and R.E. Korf, Depth-first heuristic search on a SIMD machine **60** (2) (1993) 199–242
973. B. Drabble, EXCALIBUR: a program for planning and reasoning with processes **62** (1) (1993) 1–40
974. A. Bundy, A. Stevens, F. van Harmelen, A. Ireland and A. Smaill, Rippling: a heuristic for guiding inductive proofs **62** (2) (1993) 185–253
975. J.S. Aikins, Prototypical knowledge for expert systems: a retrospective analysis **59** (1–2) (1993) 207–211

976. W.J. Clancey, Notes on "Heuristic classification" **59** (1–2) (1993) 191–196
977. W.J. Clancey, Notes on "Epistemology of a rule-based expert system" **59** (1–2) (1993) 197–204
978. R. Davis, B.G. Buchanan and E.H. Shortliffe, Retrospective on "Production rules as a representation for a knowledge-based consultation program" **59** (1–2) (1993) 181–189
979. B. Hayes-Roth, Intelligent control **59** (1–2) (1993) 213–220
980. R.E. Fikes, STRIPS, a retrospective **59** (1–2) (1993) 227–232
981. J. McDermott, R1 ("XCON") at age 12: lessons from an elementary school achiever **59** (1–2) (1993) 241–247
982. M.J. Stefik, J.S. Aikins, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, Retrospective on "The organization of expert systems, a tutorial" **59** (1–2) (1993) 221–224
983. E.A. Feigenbaum and B.G. Buchanan, DENDRAL and Meta-DENDRAL: roots of knowledge systems and expert system applications **59** (1–2) (1993) 233–240
984. R.C. Moore, Autoepistemic logic revisited **59** (1–2) (1993) 27–30
985. N.J. Nilsson, Probabilistic logic revisited **59** (1–2) (1993) 39–42
986. A. Newell, Reflections on the knowledge level **59** (1–2) (1993) 31–38
987. J. de Kleer, A perspective on assumption-based truth maintenance **59** (1–2) (1993) 63–67
988. A.K. Mackworth and E.C. Freuder, The complexity of constraint satisfaction revisited **59** (1–2) (1993) 57–62
989. R. Davis, Retrospective on "Diagnostic reasoning based on structure and behavior" **59** (1–2) (1993) 149–157
990. J. de Kleer, A view on qualitative physics **59** (1–2) (1993) 105–114
991. K.D. Forbus, Qualitative process theory: twelve years after **59** (1–2) (1993) 115–123
992. M.R. Genesereth, From Dart to Designworld: a chronicle of research on automated engineering in the Stanford Logic Group **59** (1–2) (1993) 159–165
993. Y. Iwasaki and H.A. Simon, Retrospective on "Causality in device behavior" **59** (1–2) (1993) 141–146
994. B.J. Kuipers, Reasoning with qualitative models **59** (1–2) (1993) 125–132
995. B.J. Kuipers, Qualitative simulation: then and now **59** (1–2) (1993) 133–140
996. J. Gordon and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space: a retrospective **59** (1–2) (1993) 43–47
997. J. Pearl, Belief networks revisited **59** (1–2) (1993) 49–56
998. P. Szolovits and S.G. Pauker, Categorical and probabilistic reasoning in medicine revisited **59** (1–2) (1993) 167–180
999. H.G. Barrow and J.M. Tenenbaum, Retrospective on "Interpreting line drawings as three-dimensional surfaces" **59** (1–2) (1993) 71–80
1000. B.K.P. Horn and B.G. Schunck, "Determining optical flow": a retrospective **59** (1–2) (1993) 81–87
1001. K. Ikeuchi, Comment on "Numerical shape from shading and occluding boundaries" **59** (1–2) (1993) 89–94
1002. T. Kanade, From a real chair to a negative chair **59** (1–2) (1993) 95–101
1004. O. Etzioni, Acquiring search-control knowledge via static analysis **62** (2) (1993) 255–301
1005. D. Poole, Probabilistic Horn abduction and Bayesian networks **64** (1) (1993) 81–129
1006. E. Charniak and R.P. Goldman, A Bayesian model of plan recognition **64** (1) (1993) 53–79
1007. S. Mahadevan, T.M. Mitchell, J. Mostow, L. Steinberg and P.V. Tadepalli, An apprentice-based approach to knowledge acquisition **64** (1) (1993) 1–52
1009. M.A. Arbib, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1–2) (1993) 265–283
1010. D.C. Dennett, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1–2) (1993) 285–294
1011. M.R. Fehling, Unified theories of cognition: modeling cognitive competence (Book Review) **59** (1–2) (1993) 295–328
1012. B. Hayes-Roth, On building integrated cognitive agents: a review of Allen Newell's *Unified Theories of Cognition* **59** (1–2) (1993) 329–341

1013. M. Minsky, Book review of *Unified Theories of Cognition* (Allen Newell) **59** (1–2) (1993) 343–354
1014. J.B. Pollack, On wings of knowledge: a review of Allen Newell's *Unified Theories of Cognition* **59** (1–2) (1993) 355–369
1015. D. Purves, Brain or mind? A review of Allen Newell's *Unified Theories of Cognition* **59** (1–2) (1993) 371–373
1016. R.C. Schank and M.Y. Jona, Issues for psychology, AI, and education: a review of Newell's *Unified Theories of Cognition* **59** (1–2) (1993) 375–388
1017. P.S. Rosenbloom and J.E. Laird, On *Unified Theories of Cognition*: a response to the reviews **59** (1–2) (1993) 389–413
1018. A. Mahanti and C.J. Daniels, A SIMD approach to parallel heuristic search **60** (2) (1993) 243–282
1019. Y. Moses and Y. Shoham, Belief as defeasible knowledge **64** (2) (1993) 299–321
1020. J. McCarthy, History of circumscription **59** (1–2) (1993) 23–26
1021. D.G. Bobrow, Dedication **59** (1–2) (1993) 1–3
1022. D.G. Bobrow, Artificial intelligence in perspective: a retrospective on fifty volumes of the *Artificial Intelligence Journal* **59** (1–2) (1993) 5–20
1023. H.A. Simon, Allen Newell: the entry into complex information processing **59** (1–2) (1993) 251–259
1024. P.E. Agre, Interview with Allen Newell **59** (1–2) (1993) 415–449
1025. J.B. Paris and A. Vencovská, A model of belief **64** (2) (1993) 197–241
1026. J. Gårding, Shape from texture and contour by weak isotropy **64** (2) (1993) 243–297
1028. R.P. Gabriel, Book review of *The Art of the Metaobject Protocol* (Gregor Kiczales, Jim des Rivières, and Daniel G. Bobrow) **61** (2) (1993) 331–342
1029. E.P. Sacks, What's in a linkage? Review of *Solving Geometric Constraint Systems* (Glenn Kramer) **61** (2) (1993) 343–349
1030. Z. Shen, Book review of *Fuzzy Sets and Applications: Selected Papers by L.A. Zadeh* (R.R. Yager, S. Ovchinnikov, R.M. Tong and H.T. Nguyen, eds.) **61** (2) (1993) 351–358
1032. R. Stalnaker, A note on non-monotonic modal logic **64** (2) (1993) 183–196
1033. G.F. DeJong, Learning to plan in continuous domains **65** (1) (1994) 71–141
1034. E. Santos Jr, A linear constraint satisfaction approach to cost-based abduction **65** (1) (1994) 1–28
1036. F. Giunchiglia and L. Serafini, Multilanguage hierarchical logics, or: how we can do without modal logics **65** (1) (1994) 29–70
1037. J. Aisbett and G. Gibbon, A tunable distance measure for coloured solid models **65** (1) (1994) 143–164
1038. P. Gärdenfors and D. Makinson, Nonmonotonic inference based on expectations **65** (2) (1994) 197–245
1039. R.E. Valdés-Pérez, Conjecturing hidden entities by means of simplicity and conservation laws: machine discovery in chemistry **65** (2) (1994) 247–280
1040. A. Hou, A theory of measurement in diagnosis from first principles **65** (2) (1994) 281–328
1041. P.M. Todd, Book review of *Emergent Computation: Self-Organizing, Collective, and Cooperative Phenomena in Natural and Artificial Computing Networks* (Stephanie Forrest, ed.) **60** (1) (1993) 171–183
1042. N. Shankar, Book review of *Ontic: A Knowledge Representation System for Mathematics* (David A. McAllester) **62** (2) (1993) 355–362
1044. A.S. Weigend, Book review of *Introduction to the Theory of Neural Computation* (John A. Hertz, Anders S. Krogh and Richard G. Palmer) **62** (1) (1993) 93–111
1045. S. Becker, Book review of *Introduction to Neural and Cognitive Modeling* (D.S. Levine) **62** (1) (1993) 113–116
1046. S. Ahmad, Book review of *Connectionist Models: Proceedings of the 1990 Summer School* (David Touretzky, Jeffrey Elman, Terrence Sejnowski and Geoffrey Hinton, eds.) **62** (1) (1993) 117–127
1047. D.E. Rose, Book review of Advances in Connectionist and Neural Computation Theory, Volume 1: *High-Level Connectionist Models* (John A. Barnden and Jordan B. Pollack, eds.) **62** (1) (1993) 129–139

1048. B. Martin, Book review of *Neural Connections, Mental Computation* (Lynn Nadel, Lynn A. Cooper, Peter Culicover and R. Michael Harnish, eds.) **62** (1) (1993) 141–151
1049. R.K. Belew, Book review of *Neuroscience and Connectionist Theory* (Mark A. Gluck and David E. Rumelhart, eds.). Something old, something new, something borrowed, ... **62** (1) (1993) 153–161
1050. D.S. Touretzky, Book review of *Neural Networks in Artificial Intelligence* (Matthew Zeidenberg) **62** (1) (1993) 163–164
1051. N.H. Goddard, Book review of *The Perception of Multiple Objects: A Connectionist Approach* (Michael C. Mozer) **62** (1) (1993) 165–177
1052. J. O'Rourke, Triple Book Review of *Consciousness Explained* (Daniel C. Dennett), *The Evolution of Consciousness: Of Darwin, Freud, and Cranial Fire: The Origins of the Way We Think* (Robert Ornstein), and *Metaphysics of Consciousness* (William Seager) **60** (2) (1993) 303–312
1054. P.P. Chakrabarti, Algorithms for searching explicit AND/OR graphs and their applications to problem reduction search (Research Note) **65** (2) (1994) 329–345
1055. K. Ammon, An automatic proof of Gödel's incompleteness theorem (Research Note) **61** (2) (1993) 291–306
1056. W.J. Clancey, The biology of consciousness: comparative review of *The Strange, Familiar, and Forgotten: An Anatomy of Consciousness* (Israel Rosenfield) and *Bright Air, Brilliant Fire: On the Matter of the Mind* (Gerald M. Edelman) **60** (2) (1993) 313–356
1057. L. Fariñas del Cerro, A. Herzig and J. Lang, From ordering-based nonmonotonic reasoning to conditional logics **66** (2) (1994) 375–393
1058. W. Wahlster, E. André, W. Finkler, H.-J. Profitlich and T. Rist, Plan-based integration of natural language and graphics generation **63** (1–2) (1993) 387–427
1059. J.R. Hobbs, M.E. Stickel, D.E. Appelt and P. Martin, Interpretation as abduction **63** (1–2) (1993) 69–142
1060. J. Hirschberg, Pitch accent in context: predicting intonational prominence from text **63** (1–2) (1993) 305–340
1062. B. Tessem, Approximations for efficient computation in the theory of evidence (Research Note) **61** (2) (1993) 315–329
1063. B. Nebel and C. Bäckström, On the computational complexity of temporal projection, planning, and plan validation **66** (1) (1994) 125–160
1064. M. Gyssens, P.G. Jeavons and D.A. Cohen, Decomposing constraint satisfaction problems using database techniques **66** (1) (1994) 57–89
1065. P. Smets and R. Kennes, The transferable belief model **66** (2) (1994) 191–234
1066. L.V. Allis, M. van der Meulen and H.J. van den Herik, Proof-number search **66** (1) (1994) 91–124
1067. I.J. Cox and J.J. Leonard, Modeling a dynamic environment using a Bayesian multiple hypothesis approach **66** (2) (1994) 311–344
1068. H.-J. Bürckert, A resolution principle for constrained logics **66** (2) (1994) 235–271
1069. E. Charniak and S.E. Shimony, Cost-based abduction and MAP explanation **66** (2) (1994) 345–374
1070. R.L. Greene, Efficient retrieval from sparse associative memory **66** (2) (1994) 395–410
1071. D. Ourston and R.J. Mooney, Theory refinement combining analytical and empirical methods **66** (2) (1994) 273–309
1072. A. Bertoni and M. Dorigo, Implicit parallelism in genetic algorithms (Research Note) **61** (2) (1993) 307–314
1073. P.S. Jacobs and L.F. Rau, Innovations in text interpretation **63** (1–2) (1993) 143–191
1074. J. Pustejovsky and B. Boguraev, Lexical knowledge representation and natural language processing **63** (1–2) (1993) 193–223
1076. A. Barrett and D.S. Weld, Partial-order planning: evaluating possible efficiency gains **67** (1) (1994) 71–112
1077. F. Ulupınar and R. Nevatia, Recovery of 3-D objects with multiple curved surfaces from 2-D contours **67** (1) (1994) 1–28
1078. E.P. Stabler Jr, Parsing as non-Horn deduction **63** (1–2) (1993) 225–264
1079. M.S. Palmer, R.J. Passonneau, C. Weir and T. Finin, The KERNEL text understanding system **63** (1–2) (1993) 17–68

1080. B.J. Dorr, Interlingual machine translation: a parameterized approach **63** (1–2) (1993) 429–492
1081. P. Hájek, Epistemic entrenchment and arithmetical hierarchy (Research Note) **62** (1) (1993) 79–87
1082. D.A. Klein and E.H. Shortliffe, A framework for explaining decision-theoretic advice **67** (2) (1994) 201–243
1083. Y. Iwasaki and H.A. Simon, Causality and model abstraction **67** (1) (1994) 143–194
1084. A. Segre and G. Gordon, Book review of *Computer Systems That Learn* (Sholom M. Weiss and Casimir A. Kulikowski) **62** (2) (1993) 363–378
1085. E.H. Hovy, Automated discourse generation using discourse structure relations **63** (1–2) (1993) 341–385
1086. M. Colombetti, Formal semantics for mutual belief (Research Note) **62** (2) (1993) 341–353
1088. R.S. Crouch and S.G. Pulman, Time and modality in a natural language interface to a planning system **63** (1–2) (1993) 265–304
1089. G. Schwarz and M. Truszczyński, Minimal knowledge problem: a new approach **67** (1) (1994) 113–141
1090. M. Boddy and T.L. Dean, Deliberation scheduling for problem solving in time-constrained environments **67** (2) (1994) 245–285
1092. J.L. Pollock, Justification and defeat **67** (2) (1994) 377–407
1093. B. Blumenthal and B.W. Porter, Analysis and empirical studies of derivational analogy **67** (2) (1994) 287–327
1094. S. Kambhampati and S. Kedar, A unified framework for explanation-based generalization of partially ordered and partially instantiated plans **67** (1) (1994) 29–70
1095. K.L. Myers, Hybrid reasoning using universal attachment **67** (2) (1994) 329–375
1096. C. Boutilier, Unifying default reasoning and belief revision in a modal framework **68** (1) (1994) 33–85
1097. C. Boutilier, Conditional logics of normality: a modal approach **68** (1) (1994) 87–154
1098. J. Wong, Norvig's *Paradigms of Artificial Intelligence Programming*: a student's perspective (Book Review) **64** (1) (1993) 161–167
1099. J.H. Martin, Norvig's *Paradigms of Artificial Intelligence Programming*: an instructor's perspective (Book Review) **64** (1) (1993) 169–180
1100. E. Cohen, Computational theory for interpreting handwritten text in constrained domains **68** (1) (1994) 1–31
1101. W.W. Cohen, Grammatically biased learning: learning logic programs using an explicit antecedent description language **68** (2) (1994) 303–366
1102. L.M. Kirousis, Fast parallel constraint satisfaction (Research Note) **64** (1) (1993) 147–160
1103. C.A. Knoblock, Automatically generating abstractions for planning **68** (2) (1994) 243–302
1104. S. Hanks and D. McDermott, Modeling a dynamic and uncertain world I: symbolic and probabilistic reasoning about change **66** (1) (1994) 1–55
1105. P.L. Hammer and A. Kogan, Optimal compression of propositional Horn knowledge bases: complexity and approximation (Research Note) **64** (1) (1993) 131–145
1106. F.C.N. Pereira and B.J. Grosz, Introduction **63** (1–2) (1993) 1–15
1107. D. Mutchler, The multi-player version of minimax displays game-tree pathology (Research Note) **64** (2) (1993) 323–336
1110. R. Dechter and I. Meiri, Experimental evaluation of preprocessing algorithms for constraint satisfaction problems **68** (2) (1994) 211–241
1111. M. Tambe and P.S. Rosenbloom, Investigating production system representations for non-combinatorial match **68** (1) (1994) 155–199
1112. G. Gerla, Inferences in probability logic **70** (1–2) (1994) 33–52
1113. F. Zhao, Extracting and representing qualitative behaviors of complex systems in phase space **69** (1–2) (1994) 51–92
1114. R. Reiter, Proving properties of states in the situation calculus (Research Note) **64** (2) (1993) 337–351

1116. J. Heinsohn, D. Kudenko, B. Nebel and H.-J. Profitlich, An empirical analysis of terminological representation systems **68** (2) (1994) 367–397
1117. T. Bylander, The computational complexity of propositional STRIPS planning **69** (1–2) (1994) 165–204
1118. G. Satta and O. Stock, Bidirectional context-free grammar parsing for natural language processing **69** (1–2) (1994) 123–164
1119. S.-J. Lee and D.A. Plaisted, Problem solving by searching for models with a theorem prover **69** (1–2) (1994) 205–233
1120. S. Kasif and A.L. Delcher, Local consistency in parallel constraint satisfaction networks **69** (1–2) (1994) 307–327
1121. H. Almuallim and T.G. Dietterich, Learning Boolean concepts in the presence of many irrelevant features **69** (1–2) (1994) 279–305
1122. M.C. Cooper, D.A. Cohen and P.G. Jeavons, Characterising tractable constraints (Research Note) **65** (2) (1994) 347–361
1123. A. Segre and C. Elkan, A high-performance explanation-based learning algorithm **69** (1–2) (1994) 1–50
1124. A.M. Frisch and P. Haddawy, Anytime deduction for probabilistic logic **69** (1–2) (1994) 93–122
1125. C. Bessière, Arc-consistency and arc-consistency again (Research Note) **65** (1) (1994) 179–190
1128. J.F. Dillenburg and P.C. Nelson, Perimeter search (Research Note) **65** (1) (1994) 165–178
1129. S. Kambhampati, Multi-contributor causal structures for planning: a formalization and evaluation **69** (1–2) (1994) 235–278
1130. J.A. Toth, Book review of *Reasoning Agents in a Dynamic World: The Frame Problem* (Kenneth M. Ford and Patrick J. Hayes, eds.) **73** (1–2) (1995) 323–369
1131. M. Brand, P. Prokopowicz and C. Elliott, Book review of *From Animals to Animats: Proceedings of the First International Conference on Simulation of Adaptive Behavior* (Jean-Arcady Meyer and Stewart W. Wilson, eds.) **73** (1–2) (1995) 307–322
1132. D.M. Lyons, Book review of *Vision, Instruction, and Action* (David Chapman) **73** (1–2) (1995) 387–401
1133. J. Hendler, Book review of *Planning and Control* (Thomas Dean and Michael Wellman) **73** (1–2) (1995) 379–386
1134. S.W. Smoliar, Book review of *Artificial Life* (Christopher G. Langton, ed.), *Artificial Life II* (Christopher G. Langton, Charles Taylor, J. Doyne Farmer, Steen Rasmussen, eds.) and *Artificial Life II: Video Proceedings* (Christopher G. Langton, ed.) **73** (1–2) (1995) 371–377
1135. G.G. Towell and J.W. Shavlik, Knowledge-based artificial neural networks **70** (1–2) (1994) 119–165
1136. C.P. Williams and T. Hogg, Exploiting the deep structure of constraint problems **70** (1–2) (1994) 73–117
1137. P. Parodi and V. Torre, On the complexity of labeling perspective projections of polyhedral scenes **70** (1–2) (1994) 239–276
1138. J.P. Delgrande, T. Schaub and W.K. Jackson, Alternative approaches to default logic **70** (1–2) (1994) 167–237
1139. P. Hájek, Epistemic entrenchment and arithmetical hierarchy (Errata) **65** (1) (1994) 191
1140. B. Faltings, Arc-consistency for continuous variables (Research Note) **65** (2) (1994) 363–376
1141. C. Walther, On proving the termination of algorithms by machine **71** (1) (1994) 101–157
1142. V. Lifschitz, Minimal belief and negation as failure **70** (1–2) (1994) 53–72
1143. D.C. Wilkins and Y. Ma, The refinement of probabilistic rule sets: sociopathic interactions **70** (1–2) (1994) 1–32
1144. P.P. Nayak, Causal approximations **70** (1–2) (1994) 277–334
1145. L.A. Stein and L. Morgenstern, Motivated action theory: a formal theory of causal reasoning **71** (1) (1994) 1–42
1146. R.J. Bayardo Jr and D.P. Miranker, An optimal backtrack algorithm for tree-structured constraint satisfaction problems **71** (1) (1994) 159–181
1148. L. Giordano and A. Martelli, On cumulative default logics **66** (1) (1994) 161–179

1149. P. Norvig, Book review of *Text-Based Intelligent Systems* (Paul Jacobs, ed.) **66** (1) (1994) 181–188
1150. F. Bacchus and Q. Yang, Downward refinement and the efficiency of hierarchical problem solving **71** (1) (1994) 43–100
1151. G. Lakemeyer, Limited reasoning in first-order knowledge bases **71** (2) (1994) 213–255
1152. M. Dorigo and M. Colombetti, Robot shaping: developing autonomous agents through learning **71** (2) (1994) 321–370
1153. R.H. Wilson and J.-C. Latombe, Geometric reasoning about mechanical assembly **71** (2) (1994) 371–396
1154. L. Li, Possible world semantics and autoepistemic reasoning **71** (2) (1994) 281–320
1155. Y. Roth and R. Jain, Knowledge caching for sensor-based systems **71** (2) (1994) 257–280
1156. A. Gelsey, Automated reasoning about machines **74** (1) (1995) 1–53
1157. B. Hayes-Roth, An architecture for adaptive intelligent systems **72** (1–2) (1995) 329–365
1158. R.D. Beer, A dynamical systems perspective on agent-environment interaction **72** (1–2) (1995) 173–215
1159. K.J. Hammond, T.M. Converse and J.W. Grass, The stabilization of environments **72** (1–2) (1995) 305–327
1160. Y. Shoham and M. Tennenholtz, On social laws for artificial agent societies: off-line design **73** (1–2) (1995) 231–252
1161. D.J. Musliner, E.H. Durfee and K.G. Shin, World modeling for the dynamic construction of real-time control plans **74** (1) (1995) 83–127
1162. M. Schaerf and M. Cadoli, Tractable reasoning via approximation **74** (2) (1995) 249–310
1163. Y. Lespérance and H.J. Levesque, Indexical knowledge and robot action—a logical account **73** (1–2) (1995) 69–115
1164. A.G. Barto, S.J. Bradtke and S.P. Singh, Learning to act using real-time dynamic programming **72** (1–2) (1995) 81–138
1165. S.D. Whitehead and L.-J. Lin, Reinforcement learning of non-Markov decision processes **73** (1–2) (1995) 271–306
1166. B. Webber, N. Badler, B. Di Eugenio, C. Geib, L. Levison and M. Moore, Instructions, intentions and expectations **73** (1–2) (1995) 253–269
1168. A.J. Grove, Naming and identity in epistemic logic, Part II: a first-order logic for naming **74** (2) (1995) 311–350
1169. A. Gerevini and L. Schubert, Efficient algorithms for qualitative reasoning about time **74** (2) (1995) 207–248
1170. D. Kirsh, The intelligent use of space **73** (1–2) (1995) 31–68
1171. M. Schoppers, The use of dynamics in an intelligent controller for a space faring rescue robot **73** (1–2) (1995) 175–230
1172. J.K. Tsotsos, Behaviorist intelligence and the scaling problem **75** (2) (1995) 135–160
1173. N.R. Jennings, Controlling cooperative problem solving in industrial multi-agent systems using joint intentions **75** (2) (1995) 195–240
1174. S. Kraus, J. Wilkenfeld and G. Zlotkin, Multiagent negotiation under time constraints **75** (2) (1995) 297–345
1175. S.E. Shimony, Finding MAPs for belief networks is NP-hard (Research Note) **68** (2) (1994) 399–410
1176. K. Basye, T. Dean and L.P. Kaelbling, Learning dynamics: system identification for perceptually challenged agents **72** (1–2) (1995) 139–171
1177. B.R. Donald, On information invariants in robotics **72** (1–2) (1995) 217–304
1178. C. Boutilier and V. Becher, Abduction as belief revision **77** (1) (1995) 43–94
1180. T.-C. Wang, A typed resolution principle for deduction with conditional typing theory **75** (2) (1995) 161–194
1181. R. Sun, Robust reasoning: integrating rule-based and similarity-based reasoning **75** (2) (1995) 241–295

1182. G. Gottlob and Zhang Mingyi, Cumulative default logic: finite characterization, algorithms, and complexity (Research Note) **69** (1–2) (1994) 329–345
1183. G.N. Kartha, Two counterexamples related to Baker's approach to the frame problem (Research Note) **69** (1–2) (1994) 379–391
1184. T. Hogg and C.P. Williams, The hardest constraint problems: a double phase transition (Research Note) **69** (1–2) (1994) 359–377
1185. G. Pinkas, Reasoning, nonmonotonicity and learning in connectionist networks that capture propositional knowledge **77** (2) (1995) 203–247
1186. V.R. Lesser, S.H. Nawab and F.I. Klassner, IPUS: an architecture for the integrated processing and understanding of signals **77** (1) (1995) 129–171
1187. W.W. Cohen, Pac-learning non-recursive Prolog clauses **79** (1) (1995) 1–38
1188. M. Kaminski, A comparative study of open default theories **77** (2) (1995) 285–319
1189. M. Shanahan, A circumscriptive calculus of events **77** (2) (1995) 249–284
1191. C.H. Papadimitriou and M. Sideri, Default theories that always have extensions (Research Note) **69** (1–2) (1994) 347–357
1192. G. Sablon, L. De Raedt and M. Bruynooghe, Iterative versionspaces (Research Note) **69** (1–2) (1994) 393–409
1193. H. Eriksson, Y. Shahar, S.W. Tu, A.R. Puerta and M.A. Musen, Task modeling with reusable problem-solving methods **79** (2) (1996) 293–326
1194. P.M. Dung, On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and *n*-person games **77** (2) (1995) 321–357
1195. R. Olsson, Inductive functional programming using incremental program transformation **74** (1) (1995) 55–81
1196. J.E. Larsson, Diagnosis based on explicit means–end models **80** (1) (1996) 29–93
1197. A. Gerevini and L. Schubert, On point-based temporal disjointness (Research Note) **70** (1–2) (1994) 347–361
1198. L. Lismont and P. Mongin, A non-minimal but very weak axiomatization of common belief (Research Note) **70** (1–2) (1994) 363–374
1199. I.P. Gent and T. Walsh, Easy problems are sometimes hard (Research Note) **70** (1–2) (1994) 335–345
1200. W. Zhang and R.E. Korf, Performance of linear-space search algorithms **79** (2) (1996) 241–292
1201. L. De Raedt and S. Džeroski, First-order *jk*-clausal theories are PAC-learnable (Research Note) **70** (1–2) (1994) 375–392
1202. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Agent searching in a tree and the optimality of iterative deepening (Research Note) **71** (1) (1994) 195–208
1204. M.M. Fleck, The topology of boundaries **80** (1) (1996) 1–27
1205. G. Simonet and R. Ducournau, On Stein's paper: resolving ambiguity in nonmonotonic inheritance hierarchies (Research Note) **71** (1) (1994) 183–193
1206. A. Reinefeld and P. Ridinger, Time-efficient state space search (Research Note) **71** (2) (1994) 397–408
1207. P.E. Agre, Computational research on interaction and agency **72** (1–2) (1995) 1–52
1208. M.A. Arbib and J.-S. Liaw, Sensorimotor transformations in the worlds of frogs and robots **72** (1–2) (1995) 53–79
1209. S.J. Rosenschein and L.P. Kaelbling, A situated view of representation and control **73** (1–2) (1995) 149–173
1210. I. Horswill, Analysis of adaptation and environment **73** (1–2) (1995) 1–30
1211. D.M. Lyons and A.J. Hendriks, Exploiting patterns of interaction to achieve reactive behavior **73** (1–2) (1995) 117–148
1212. H. Xu, Computing marginals for arbitrary subsets from marginal representation in Markov trees (Research Note) **74** (1) (1995) 177–189
1213. R. Fagin, J.Y. Halpern and M.Y. Vardi, A nonstandard approach to the logical omniscience problem **79** (2) (1996) 203–240
1214. M. Ishikawa, Learning of modular structured networks **75** (1) (1995) 51–62

1215. T. Nishida and S. Doshita, Qualitative analysis of behavior of systems of piecewise linear differential equations with two state variables **75** (1) (1995) 3–29
1216. S. Sato, MBT2: a method for combining fragments of examples in example-based translation **75** (1) (1995) 31–50
1217. T. Matsuyama and T. Nitta, Geometric theorem proving by integrated logical and algebraic reasoning **75** (1) (1995) 93–113
1218. S. Goto and H. Nojima, Equilibrium analysis of the distribution of information in human society **75** (1) (1995) 115–130
1219. K. Yoshida and H. Motoda, CLIP: concept learning from inference patterns **75** (1) (1995) 63–92
1220. G. Schwarz, In search of a "true" logic of knowledge: the nonmonotonic perspective **79** (1) (1995) 39–63
1221. K.M.-k. Yip, Model simplification by asymptotic order of magnitude reasoning **80** (2) (1996) 309–348
1222. B. Selman and H.J. Levesque, Support set selection for abductive and default reasoning **82** (1–2) (1996) 259–272
1223. P. Haddawy, A logic of time, chance, and action for representing plans **80** (2) (1996) 243–308
1224. M. Shanahan, Default reasoning about spatial occupancy (Research Note) **74** (1) (1995) 147–163
1225. H. Kautz, M. Kearns and B. Selman, Horn approximations of empirical data **74** (1) (1995) 129–145
1226. R.E. Valdés-Pérez, Machine discovery in chemistry: new results (Research Note) **74** (1) (1995) 191–201
1227. S. Zilberstein and S. Russell, Optimal composition of real-time systems **82** (1–2) (1996) 181–213
1228. R. Levinson, A general programming language for unified planning and control **76** (1–2) (1995) 319–375
1229. S. Kambhampati, C.A. Knoblock and Q. Yang, Planning as refinement search: a unified framework for evaluating design tradeoffs in partial-order planning **76** (1–2) (1995) 167–238
1230. M.L. Ginsberg, Approximate planning **76** (1–2) (1995) 89–123
1231. N. Sadeh, K. Sycara and Y. Xiong, Backtracking techniques for the job shop scheduling constraint satisfaction problem **76** (1–2) (1995) 455–480
1232. A. Lazanas and J.-C. Latombe, Motion planning with uncertainty: a landmark approach **76** (1–2) (1995) 287–317
1233. K. Erol, D.S. Nau and V.S. Subrahmanian, Complexity, decidability and undecidability results for domain-independent planning (Technical Note) **76** (1–2) (1995) 75–88
1234. C. Bäckström, Expressive equivalence of planning formalisms (Technical Note) **76** (1–2) (1995) 17–34
1235. B. Nebel and J. Koehler, Plan reuse versus plan generation: a theoretical and empirical analysis **76** (1–2) (1995) 427–454
1236. A.E. Howe and P.R. Cohen, Understanding planner behavior **76** (1–2) (1995) 125–166
1237. A. Prieditis and R. Davis, Quantitatively relating abstractness to the accuracy of admissible heuristics (Research Note) **74** (1) (1995) 165–175
1238. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, Searching game trees under a partial order **82** (1–2) (1996) 237–257
1239. T. Dean, L.P. Kaelbling, J. Kirman and A. Nicholson, Planning under time constraints in stochastic domains **76** (1–2) (1995) 35–74
1240. N. Kushmerick, S. Hanks and D.S. Weld, An algorithm for probabilistic planning **76** (1–2) (1995) 239–286
1241. A. Saffiotti, K. Konolige and E.H. Ruspini, A multivalued logic approach to integrating planning and control **76** (1–2) (1995) 481–526
1242. K. Miyashita and K. Sycara, CABINS: a framework of knowledge acquisition and iterative revision for schedule improvement and reactive repair **76** (1–2) (1995) 377–426
1243. Z. Huang, M. Masuch and L. Pólos, ALX, an action logic for agents with bounded rationality **82** (1–2) (1996) 75–127

1244. D. Reynolds and J. Gomatam, Stochastic modelling of Genetic Algorithms **82** (1–2) (1996) 303–330
1245. D. Roth, On the hardness of approximate reasoning **82** (1–2) (1996) 273–302
1246. L. Vila and H. Reichgelt, The token reification approach to temporal reasoning **83** (1) (1996) 59–74
1247. R.J. Hickey, Noise modelling and evaluating learning from examples **82** (1–2) (1996) 157–179
1248. S. Kambhampati and D.S. Nau, On the nature and role of modal truth criteria in planning **82** (1–2) (1996) 129–155
1249. R. Dechter and A. Dechter, Structure-driven algorithms for truth maintenance **82** (1–2) (1996) 1–20
1250. C. Boutilier, Abduction to plausible causes: an event-based model of belief update **83** (1) (1996) 143–166
1251. F. Giunchiglia and P. Traverso, A metatheory of a mechanized object theory **80** (2) (1996) 197–241
1253. A. Becker and D. Geiger, Optimization of Pearl's method of conditioning and greedy-like approximation algorithms for the vertex feedback set problem **83** (1) (1996) 167–188
1254. S.O. Hansson, Knowledge-level analysis of belief base operations **82** (1–2) (1996) 215–235
1255. D. Bojadžiev, Sloman's view of Gödel's sentence (Research Note) **74** (2) (1995) 389–393
1256. J.Y. Halpern and G. Lakemeyer, Levesque's axiomatization of only knowing is incomplete (Research Note) **74** (2) (1995) 381–387
1257. V. Brusoni, L. Console and P. Terenziani, On the computational complexity of querying bounds on differences constraints (Research Note) **74** (2) (1995) 367–379
1258. P. Walley, Measures of uncertainty in expert systems **83** (1) (1996) 1–58
1259. R. Greiner and P. Orponen, Probably approximately optimal satisficing strategies **82** (1–2) (1996) 21–44
1260. A. Shimaya, Interpreting non-3-D line drawings **77** (1) (1995) 1–41
1261. K. Shirai, Guest editor's preface **75** (1) (1995) 1–2
1262. V. Lifschitz, Nested abnormality theories (Research Note) **74** (2) (1995) 351–365
1263. D. Geiger and D. Heckerman, Knowledge representation and inference in similarity networks and Bayesian multinets **82** (1–2) (1996) 45–74
1264. Y. Moses and M. Tennenholtz, Off-line reasoning for on-line efficiency: knowledge bases **83** (2) (1996) 229–239
1265. A.C.C. Say and S. Kuru, Qualitative system identification: deriving structure from behavior **83** (1) (1996) 75–141
1266. G. Manzini, BIDA*: an improved perimeter search algorithm (Research Note) **75** (2) (1995) 347–360
1267. J.Y. Halpern, The effect of bounding the number of primitive propositions and the depth of nesting on the complexity of modal logic (Research Note) **75** (2) (1995) 361–372
1268. J. Lin, Integration of weighted knowledge bases **83** (2) (1996) 363–378
1269. R. Basri and E. Rivlin, Localization and homing using combinations of model views **78** (1–2) (1995) 327–354
1270. Z. Zhang, R. Deriche, O. Faugeras and Q.-T. Luong, A robust technique for matching two uncalibrated images through the recovery of the unknown epipolar geometry **78** (1–2) (1995) 87–119
1271. A. Zisserman, D. Forsyth, J. Mundy, C. Rothwell, J. Liu and N. Pillow, 3D object recognition using invariance **78** (1–2) (1995) 239–288
1272. P.P. Nayak and L. Joskowicz, Efficient compositional modeling for generating causal explanations **83** (2) (1996) 193–227
1273. J.K. Tsotsos, S.M. Culhane, W.Y.K. Wai, Y. Lai, N. Davis and F. Nuflo, Modeling visual attention via selective tuning **78** (1–2) (1995) 507–545
1274. R.P.N. Rao and D.H. Ballard, An active vision architecture based on iconic representations **78** (1–2) (1995) 461–505
1275. K.N. Kutulakos and C.R. Dyer, Global surface reconstruction by purposive control of observer motion **78** (1–2) (1995) 147–177

1276. Y. Yang and A.L. Yuille, Multilevel enhancement and detection of stereo disparity surfaces **78** (1–2) (1995) 121–145
1277. D.A. Reece and S.A. Shafer, Control of perceptual attention in robot driving **78** (1–2) (1995) 397–430
1278. I.-P. Park and J.R. Kender, Topological direction-giving and visual navigation in large environments **78** (1–2) (1995) 355–395
1279. N.C. Gupta and L.N. Kanal, 3-D motion estimation from motion field **78** (1–2) (1995) 45–86
1280. A. Blake, M. Isard and D. Reynard, Learning to track the visual motion of contours **78** (1–2) (1995) 179–212
1281. M. Otte and H.-H. Nagel, Estimation of optical flow based on higher-order spatiotemporal derivatives in interlaced and non-interlaced image sequences **78** (1–2) (1995) 5–43
1282. D. McDermott and J. Hendler, Planning: What it is, What it could be, An introduction to the Special Issue on Planning and Scheduling **76** (1–2) (1995) 1–16
1283. R. Mohr, B. Boufama and P. Brand, Understanding positioning from multiple images **78** (1–2) (1995) 213–238
1284. S. Das and N. Ahuja, Active surface estimation: integrating coarse-to-fine image acquisition and estimation from multiple cues **83** (2) (1996) 241–266
1285. G. Zlotkin and J.S. Rosenschein, Compromise in negotiation: exploiting worth functions over states **84** (1–2) (1996) 151–176
1287. H.A. Simon, Artificial intelligence: an empirical science **77** (1) (1995) 95–127
1288. R. Greiner, PALO: a probabilistic hill-climbing algorithm **84** (1–2) (1996) 177–208
1289. H. Buxton and S. Gong, Visual surveillance in a dynamic and uncertain world **78** (1–2) (1995) 431–459
1290. R. Hirsch, Relation algebras of intervals **83** (2) (1996) 267–295
1292. T. Hogg, B.A. Huberman and C.P. Williams, Phase transitions and the search problem (Editorial) **81** (1–2) (1996) 1–15
1293. B. Selman, D.G. Mitchell and H.J. Levesque, Generating hard satisfiability problems **81** (1–2) (1996) 17–29
1294. J.M. Crawford and L.D. Auton, Experimental results on the crossover point in random 3-SAT **81** (1–2) (1996) 31–57
1295. I.P. Gent and T. Walsh, The satisfiability constraint gap **81** (1–2) (1996) 59–80
1296. P. Prosser, An empirical study of phase transitions in binary constraint satisfaction problems **81** (1–2) (1996) 81–109
1297. D.G. Mitchell and H.J. Levesque, Some pitfalls for experimenters with random SAT **81** (1–2) (1996) 111–125
1298. T. Hogg, Refining the phase transition in combinatorial search **81** (1–2) (1996) 127–154
1299. J.W. Freeman, Hard random 3-SAT problems and the Davis–Putnam procedure **81** (1–2) (1996) 183–198
1300. B.M. Smith and M.E. Dyer, Locating the phase transition in binary constraint satisfaction problems **81** (1–2) (1996) 155–181
1301. R. Schrag and J.M. Crawford, Implicates and prime implicates in Random 3-SAT **81** (1–2) (1996) 199–222
1302. W. Zhang and R.E. Korf, A study of complexity transitions on the asymmetric traveling salesman problem **81** (1–2) (1996) 223–239
1303. T. Bylander, A probabilistic analysis of propositional STRIPS planning **81** (1–2) (1996) 241–271
1304. B. Selman and S. Kirkpatrick, Critical behavior in the computational cost of satisfiability testing **81** (1–2) (1996) 273–295
1305. J.C. Pemberton and W. Zhang, Epsilon-transformation: exploiting phase transitions to solve combinatorial optimization problems **81** (1–2) (1996) 297–325
1306. S.H. Clearwater and T. Hogg, Problem structure heuristics and scaling behavior for genetic algorithms **81** (1–2) (1996) 327–347
1307. S. Kraus, An overview of incentive contracting **83** (2) (1996) 297–346
1308. H. Almuallim, An efficient algorithm for optimal pruning of decision trees **83** (2) (1996) 347–362

1310. I.D. Reid and J.M. Brady, Recognition of object classes from range data **78** (1–2) (1995) 289–326
1311. G. Lakemeyer, Limited reasoning in first-order knowledge bases with full introspection **84** (1–2) (1996) 209–255
1312. J. Batali, Book review of *The Rediscovery of the Mind* (John R. Searle) **77** (1) (1995) 177–193
1313. V. Akman, Book review of *Formalizing Common Sense: Papers by John McCarthy* (V. Lifschitz, ed.) **77** (2) (1995) 359–369
1314. F. Giunchiglia, An epistemological science of common sense (Book Review) **77** (2) (1995) 371–392
1316. K.B. Haase, Too many ideas, just one word: a review of Margaret Boden's *The Creative Mind: Myths and Mechanisms* **79** (1) (1995) 69–82
1317. R. Lustig, Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) **79** (1) (1995) 83–96
1318. D. Perkins, An unfair review of Margaret Boden's *The Creative Mind* from the perspective of creative systems **79** (1) (1995) 97–109
1319. A. Ram, L. Wills, E. Domeshek, N. Nersessian and J. Kolodner, Understanding the creative mind: a review of Margaret Boden's *The Creative Mind* **79** (1) (1995) 111–128
1320. R.C. Schank and D.A. Foster, The engineering of creativity: a review of Boden's *The Creative Mind* **79** (1) (1995) 129–143
1321. S.R. Turner, Book review of *The Creative Mind* (Margaret Boden) **79** (1) (1995) 145–159
1322. M.A. Boden, Modelling creativity: reply to reviewers **79** (1) (1995) 161–182
1323. S.W. Smoliar, Book review of *Creative Cognition* (Ronald A. Finke, Thomas B. Ward and Steven M. Smith) **79** (1) (1995) 183–196
1325. J. Berger, Book review of *Computers and Musical Style* (David Cope) **79** (2) (1996) 343–348
1326. E. Handelman, Book review of *Interactive Music Systems: Machine Listening and Composing* (Robert Rowe) **79** (2) (1996) 349–359
1327. S.W. Smoliar, Book review of *Music, Mind and Machine: Studies in Computer Music, Music Cognition and Artificial Intelligence* (Peter Desain and Henkjan Honing) **79** (2) (1996) 361–371
1328. G.A. Wiggins, Book review of *Understanding Music with AI—Perspectives on Cognitive Musicology* (M. Balaban, K. Ebcioglu and O. Laske, eds.) **79** (2) (1996) 373–385
1329. B. Garton, Book review of *Music and Connectionism* (Peter Todd and D. Gareth Loy, eds.) **79** (2) (1996) 387–398
1331. H.M. Collins, Embedded or embodied? a review of Hubert Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 99–117
1332. J. Haugeland, Body and world: a review of *What Computers Still Can't Do: A Critique of Artificial Reason* (Hubert L. Dreyfus) **80** (1) (1996) 119–128
1333. T. Koschmann, Of Hubert Dreyfus and dead horses: some thoughts on Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 129–141
1334. J. McCarthy, Book review of *What Computers Still Can't Do* (Hubert Dreyfus) **80** (1) (1996) 143–150
1335. J.D. Strom and L. Darden, Is artificial intelligence a degenerating program?: a review of Hubert Dreyfus' *What Computers Still Can't Do* **80** (1) (1996) 151–170
1336. H.L. Dreyfus, Response to my critics **80** (1) (1996) 171–191
1337. P. Dasgupta, P.P. Chakrabarti and S.C. DeSarkar, A correction to "Agent searching in a tree and the optimality of iterative deepening" (Research Note) **77** (1) (1995) 173–176
1338. M. Goldszmidt and J. Pearl, Qualitative probabilities for default reasoning, belief revision, and causal modeling **84** (1–2) (1996) 57–112
1339. P.T. Devanbu and D.J. Litman, Taxonomic plan reasoning **84** (1–2) (1996) 1–35
1340. H.J. Berliner and C. McConnell, B* probability based search **86** (1) (1996) 97–156
1341. L. Steinberg and N. Langrana, EVEXED and MEET for mechanical design: testing structural decomposition and constraint propagation **84** (1–2) (1996) 37–56
1342. A.K. Sen and A. Bagchi, Graph search methods for non-order-preserving evaluation functions: applications to job sequencing problems **86** (1) (1996) 43–73
1343. R. Ben-Eliyahu and R. Dechter, Default reasoning using classical logic **84** (1–2) (1996) 113–150

1344. R.E. Korf and D.M. Chickering, Best-first minimax search **84** (1–2) (1996) 299–337
1345. R. Rymon, Goal-directed diagnosis—a diagnostic reasoning framework for exploratory-corrective domains **84** (1–2) (1996) 257–297
1346. N. Sadeh and M.S. Fox, Variable and value ordering heuristics for the job shop scheduling constraint satisfaction problem **86** (1) (1996) 1–41
1348. J. Lin, A semantics for reasoning consistently in the presence of inconsistency **86** (1) (1996) 75–95
1349. N. Ahuja and R. Horaud, Introduction to the Special Volume on Computer Vision **78** (1–2) (1995) 1–3
1350. I. Meiri, R. Dechter and J. Pearl, Uncovering trees in constraint networks **86** (2) (1996) 245–267
1351. B.J. Grosz and S. Kraus, Collaborative plans for complex group action **86** (2) (1996) 269–357
1352. G. Zlotkin and J.S. Rosenschein, Mechanism design for automated negotiation, and its application to task oriented domains **86** (2) (1996) 195–244
1353. E. Ephrati and J.S. Rosenschein, Deriving consensus in multiagent systems **87** (1–2) (1996) 21–74
1355. P.G. Jeavons and M.C. Cooper, Tractable constraints on ordered domains (Research Note) **79** (2) (1996) 327–339
1356. E. Charniak, G. Carroll, J. Adcock, A. Cassandra, Y. Gotoh, J. Katz, M. Littman and J. McCann, Taggers for parsers **85** (1–2) (1996) 45–57
1357. I. Meiri, Combining qualitative and quantitative constraints in temporal reasoning **87** (1–2) (1996) 343–385
1358. Y. Xiang, A probabilistic framework for cooperative multi-agent distributed interpretation and optimization of communication **87** (1–2) (1996) 295–342
1359. R.C. Holte, T. Mkadmi, R.M. Zimmer and A.J. MacDonald, Speeding up problem solving by abstraction: a graph oriented approach **85** (1–2) (1996) 321–361
1360. R. Cooper, J. Fox, J. Farringdon and T. Shallice, A systematic methodology for cognitive modelling **85** (1–2) (1996) 3–44
1361. J. Koehler, Planning from second principles **87** (1–2) (1996) 145–186
1362. M.A. Walker, The effect of resource limits and task complexity on collaborative planning in dialogue **85** (1–2) (1996) 181–243
1363. A.M. Segre, G.J. Gordon and C.P. Elkan, Exploratory analysis of speedup learning data using expectation maximization **85** (1–2) (1996) 301–319
1364. R. Basili, M.T. Pazienza and P. Velardi, An empirical symbolic approach to natural language processing **85** (1–2) (1996) 59–99
1365. G. Schwarz, On embedding default logic into Moore's autoepistemic logic (Research Note) **80** (2) (1996) 349–359
1366. F.J. Díez, Local conditioning in Bayesian networks **87** (1–2) (1996) 1–20
1367. C.-K. Kwoh and D.F. Gillies, Using hidden nodes in Bayesian networks **88** (1–2) (1996) 1–38
1368. A.R. Golding and P.S. Rosenbloom, Improving accuracy by combining rule-based and case-based reasoning **87** (1–2) (1996) 215–254
1369. P. Cohen and B. Porter, Editorial **85** (1–2) (1996) 1–2
1370. A. Srinivasan, S.H. Muggleton, M.J.E. Sternberg and R.D. King, Theories for mutagenicity: a study in first-order and feature-based induction **85** (1–2) (1996) 277–299
1371. E. Riloff, An empirical study of automated dictionary construction for information extraction in three domains **85** (1–2) (1996) 101–134
1372. D. Whitley, S. Rana, J. Dzubera and K.E. Mathias, Evaluating evolutionary algorithms **85** (1–2) (1996) 245–276
1373. J. Robin and K. McKeown, Empirically designing and evaluating a new revision-based model for summary generation **85** (1–2) (1996) 135–179
1374. A. Plaat, J. Schaeffer, W. Pijls and A. de Bruin, Best-first fixed-depth minimax algorithms **87** (1–2) (1996) 255–293
1375. S.O. Hansson, A test battery for rational database updating (Research Note) **82** (1–2) (1996) 341–352

1376. R.E. Valdés-Pérez, A new theorem in particle physics enabled by machine discovery (Research Note) **82** (1–2) (1996) 331–339
1377. M. Pradhan, M. Henrion, G. Provan, B. Del Favero and K. Huang, The sensitivity of belief networks to imprecise probabilities: an experimental investigation **85** (1–2) (1996) 363–397
1378. F. Bacchus, A.J. Grove, J.Y. Halpern and D. Koller, From statistical knowledge bases to degrees of belief **87** (1–2) (1996) 75–143
1379. A. Borgida, On the relative expressiveness of description logics and predicate logics (Research Note) **82** (1–2) (1996) 353–367
1380. S. Kambhampati, S. Katukam and Yong Qu, Failure driven dynamic search control for partial order planners: an explanation based approach **88** (1–2) (1996) 253–315
1381. R. Khardon and D. Roth, Reasoning with models **87** (1–2) (1996) 187–213
1382. N.J. Nilsson, Book review of *Artificial Intelligence: A Modern Approach* (Stuart Russell and Peter Norvig) **82** (1–2) (1996) 369–380
1383. G.N. Reeke Jr, Book review of *The Computational Brain* (Patricia S. Churchland and Terrence J. Sejnowski) **82** (1–2) (1996) 381–391
1384. M. Cadoli, F.M. Donini and M. Schaerf, Is intractability of nonmonotonic reasoning a real drawback? **88** (1–2) (1996) 215–251
1385. F. Baader, M. Buchheit and B. Hollunder, Cardinality restrictions on concepts **88** (1–2) (1996) 195–213
1386. J. Gratch and G. DeJong, A statistical approach to adaptive problem solving **88** (1–2) (1996) 101–142
1387. R.R. Brooks, S.S. Iyengar and J. Chen, Automatic correlation and calibration of noisy sensor readings using elite genetic algorithms **84** (1–2) (1996) 339–354
1388. C.-J. Liau and B.I-P. Lin, Possibilistic reasoning—a mini-survey and uniform semantics **88** (1–2) (1996) 163–193
1389. J.L. Balcázar, The complexity of searching implicit graphs (Research Note) **86** (1) (1996) 171–188
1390. D. Reynolds and J. Gomatam, Similarities and distinctions in sampling strategies for Genetic Algorithms (Research Note) **86** (2) (1996) 375–390
1391. E. Santos Jr and E.S. Santos, Polynomial solvability of cost-based abduction (Research Note) **86** (1) (1996) 157–170
1394. A. Bundy, F. Giunchiglia, R. Sebastiani and T. Walsh, Calculating criticalities **88** (1–2) (1996) 39–67
1395. E. Fink and Q. Yang, Automatically selecting and using primary effects in planning: theory and experiments **89** (1–2) (1997) 285–315
1396. G.D. Kleiter, Propagating imprecise probabilities in Bayesian networks **88** (1–2) (1996) 143–161
1397. D. Poole, Probabilistic conflicts in a search algorithm for estimating posterior probabilities in Bayesian networks **88** (1–2) (1996) 69–100
1398. R. Dearden and C. Boutilier, Abstraction and approximate decision-theoretic planning **89** (1–2) (1997) 219–283
1399. D. Ash and B. Hayes-Roth, Using action-based hierarchies for real-time diagnosis **88** (1–2) (1996) 317–347
1401. O. Etzioni, K. Golden and D.S. Weld, Sound and efficient closed-world reasoning for planning **89** (1–2) (1997) 113–148
1402. G. Kondrak and P. van Beek, A theoretical evaluation of selected backtracking algorithms **89** (1–2) (1997) 365–387
1403. K. Iwanuma and K. Oota, An extension of pointwise circumscription (Research Note) **86** (2) (1996) 391–402
1404. G. Simonet, On Sandewall's paper "Nonmonotonic inference rules for multiple inheritance with exceptions" (Research Note) **86** (2) (1996) 359–374
1405. I.P. Gent and T. Walsh, The TSP phase transition (Research Note) **88** (1–2) (1996) 349–358
1406. G.F. DeJong and S.W. Bennett, Permissive planning: extending classical planning to uncertain task domains **89** (1–2) (1997) 173–217

1407. J. Lobo and C. Uzcátegui, Abductive consequence relations **89** (1–2) (1997) 149–171
1408. M. Thielscher, Ramification and causality **89** (1–2) (1997) 317–364
1409. T.G. Dietterich, R.H. Lathrop and T. Lozano-Pérez, Solving the multiple instance problem with axis-parallel rectangles **89** (1–2) (1997) 31–71
1410. N.L. Zhang, Irrelevance and parameter learning in Bayesian networks (Research Note) **88** (1–2) (1996) 359–373
1411. C. Freksa, Erratum to "Temporal reasoning based on semi-intervals" [*Artif. Intell.* 54 (1992) 199–227] **87** (1–2) (1996) 387
1413. A. Darwiche and J. Pearl, On the logic of iterated belief revision **89** (1–2) (1997) 1–29
1414. A. Chella, M. Frixione and S. Gaglio, A cognitive architecture for artificial vision **89** (1–2) (1997) 73–111

ELSEVIER

Artificial Intelligence 96 (1997) 229–299

Artificial Intelligence

Author Index—Volumes 1–89

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Acharya, A., see Chakrabarti, P.P.	41	(1990)	197–221
Adam, A. and J.-P. Laurent, LAURA, a system to debug student programs	15	(1980)	75–122
Adcock, J., see Charniak, E.	85	(1996)	45– 57
Addanki, S., R. Cremonini and J.S. Penberthy, Graphs of models	51	(1991)	145–177
Adelson-Velskiy, G.M., V.L. Arlazarov and M.V. Donskoy, Some methods of controlling the tree search in chess programs	6	(1975)	361–371
Aggarwal, J.K., see Webb, J.A.	19	(1982)	107–130
Agre, P.E., Book review of *Plans and Situated Actions: The Problem of Human-Machine Communication* (Lucy A. Suchman)	43	(1990)	369–384
Agre, P.E., Interview with Allen Newell	59	(1993)	415–449
Agre, P.E., Computational research on interaction and agency	72	(1995)	1– 52
Ahmad, S., Book review of *Connectionist Models: Proceedings of the 1990 Summer School* (David Touretzky, Jeffrey Elman, Terence Sejnowski and Geoffrey Hinton, eds.)	62	(1993)	117–127
Ahuja, N. and R. Horaud, Introduction to the Special Volume on Computer Vision	78	(1995)	1– 3
Ahuja, N., see Das, S.	83	(1996)	241–266
Aikins, J.S., Prototypical knowledge for expert systems	20	(1983)	163–210
Aikins, J.S., Prototypical knowledge for expert systems: a retrospective analysis	59	(1993)	207–211
Aikins, J.S., see Stefik, M.J.	18	(1982)	135–173
Aikins, J.S., see Stefik, M.J.	59	(1993)	221–224
Aisbett, J. and G. Gibbon, A tunable distance measure for coloured solid models	65	(1994)	143–164
Akman, V., Book review of *Formalizing Common Sense: Papers by John McCarthy* (V. Lifschitz, ed.)	77	(1995)	359–369
Allemang, D., see Bylander, T.	49	(1991)	25– 60

Elsevier Science B.V.

Allen, J.F., Towards a general theory of action and time 23 (1984) 123–154
Allen, J.F. and C.R. Perrault, Analyzing intention in utterances 15 (1980) 143–178
Allis, L.V., M. van der Meulen and H.J. van den Herik, Proof-number search 66 (1994) 91–124
Almuallim, H., An efficient algorithm for optimal pruning of decision trees 83 (1996) 347–362
Almuallim, H. and T.G. Dietterich, Learning Boolean concepts in the presence of many irrelevant features 69 (1994) 279–305
Altay Güvenir, H. and G.W. Ernst, Learning problem solving strategies using refinement and macro generation 44 (1990) 209–243
Alterman, R., A dictionary based on concept coherence 25 (1985) 153–186
Althöfer, I., An incremental negamax algorithm 43 (1990) 57– 65
Althöfer, I., Data compression using an intelligent generator: the storage of chess games as an example (Research Note) 52 (1991) 109–113
Althöfer, I. and B. Balkenhol, A game tree with distinct leaf values which is easy for the alpha-beta algorithm (Research Note) 52 (1991) 183–190
Amarel, S., see Weiss, S.M. 11 (1978) 145–172
Ambler, A.P., H.G. Barrow, C.M. Brown, R.M. Burstall and R.J. Popplestone, A versatile system for computer-controlled assembly 6 (1975) 129–156
Ambler, A.P. and R.J. Popplestone, Inferring the positions of bodies from specified spatial relationships 6 (1975) 157–174
Ambler, A.P., see Popplestone, R.J. 14 (1980) 79–107
Ammon, K., An automatic proof of Gödel's incompleteness theorem (Research Note) 61 (1993) 291–306
Anantharaman, T., M.S. Campbell and F.-H. Hsu, Singular extensions: adding selectivity to brute-force searching 43 (1990) 99–109
Andersen, S.K., Book review of *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference* (Judea Pearl) 48 (1991) 117–124
Anderson, J.R., Cognitive Psychology (Correspondent's Report) 23 (1984) 1– 11
Anderson, J.R., A theory of the origins of human knowledge 40 (1989) 313–351
Anderson, J.R., C.F. Boyle, A.T. Corbett and M.W. Lewis, Cognitive modeling and intelligent tutoring 42 (1990) 7– 49
Anderson, R.B., Book review of *Symbolic Logic and Mechanical Theorem Proving* (Chin-Liang Chang and Richard Char-Tung Lee) 4 (1973) 245–246
André, E., see Wahlster, W. 63 (1993) 387–427
Appelt, D.E., Planning English referring expressions 26 (1985) 1– 33
Appelt, D.E., see Grosz, B.J. 32 (1987) 173–243
Appelt, D.E., see Hobbs, J.R. 63 (1993) 69–142
Arbib, M.A., Book review of *The Cognitive Structure of Emotions* (Andrew Ortony, Gerald L. Clore and Allan

Collins) 54 (1992) 229–240
Arbib, M.A., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 265–283
Arbib, M.A. and J.-S. Liaw, Sensorimotor transformations in the worlds of frogs and robots 72 (1995) 53– 79
Arlazarov, V.L., see Adelson-Velskiy, G.M. 6 (1975) 361–371
Arnon, D.S., Geometric reasoning with logic and algebra 37 (1988) 37– 60
Ash, D. and B. Hayes-Roth, Using action-based hierarchies for real-time diagnosis 88 (1996) 317–347
Auguste, D., Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown, eds.) 26 (1985) 233–238
Auguste, D., Erratum 27 (1985) 248
Auton, L.D., see Crawford, J.M. 81 (1996) 31– 57

Baader, F., M. Buchheit and B. Hollunder, Cardinality restrictions on concepts 88 (1996) 195–213
Bacchus, F., A.J. Grove, J.Y. Halpern and D. Koller, From statistical knowledge bases to degrees of belief 87 (1996) 75–143
Bacchus, F., J. Tenenberg and J.A. Koomen, A non-reified temporal logic (Research Note) 52 (1991) 87–108
Bacchus, F. and Q. Yang, Downward refinement and the efficiency of hierarchical problem solving 71 (1994) 43–100
Bäckström, C., Expressive equivalence of planning formalisms (Technical Note) 76 (1995) 17– 34
Bäckström, C., see Nebel, B. 66 (1994) 125–160
Badler, N., see Webber, B. 73 (1995) 253–269
Bagchi, A., see Sen A.K. 86 (1996) 43– 73
Baker, A.B., Nonmonotonic reasoning in the framework of situation calculus 49 (1991) 5– 23
Baker, R., A spatially-oriented information processor which simulates the motions of rigid objects 4 (1973) 29– 40
Balcázar, J.L., The complexity of searching implicit graphs (Research Note) 86 (1996) 171–188
Balkenhol, B., see Althöfer, I. 52 (1991) 183–190
Ballard, D.H., Parameter nets 22 (1984) 235–267
Ballard, D.H., Animate vision 48 (1991) 57– 86
Ballard, D.H., see Rao, R.P.N. 78 (1995) 461–505
Ballard, B.W., The $*$-minimax search procedure for trees containing chance nodes 21 (1983) 327–350
Balzer, R., see Stefik, M.J. 18 (1982) 135–173
Balzer, R., see Stefik, M.J. 59 (1993) 221–224
Banerji, R.B. and G.W. Ernst, Strategy construction using homomorphisms between games 3 (1972) 223–249
Bareiss, R., see Porter, B.W. 45 (1990) 229–263
Barnard, S.T., Interpreting perspective images 21 (1983) 435–462

Barnett, J.A., How much is control knowledge worth? A primitive example 22 (1984) 77– 89
Barrett, A. and D.S. Weld, Partial-order planning: evaluating possible efficiency gains 67 (1994) 71–112
Barrow, H.G., VERIFY: a program for proving correctness of digital hardware designs 24 (1984) 437–491
Barrow, H.G. and J.M. Tenenbaum, Interpreting line drawings as three-dimensional surfaces 17 (1981) 75–116
Erratum 18 (1982) 263
Barrow, H.G. and J.M. Tenenbaum, Retrospective on "Interpreting line drawings as three-dimensional surfaces" 59 (1993) 71– 80
Barrow, H.G., see Ambler, A.P. 6 (1975) 129–156
Barrow, H.G., see Tenenbaum, J.M. 8 (1977) 241–274
Barry, M., D. Cyrluk, D. Kapur, J.L. Mundy and V.-D. Nguyen, A multi-level geometric reasoning system for vision 37 (1988) 291–332
Barstow, D.R., An experiment in knowledge-based automatic programming 12 (1979) 73–119
Barstow, D.R., see Green, C. 10 (1978) 241–279
Barto, A.G., S.J. Bradtke and S.P. Singh, Learning to act using real-time dynamic programming 72 (1995) 81–138
Basili, R., M.T. Pazienza and P. Velardi, An empirical symbolic approach to natural language processing 85 (1996) 59– 99
Basri, R. and E. Rivlin, Localization and homing using combinations of model views 78 (1995) 327–354
Basye, K., T. Dean and L.P. Kaelbling, Learning dynamics: system identification for perceptually challenged agents 72 (1995) 139–171
Batali, J., Book review of *The Rediscovery of the Mind* (John R. Searle) 77 (1995) 177–193
Battle, D.L. and M.D. Vose, Isomorphisms of genetic algorithms (Research Note) 60 (1993) 155–165
Baudet, G.M., On the branching factor of the alpha–beta pruning algorithm 10 (1978) 173–199
Bauer, M.A., Programming by examples 12 (1979) 1– 21
Bayardo Jr, R.J. and D.P. Miranker, An optimal backtrack algorithm for tree-structured constraint satisfaction problems 71 (1994) 159–181
Beal, D.F., A generalised quiescence search algorithm 43 (1990) 85– 98
Becher, V., see Boutilier, C. 77 (1995) 43– 94
Becker, A. and D. Geiger, Optimization of Pearl's method of conditioning and greedy-like approximation algorithms for the vertex feedback set problem 83 (1996) 167–188
Becker, S., Book review of *Introduction to Neural and Cognitive Modeling* (D.S. Levine) 62 (1993) 113–116
Beckman, L., A. Haraldson, Ö. Oskarsson and E. Sandewall, A partial evaluator, and its use as a programming tool 7 (1976) 319–357

Beer, R.D., A dynamical systems perspective on agent-environment interaction 72 (1995) 173–215
Beierle, C., U. Hedtstück, U. Pletat, P.H. Schmitt and J. Siekmann, An order-sorted logic for knowledge representation systems 55 (1992) 149–191
Belew, R.K., Book review of *Neuroscience and Connectionist Theory* (Mark A. Gluck and David E. Rumelhart, eds.) 62 (1993) 153–161
Bell, J., The logic of nonmonotonicity (Research Note) 41 (1990) 365–374
Bell, J., Extended causal theories (Research Note) 48 (1991) 211–224
Bellos, I.M., see Popplestone, R.J. 14 (1980) 79–107
Ben-Eliyahu, R. and R. Dechter, Default reasoning using classical logic 84 (1996) 113–150
Bennett, S.W., see DeJong, G.F. 89 (1997) 173–217
Benoit, J., see Stefik, M.J. 18 (1982) 135–173
Benoit, J., see Stefik, M.J. 59 (1993) 221–224
Berger, J., Book review of *Computers and Musical Style* (David Cope) 79 (1995) 343–348
Berlin, D., Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (1984) 242–244
Berliner, H.J., A chronology of computer chess and its literature (Review Article) 10 (1978) 201–214
Berliner, H.J., The B* tree search algorithm: a best-first proof procedure 12 (1979) 23– 40
Berliner, H.J., Backgammon computer program beats world champion (Performance Note) 14 (1980) 205–220
Berliner, H.J. and M.S. Campbell, Using chunking to solve chess pawn endgames 23 (1984) 97–120
Berliner, H.J. and C. Ebeling, The SUPREM architecture: a new intelligent paradigm (Research Note) 28 (1986) 3– 8
Berliner, H.J. and C. Ebeling, Pattern knowledge and search: the SUPREM architecture 38 (1989) 161–198
Berliner, H.J., G. Goetsch, M.S. Campbell and C. Ebeling, Measuring the performance potential of chess programs 43 (1990) 7– 20
Berliner, H.J. and C. McConnell, B* probability based search 86 (1996) 97–156
Bertoni, A. and M. Dorigo, Implicit parallelism in genetic algorithms (Research Note) 61 (1993) 307–314
Besnard, P., Y. Moinard and R.E. Mercer, The importance of open and recursive circumscription (Research Note) 39 (1989) 251–262
Bessière, C., Arc-consistency and arc-consistency again (Research Note) 65 (1994) 179–190
Bhaskar, R. and A. Nigam, Qualitative physics using dimensional analysis 45 (1990) 73–111
Bibel, W., Syntax-directed, semantics-supported program synthesis 14 (1980) 243–261

Bibel, W., A comparative study of several proof procedures 18 (1982) 269–293
Bibel, W., Constraint satisfaction from a deductive viewpoint (Research Note) 35 (1988) 401–413
Bibel, W., see Brüning, S. 64 (1993) 353–354
Bic, L., Processing of semantic nets on dataflow architectures 27 (1985) 219–227
Biermann, A.W., On the inference of Turing machines from sample computations 3 (1972) 181–198
Binford, T.O., Inferring surfaces from images 17 (1981) 205–244
Binford, T.O., see Nevatia, R. 8 (1977) 77– 98
Birnbaum, L., Rigor mortis: a response to Nilsson's "Logic and artificial intelligence" 47 (1991) 57– 77
Birnbaum, L., see Stefik, M.J. 18 (1982) 135–173
Birnbaum, L., see Stefik, M.J. 59 (1993) 221–224
Blake, A., M. Isard and D. Reynard, Learning to track the visual motion of contours 78 (1995) 179–212
Blake, A. and C. Marinos, Shape from texture: estimation, isotropy and moments 45 (1990) 323–380
Bledsoe, W.W., Splitting and reduction heuristics in automatic theorem proving 2 (1971) 55– 77
Bledsoe, W.W., Non-resolution theorem proving 9 (1977) 1– 35
Bledsoe, W.W., R.S. Boyer and W.H. Henneman, Computer proofs of limit theorems 3 (1972) 27– 60
Bledsoe, W.W. and P. Bruell, A man–machine theorem-proving system 5 (1974) 51– 72
Bledsoe, W.W., K. Kunen and R.E. Shostak, Completeness results for inequality provers 27 (1985) 255–288
Blount, S.E., see Koffman, E.B. 6 (1975) 215–234
Blumenthal, B. and B.W. Porter, Analysis and empirical studies of derivational analogy 67 (1994) 287–327
Bobrow, D.G., Qualitative reasoning about physical systems: an introduction 24 (1984) 1– 5
Bobrow, D.G., Dedication 59 (1993) 1– 3
Bobrow, D.G., Artificial intelligence in perspective: a retrospective on fifty volumes of the *Artificial Intelligence Journal* 59 (1993) 5– 20
Bobrow, D.G., Editorial introduction 60 (1993) 197
Bobrow, D.G. and P.J. Hayes, Artificial Intelligence—where are we? 25 (1985) 375–415
Bobrow, D.G., R.M. Kaplan, M. Kay, D.A. Norman, H. Thompson and T. Winograd, GUS, a frame-driven dialog system 8 (1977) 155–173
Bobrow, D.G., see Stefik, M.J. 31 (1987) 220–226
Boddy, M. and T.L. Dean, Deliberation scheduling for problem solving in time-constrained environments 67 (1994) 245–285
Boddy, M., see Dean, T.L. 36 (1988) 375–399

Boden, M., Modelling creativity: a reply to the reviewers	79	(1995)	161–182
Boguraev, B., see Pustejovsky, J.	63	(1993)	193–223
Boissonat, J.D., see Faugeras, O.D.	44	(1990)	41– 87
Bojadžiev, D., Sloman's view of Gödel's sentence (Research Note)	74	(1995)	389–393
Boley, H., Directed recursive labelnode hypergraphs: a new representation-language	9	(1977)	49– 85
Booker, L.B., D.E. Goldberg and J.H. Holland, Classifier systems and genetic algorithms	40	(1989)	235–282
Borgida, A., On the relative expressiveness of description logics and predicate logics (Research Note)	82	(1996)	353–367
Bossu, G. and P. Siegel, Saturation, nonmonotonic reasoning, and the closed-world assumption	25	(1985)	13– 63
Boufama, B., see Mohr, R.	78	(1995)	213–238
Boutilier, C., Unifying default reasoning and belief revision in a modal framework	68	(1994)	33– 85
Boutilier, C., Conditional logics of normality: a modal approach	68	(1994)	87–154
Boutilier, C., Abduction to plausible causes: an event-based model of belief update	83	(1996)	143–166
Boutilier C. and V. Becher, Abduction as belief revision	77	(1995)	43– 94
Boutilier, C., see Dearden, R.	89	(1997)	219–283
Boyer, R.S., see Bledsoe, W.W.	3	(1972)	27– 60
Boyle, C.F., see Anderson, J.R.	42	(1990)	7– 49
Božinović, R.M., see Srihari, S.N.	33	(1987)	217–255
Brachman, R.J., H.J. Levesque and R. Reiter, Introduction to the Special Volume on Knowledge Representation	49	(1991)	1– 3
Bradtke, S.J., see Barto, A.G.	72	(1995)	81–138
Brady, M., Book review of *Artificial Intelligence and Natural Man* (Margaret Boden)	11	(1978)	267–269
Brady, M., Book review of *Techniques of Artificial Intelligence* (Stuart C. Shapiro)	14	(1980)	109–110
Brady, M., Preface—the changing shape of computer vision	17	(1981)	1– 15
Brady, M., Computer vision (Correspondent's Report)	19	(1982)	7– 16
Brady, M., Parallelism in vision (Correspondent's Report)	21	(1983)	271–283
Brady, M., Artificial Intelligence and Robotics	26	(1985)	79–121
Brady, M., see Connell, J.H.	31	(1987)	159–183
Brady, M., see Horaud, R.	37	(1988)	333–353
Brady, J.M., see Reid, I.D.	78	(1995)	289–326
Brand, D., Analytic resolution in theorem proving	7	(1976)	285–318
Brand, M., P. Prokopowicz and C. Elliott, Book review of *From Animals to Animats: Proceedings of the First International Conference on Simulation of Adaptive Behavior* (Jean-Arcady Meyer and Stewart W. Wilson, eds.)	73	(1995)	307–322
Brand, P., see Mohr, R.	78	(1995)	213–238

Bray, A.J., L.J. Cahill and J.P. Rae, Book review of *Foundations of Cognitive Science* (Michael I. Posner, ed.)	52	(1991)	319–328
Brewka, G., Cumulative Default Logic: in defense of nonmonotonic inference rules	50	(1991)	183–205
Brewka, G., see Witteveen, C.	61	(1993)	1– 36
Brice, C.R. and C.L. Fennema, Scene analysis using regions	1	(1970)	205–226
Brooks, R.A., Symbolic reasoning among 3-D models and 2-D images	17	(1981)	285–348
Brooks, R.A., Intelligence without representation	47	(1991)	139–159
Brooks, R.R., S.S. Iyengar and J. Chen, Automatic correlation and calibration of noisy sensor readings using elite genetic algorithms	84	(1996)	339–354
Brown, C.M., see Ambler, A.P.	6	(1975)	129–156
Brown, F.M., Doing arithmetic without diagrams	8	(1977)	175–200
Brown, F.M., Towards the automation of set theory and its logic	10	(1978)	281–316
Brown, F.M., An investigation into the goals of research in automatic theorem proving as related to mathematical reasoning	14	(1980)	221–242
Brown, F.M., Àn experimental logic based on the fundamental deduction principle	30	(1986)	117–263
Brown, F.M. and S.-Å. Tärnlund, Inductive reasoning on recursive equations	12	(1979)	207–229
Brown, J.S., see De Kleer, J.	24	(1984)	7– 83
Brown, J.S., see De Kleer, J.	29	(1986)	33– 61
Brown, J.S., see Lenat, D.B.	23	(1984)	269–294
Bruce, B.C., A model for temporal references and its application in a question answering program	3	(1972)	1– 25
Bruce, B.C., Case systems for natural language	6	(1975)	327–360
Bruell, P., see Bledsoe, W.W.	5	(1974)	51– 72
Brüning, S., M. Thielscher and W. Bibel, Letter to the Editor	64	(1993)	353–354
Brusoni, V., L. Console and P. Terenziani, On the computational complexity of querying bounds on differences constraints (Research Note)	74	(1995)	367–379
Bruynooghe, M., see De Raedt, L.	53	(1992)	291–307
Bruynooghe, M., see De Schreye, D.	41	(1990)	237–248
Bruynooghe, M., see Sablon, G.	69	(1994)	393–409
Buchanan, B.G. and E.A. Feigenbaum, Dendral and Meta-Dendral: their applications dimension	11	(1978)	5– 24
Buchanan, B.G., see Davis, R.	8	(1977)	15– 45
Buchanan, B.G., see Davis, R.	59	(1993)	181–189
Buchanan, B.G., see Feigenbaum, E.A.	59	(1993)	233–240
Buchanan, B.G., see Lindsay, R.K.	61	(1993)	209–261
Buchheit, M., see Baader, F.	88	(1996)	195–213

Bundy, A., Will it reach the top? Prediction in the mechanics world	10	(1978)	129–146
Bundy, A., F. Giunchiglia, R. Sebastiani and T. Walsh, Calculating criticalities	88	(1996)	39– 67
Bundy, A., B. Silver and D. Plummer, An analytical comparison of some rule-learning programs	27	(1985)	137–181
Bundy, A., A. Stevens, F. van Harmelen, A. Ireland and A. Smaill, Rippling: a heuristic for guiding inductive proofs	62	(1993)	185–253
Bundy, A. and B. Welham, Using meta-level inference for selective application of multiple rewrite rule sets in algebraic manipulation	16	(1981)	189–211
Bundy, A., see Van Harmelen, F.	36	(1988)	401–412
Buntine, W., Generalized subsumption and its applications to induction and redundancy	36	(1988)	149–176
Bürckert, H.-J., A resolution principle for constrained logics	66	(1994)	235–271
Burstall, R.M., see Ambler, A.P.	6	(1975)	129–156
Buxton, H. and S. Gong, Visual surveillance in a dynamic and uncertain world	78	(1995)	431–459
Bylander, T., The computational complexity of propositional STRIPS planning	69	(1994)	165–204
Bylander, T., A probabilistic analysis of propositional STRIPS planning	81	(1996)	241–271
Bylander, T., D. Allemang, M.C. Tanner and J.R. Josephson, The computational complexity of abduction	49	(1991)	25– 60
Cadoli, M., F.M. Donini and M. Schaerf, Is intractability of nonmonotonic reasoning a real drawback?	88	(1996)	215–251
Cadoli, M., T. Eiter and G. Gottlob, An efficient method for eliminating varying predicates from a circumscription (Research Note)	54	(1992)	397–410
Cadoli, M., see Schaerf, M.	74	(1995)	249–310
Cahill, L.J., see Bray, A.J.	52	(1991)	319–328
Campbell, M.S. and T.A. Marsland, A comparison of minimax tree search algorithms	20	(1983)	347–367
Campbell, M.S., see Anantharaman, T.	43	(1990)	99–109
Campbell, M.S., see Berliner, H.J.	23	(1984)	97–120
Campbell, M.S., see Berliner, H.J.	43	(1990)	7– 20
Canny, J., Constructing roadmaps of semi-algebraic sets I: completeness	37	(1988)	203–222
Carbonell, J.G., Towards a process model of human personality traits	15	(1980)	49– 74
Carbonell, J.G., Counterplanning: a strategy-based model of adversary planning in real world situations	16	(1981)	295–329
Carbonell, J.G., Introduction: paradigms for machine learning	40	(1989)	1– 9
Carbonell, J.G., see Minton, S.	40	(1989)	63–118

Carroll, G., see Charniak, E.	85	(1996)	45– 57
Cassandra, A., see Charniak, E.	85	(1996)	45– 57
Chakrabarti, P.P., Algorithms for searching explicit AND/OR graphs and their applications to problem reduction search	65	(1994)	329–345
Chakrabarti, P.P., S. Ghose and S.C. DeSarkar, Heuristic search through islands (Research Note)	29	(1986)	339–347
Chakrabarti, P.P., S. Ghose and S.C. DeSarkar, Admissibility of AO* when heuristics overestimate (Research Note)	34	(1988)	97–113
Chakrabarti, P.P., S. Ghose, A. Acharya and S.C. DeSarkar, Heuristic search in restricted memory (Research Note)	41	(1990)	197–221
Chakrabarti, P.P., see Dasgupta, P.	71	(1994)	195–208
Chakrabarti, P.P., see Dasgupta, P.	77	(1995)	173–176
Chakrabarti, P.P., see Dasgupta, P.	82	(1996)	237–257
Chakrabarti, P.P., see Sarkar, U.K.	50	(1991)	207–221
Chandrasekaran, B., see Flinchbaugh, B.E.	17	(1981)	387–407
Chang, C.L., Renamable paramodulation for automatic theorem proving with equality	1	(1970)	247–256
Chang, C.L. and J.R. Slagle, An admissible and optimal algorithm for searching AND/OR graphs	2	(1971)	117–128
Chang, C.L. and J.R. Slagle, Using rewriting rules for connection graphs to prove theorems	12	(1979)	159–178
Chapman, D., Planning for conjunctive goals	32	(1987)	333–377
Charniak, E., On the use of framed knowledge in language comprehension	11	(1978)	225–265
Charniak, E., A common representation for problem-solving and language-comprehension information	16	(1981)	225–255
Charniak, E., Motivation analysis, abductive unification, and nonmonotonic equality	34	(1988)	275–295
Charniak, E., G. Carroll, J. Adcock, A. Cassandra, Y. Gotoh, J. Katz, M. Littman and J. McCann, Taggers for parsers	85	(1996)	45– 57
Charniak, E. and R.P. Goldman, A Bayesian model of plan recognition	64	(1993)	53– 79
Charniak, E. and S.E. Shimony, Cost-based abduction and MAP explanation	66	(1994)	345–374
Chella, A., M. Frixione and S. Gaglio, A cognitive architecture for artificial vision	89	(1997)	73–111
Chellappa, R., see Frankot, R.T.	43	(1990)	271–310
Chen, C.-T., see Lin, W.-C.	38	(1989)	207–224
Chen, J., see Brooks, R.R.	84	(1996)	339–354
Chen, S.S., J.M. Keller and R.M. Crownover, Shape from fractal geometry	43	(1990)	199–218
Cherniavsky, A.L., A program for timetable compilation by a look-ahead method	3	(1972)	61– 76
Chester, D., The translation of formal proofs into English	7	(1976)	261–278

Chester, D., Book review of *A Flexible Efficient Computer System to Answer Human Questions* (John Craig Comfort) 7 (1976) 363–365
Chickering, D.M., see Korf, R.E. 84 (1996) 299–337
Chiu, C., see Kuipers, B.J. 51 (1991) 343–379
Chou, T.-C., see Kanatani, K. 38 (1989) 1– 48
Clancey, W.J., Book review of *Conceptual Structures—Information Processing in Mind and Machine* [Systems Programming Series] (J.F. Sowa) 27 (1985) 113–124
Clancey, W.J., The epistemology of a rule-based expert system—a framework for explanation 20 (1983) 215–251
Clancey, W.J., Heuristic classification 27 (1985) 289–350
Clancey, W.J., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 232–250
Clancey, W.J., Book review of *The Invention of Memory: A New View to the Brain* (Israel Rosenfield) 50 (1991) 241–284
Clancey, W.J., Model construction operators 53 (1992) 1–115
Clancey, W.J., Notes on "Heuristic classification" 59 (1993) 191–196
Clancey, W.J., Notes on "Epistemology of a rule-based expert system" 59 (1993) 197–204
Clancey, W.J., The biology of conciousness: comparative review of *The Strange, Familiar, and Forgotten: An Anatomy of Consciousness* (Israel Rosenfield) and *Bright Air, Brilliant Fire: On the Matter of Mind* (Gerald M. Edelman) 60 (1993) 313–356
Clancey, W.J. and E. Soloway, Artificial intelligence and learning environments: Preface 42 (1990) 1– 6
Claybrook, B.G., A new approach to the symbolic factorization of multivariate polynomials 7 (1976) 203–241
Clearwater, S.H. and T. Hogg, Problem structure heuristics and scaling behavior for genetic algorithms 81 (1996) 327–347
Clowes, M.B., On seeing things 2 (1971) 79–116
Cohen, B.L., The mechanical discovery of certain problem symmetries 8 (1977) 119–131
Cohen, B.L., A powerful and efficient structural pattern recognition system 9 (1977) 223–255
Cohen, D.A., see Cooper, M.C. 65 (1994) 347–361
Cohen, D.A., see Gyssens, M. 66 (1994) 57– 89
Cohen, E., Computational theory for interpreting handwritten text in constrained domains 68 (1994) 1– 31
Cohen, P. and B. Porter, Editorial 85 (1996) 1– 2
Cohen, P.R. and H.J. Levesque, Intention is choice with commitment 42 (1990) 213–261
Cohen, P.R., see Howe, A.E. 76 (1995) 125–166
Cohen, W.W., Grammatically biased learning: learning logic programs using an explicit antecedent description language 68 (1994) 303–366

Cohen, W.W., Pac-learning non-recursive Prolog clauses	79 (1995)	1– 38
Coiera, E.W., Qualitative superposition	56 (1992)	171–196
Colby, K.M., F.D. Hilf, S. Weber and H.C. Kraemer, Turing-like indistinguishability tests for the validation of a computer simulation of paranoid processes	3 (1972)	199–221
Colby, K.M., S. Weber and F.D. Hilf, Artificial paranoia	2 (1971)	1– 25
Colby, K.M., see Parkison, R.C.	9 (1977)	111–134
Collins, H.M., Embedded or embodied?: a review of Hubert Dreyfus' *What Computers Still Can't Do*	80 (1996)	99–117
Colombetti, M., Formal semantics for mutual belief (Research Note)	62 (1993)	341–353
Colombetti, M., see Dorigo, M.	71 (1994)	321–370
Connell, J.H. and Brady, M., Generating and generalizing models of visual objects	31 (1987)	159–183
Connell, J., see Mahadevan, S.	55 (1992)	311–365
Console, L., see Brusoni, V.	74 (1995)	367–379
Converse, T.M., see Hammond, K.J.	72 (1995)	305–327
Cooper, G.F., The computational complexity of probabilistic inference using Bayesian belief networks (Research Note)	42 (1990)	393–405
Cooper, G.F., see Suermondt, H.J.	50 (1991)	83– 94
Cooper, M.C., An optimal k-consistency algorithm (Research Note)	41 (1990)	89– 95
Cooper, M.C., D.A. Cohen and P.G. Jeavons, Characterising tractable constraints (Research Note)	65 (1994)	347–361
Cooper, M.C., see Jeavons, P.G.	79 (1995)	327–339
Cooper, P.R. and M.J. Swain, Arc consistency: parallelism and domain dependence	58 (1992)	207–235
Cooper, R., J. Fox, J. Farringdon and T. Shallice, A systematic methodology for cognitive modelling	85 (1996)	3– 44
Corbett, A.T., see Anderson, J.R.	42 (1990)	7– 49
Cox, I.J. and J.J. Leonard, Modeling a dynamic environment using a Bayesian multiple hypothesis approach	66 (1994)	311–344
Crawford, J.M. and L.D. Auton, Experimental results on the crossover point in random 3-SAT	81 (1996)	31– 57
Crawford, J.M., see Schrag, R.	81 (1996)	199–222
Cremonini, R., see Addanki, S.	51 (1991)	145–177
Croft, W., Book review of *Representations of Commonsense Knowledge* (E. Davis)	61 (1993)	105–112
Crouch, R.S. and S.G. Pulman, Time and modality in a natural language interface to a planning system	63 (1993)	265–304
Crownover, R.M., see Chen, S.S.	43 (1990)	199–218
Culberson, J., see Schaeffer, J.	53 (1992)	273–289
Culhane, S.M., see Tsotsos, J.K.	78 (1995)	507–545
Currie, K. and A. Tate, O-Plan: the open planning architecture	52 (1991)	49– 86

Cushing, S., Some quantifiers require two-predicate scopes (Research Note)	32	(1987)	259–267
Cvetković, D. and I. Pevac, Man–machine theorem proving in graph theory	35	(1988)	1– 23
Cyrluk, D., see Barry, M.	37	(1988)	291–332
Džeroski, S., see De Raedt, L.	70	(1994)	375–392
Dagum, P. and M. Luby, Approximating probabilistic inference in Bayesian belief networks is NP-hard (Research Note)	60	(1993)	141–153
Dalle Molle, D.T., see Kuipers, B.J.	51	(1991)	343–379
Daniels, C.J., see Mahanti, A.	60	(1993)	243–282
Darden, L., see Strom, J.D.	80	(1996)	151–170
Darlington, J., An experimental program transformation and synthesis system	16	(1981)	1– 46
Darwiche, A. and J. Pearl, On the logic of iterated belief revision	89	(1997)	1– 29
Darwish, N.M., A quantitative analysis of the alpha-beta pruning algorithm	21	(1983)	405–433
Das, S. and N. Ahuja, Active surface estimation: integrating coarse-to-fine image acquisition and estimation from multiple cues	83	(1996)	241–266
Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, Searching game trees under a partial order	82	(1996)	237–257
Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, Agent searching in a tree and the optimality of iterative deepening (Research Note)	71	(1994)	195–208
Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar, A correction to "Agent searching in a tree and the optimality of iterative deepening" (Research Note)	77	(1995)	173–176
Daun, B., see Zweben, M.	58	(1992)	271–296
Davis, E., Constraint propagation with interval labels	32	(1987)	281–331
Davis, E., *Representations of Commonsense Knowledge*: response to the reviews	61	(1993)	175–179
Davis, E., see McDermott, D.	22	(1984)	107–156
Davis, E., see Zweben, M.	58	(1992)	271–296
Davis, L.S. and A. Rosenfeld, Cooperating processes for low-level vision: a survey	17	(1981)	245–263
Davis, M., The mathematics of non-monotonic reasoning (Technical Note)	13	(1980)	73– 80
Davis, N., see Tsotsos, J.K.	78	(1995)	507–545
Davis, R., Interactive transfer of expertise: acquisition of new inference rules	12	(1979)	121–157
Davis, R., Meta-rules: reasoning about control	15	(1980)	179–222
Davis, R., Content reference: reasoning about rules	15	(1980)	223–239

Davis, R., Diagnostic reasoning based on structure and behavior	24	(1984)	347–410
Davis, R., Retrospective on "Diagnostic reasoning based on structure and behavior"	59	(1993)	149–157
Davis, R., B.G. Buchanan and E.H. Shortliffe, Production rules as a representation for a knowledge-based consultation program	8	(1977)	15– 45
Davis, R., B.G. Buchanan and E.H. Shortliffe, Retrospective on "Production rules as a representation for a knowledge-based consultation program"	59	(1993)	181–189
Davis, R. and R.G. Smith, Negotiation as a metaphor for distributed problem solving	20	(1983)	63–109
Davis, R., see Prieditis, A.	74	(1995)	165–175
Deale, M., see Zweben, M.	58	(1992)	271–296
Dean, T., see Basye, K.	72	(1995)	139–171
Dean, T.L., see Boddy, M.	67	(1994)	245–285
Dean, T.L. and D.V. McDermott, Temporal data base management	32	(1987)	1– 55
Dean, T.L. and M. Boddy, Reasoning about partially ordered events	36	(1988)	375–399
Dean, T., L.P. Kaelbling, J. Kirman and A. Nicholson, Planning under time constraints in stochastic domains	76	(1995)	35– 74
Dearden, R. and C. Boutilier, Abstraction and approximate decision-theoretic planning	89	(1997)	219–283
De Bruin, A., see Plaat, A.	87	(1996)	255–293
Dechter, A., see Dechter, R.	82	(1996)	1– 20
Dechter, R., From local to global consistency	55	(1992)	87–107
Dechter, R., Enhancement schemes for constraint processing: backjumping, learning and cutset decomposition	41	(1990)	273–312
Dechter, R. and A. Dechter, Structure-driven algorithms for truth maintenance	82	(1996)	1– 20
Dechter, R., I. Meiri and J. Pearl, Temporal constraint networks	49	(1991)	61– 95
Dechter, R. and I. Meiri, Experimental evaluation of preprocessing algorithms for constraint satisfaction problems	68	(1994)	211–241
Dechter, R. and J. Pearl, Network-based heuristics for constraint-satisfaction problems	34	(1988)	1– 38
Dechter, R. and J. Pearl, Tree clustering for constraint networks (Research Note)	38	(1989)	353–366
Dechter, R. and J. Pearl, Structure identification in relational data	58	(1992)	237–270
Dechter, R., see Ben-Eliyahu, R.	84	(1996)	113–150
Dechter, R., see Huyn, N.	15	(1980)	241–254
Dechter, R., see Meiri, I.	86	(1996)	245–267
DeCoste, D., Dynamic across-time measurement interpretation	51	(1991)	273–341
DeJong, G.F., Learning to plan in continuous domains	65	(1994)	71–141

DeJong, G.F. and S.W. Bennett, Permissive planning: extending classical planning to uncertain task domains 89 (1997) 173–217
DeJong, G. and J. Gratch, Book review of *Learning Search Control Knowledge: An Explanation-Based Approach* (Steve Minton) 50 (1991) 117–127
DeJong, G.F., see Gratch, J. 88 (1996) 101–142
DeJong, G.F., see Shavlik, J.W. 45 (1990) 1– 45
Dekker, S.T., H.J. van den Herik and I.S. Herschberg, Perfect knowledge revisited 43 (1990) 111–123
De Kleer, J., Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck) 22 (1984) 222–226
De Kleer, J., How circuits work 24 (1984) 205–280
De Kleer, J., Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat) 25 (1985) 105–107
De Kleer, J., An assumption-based TMS 28 (1986) 127–162
De Kleer, J., Extending the ATMS 28 (1986) 163–196
De Kleer, J., Problem solving with the ATMS 28 (1986) 197–224
De Kleer, J., Using crude probability estimates to guide diagnosis (Research Note) 45 (1990) 381–391
De Kleer, J., A perspective on assumption-based truth maintenance 59 (1993) 63– 67
De Kleer, J., A view on qualitative physics 59 (1993) 105–114
De Kleer, J. and J.S. Brown, A qualitative physics based on confluences 24 (1984) 7– 83
De Kleer, J. and J.S. Brown, Theories of causal ordering 29 (1986) 33– 61
De Kleer, J. and K. Konolige, Eliminating the fixed predicates from a circumscription (Research Note) 39 (1989) 391–398
De Kleer, J., A.K. Mackworth and R. Reiter, Characterizing diagnoses and systems 56 (1992) 197–222
De Kleer, J. and B.C. Williams, Diagnosing multiple faults 32 (1987) 97–130
De Kleer, J., see Williams, B.C. 51 (1991) 1– 9
Delcher, A.L., see Kasif, S. 69 (1994) 307–327
Del Favero, B., see Pradhan, M. 85 (1996) 363–397
Delgrande, J.P., A first-order conditional logic for prototypical properties 33 (1987) 105–130
Delgrande, J.P., An approach to default reasoning based on a first-order conditional logic: revised report 36 (1988) 63– 90
Delgrande, J.P., T. Schaub and W.K. Jackson, Alternative approaches to default logic 70 (1994) 167–237
Dennett, D.C., Recent work in philosophy of interest to AI (Correspondent's Report) 19 (1982) 3– 5
Dennett, D.C., Recent work in philosophy II (Correspondent's Report) 22 (1984) 231–233

Dennett, D.C., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 285–294
De Raedt, L. and M. Bruynooghe, Belief updating from integrity constraints and queries (Research Note) 53 (1992) 291–307
De Raedt, L. and S. Džeroski, First-order *jk*-clausal theories are PAC-learnable (Research Note) 70 (1994) 375–392
De Raedt, L., see Sablon, G. 69 (1994) 393–409
Deriche, R., see Zhang, Z. 78 (1995) 87–119
De Schreye, D., M. Bruynooghe and K. Verschaetse, On the existence of nonterminating queries for a restricted class of PROLOG-clauses (Research Note) 41 (1990) 237–248
Dershowitz, N., Synthetic programming 25 (1985) 323–373
Derthick, M., Book review of *Connections and Symbols* (Steven Pinker and Jacques Mehler, eds.) 43 (1990) 251–265
Derthick, M., Mundane reasoning by setling on a plausible model 46 (1990) 107–157
DeSarkar, S.C., see Chakrabarti, P.P. 29 (1986) 339–347
DeSarkar, S.C., see Chakrabarti, P.P. 34 (1988) 97–113
DeSarkar, S.C., see Chakrabarti, P.P. 41 (1990) 197–221
DeSarkar, S.C., see Dasgupta, P. 71 (1994) 195–208
DeSarkar, S.C., see Dasgupta, P. 77 (1995) 173–176
DeSarkar, S.C., see Dasgupta, P. 82 (1996) 237–257
DeSarkar, S.C., see Sarkar, U.K. 50 (1991) 207–221
Descotte, Y. and J.-C. Latombe, Making compromises among antagonist constraints in a planner 27 (1985) 183–217
Devanbu, P.T. and D.J. Litman, Taxonomic plan reasoning 84 (1996) 1– 35
Deville, Y., see Van Hentenryck, P. 57 (1992) 291–321
Dietterich, T.G., R.H. Lathrop and T. Lozano-Pérez, Solving the multiple instance problem with axis-parallel rectangles 89 (1997) 31– 71
Dietterich, T.G. and R.S. Michalski, Inductive learning of structural descriptions: evaluation criteria and comparative review of selected methods 16 (1981) 257–294
Dietterich, T.G. and R.S. Michalski, Discovering patterns in sequences of events 25 (1985) 187–232
Dietterich, T.G., see Almuallim, H. 69 (1994) 279–305
Di Eugenio, B., see Webber, B. 73 (1995) 253–269
Díez, F.J., Local conditioning in Bayesian networks 87 (1996) 1– 20
Dillenburg, J.F. and P.C. Nelson, Perimeter search (Research Note) 65 (1994) 165–178
Dincbas, M., see Van Hentenryck, P. 58 (1992) 113–159
Dixon, N.R., see Tappert, C.C. 5 (1974) 95–113
Domeshek, E., see Ram, A. 79 (1995) 111–128
Donald, B.R., A search algorithm for motion planning with six degrees of freedom 31 (1987) 295–353

Donald, B.R., A geometric approach to error detection and recovery for robot motion planning with uncertainty	37	(1988)	223–271
Donald, B.R., On information invariants in robotics	72	(1995)	217–304
Donini, F.M., M. Lenzerini, D. Nardi, B. Hollunder, W. Nutt and A.M. Spaccamela, The complexity of existential quantification in concept languages (Research Note)	53	(1992)	309–327
Donini, F.M., see Cadoli, M.	88	(1996)	215–251
Donskoy, M.V., see Adelson-Velskiy, G.M.	6	(1975)	361–371
Dordan, O., Mathematical problems arising in qualitative simulation of a differential equation	55	(1992)	61– 86
Dorigo, M. and M. Colombetti, Robot shaping: developing autonomous agents through learning	71	(1994)	321–370
Dorigo, M., see Bertoni, A.	61	(1993)	307–314
Dorr, B.J., Interlingual machine translation: a parameterized approach	63	(1993)	429–492
Doshita, S., see Nishida, T.	75	(1995)	3– 29
Doyle, J., see McDermott, D.	13	(1980)	41– 72
Doyle, J., A truth maintenance system	12	(1979)	231–272
Doyle, J. and R.S. Patil, Two theses of knowledge representation: language restrictions, taxonomic classification, and the utility of representation services	48	(1991)	261–297
Doyle, J. and M.P. Wellman, Impediments to universal preference-based default theories	49	(1991)	97–128
Drabble, B., EXCALIBUR: a program for planning and reasoning with processes	62	(1993)	1– 40
Draper, S.W., The use of gradient and dual space in line-drawing interpretation	17	(1981)	461–508
Drascher, E., see Zweben, M.	58	(1992)	271–296
Dreyfus, H.L., Response to my critics	80	(1996)	171–191
Dubois, D. and H. Prade, Default reasoning and possibility theory (Research Note)	35	(1988)	243–257
Dubois, D. and H. Prade, Epistemic entrenchment and possibilistic logic (Research Note)	50	(1991)	223–239
Ducournau, R., see Simonet, G.	71	(1994)	183–193
Dung, P.M., On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and *n*-person games	77	(1995)	321–357
Durfee, E.H., see Musliner, D.J.	74	(1995)	83–128
Durnin, J.H., see Scandura, J.M.	5	(1974)	149–183
Dyer, M.G., A society of ideas on cognition: review of Marvin Minsky's *The Society of Mind*	48	(1991)	321–334
Dyer, C.R., see Kutulakos, K.N.	78	(1995)	147–177
Dyer, M.G., see Lehnert, W.G.	20	(1983)	15– 62
Dyer, M.E., see Smith, B.M.	81	(1996)	155–181

Dym, C.L., Book review of *Building Expert Systems* (F. Hayes-Roth, D.A. Waterman and D.B. Lenat)	25	(1985)	101–104
Dym, C.L., Book review of *A Practical Guide to Designing Expert Systems* (S.M. Weiss and C.A. Kulikowski)	25	(1985)	238–239
Dzubera, J., see Whitley, D.	85	(1996)	245–276
Eastman, C.M., Automated space planning	4	(1973)	41– 64
Ebeling, C., see Berliner, H.J.	28	(1986)	3– 8
Ebeling, C., see Berliner, H.J.	38	(1989)	161–198
Ebeling, C., see Berliner, H.J.	43	(1990)	7– 20
Eisinger, N., H.J. Ohlbach and A. Präcklein, Reduction rules for resolution-based systems	50	(1991)	141–181
Eiter, T., see Cadoli, M.	54	(1992)	397–410
Eiter, T. and G. Gottlob, On the complexity of propositional knowledge base revision, updates, and counterfactuals	57	(1992)	227–270
Eliot, L.B., Book review of *The AI Business: The Commercial Uses of Artificial Intelligence* (P.H. Winston and K.A. Prendergast, eds.)	26	(1985)	361–363
Elkan, C., A rational reconstruction of nonmonotonic truth maintenance systems (Research Note)	43	(1990)	219–234
Elkan, C. and R. Greiner, Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha)	61	(1993)	41– 52
Elkan, C., see Segre, A.	69	(1994)	1– 50
Elkan, C., see Segre, A.	85	(1996)	301–319
Elliott, C., see Brand, M.	73	(1995)	307–322
Elliott, G.L., see Haralick, R.M.	14	(1980)	263–313
Ephrati, E. and J.S. Rosenschein, Deriving consensus in multiagent systems	87	(1996)	21– 74
Eriksson, H., Y. Shahar, S.W. Tu, A.R. Puerta and M.A. Musen, Task modeling with reusable problem-solving methods	79	(1995)	293–326
Ernst, G.W., see Altay Güvenir, H.	44	(1990)	209–243
Ernst, G.W., see Banerji, R.B.	3	(1972)	223–249
Erol, K., D.S. Nau and V.S. Subrahmanian, Complexity, decidability and undecidability results for domain-independent planning (Technical Note)	76	(1995)	75– 88
Escalada-Imaz, G. and M. Ghallab, A practically efficient and almost linear unification algorithm (Research Note)	36	(1988)	249–263
Eskey, M., see Zweben, M.	58	(1992)	271–296
Etherington, D.W., Formalizing nonmonotonic reasoning systems	31	(1987)	41– 85
Errata	34	(1988)	395
Etherington, D.W., S. Kraus and D. Perlis, Nonmonotonicity and the scope of reasoning	52	(1991)	221–261
Etzioni, O., see Minton, S.	40	(1989)	63–118

Etzioni, O., A structural theory of explanation-based learning	60	(1993)	93–139
Etzioni, O., Acquiring search-control knowledge via static analysis	62	(1993)	255–301
Etzioni, O., K. Golden and D.S. Weld, Sound and efficient closed-world reasoning for planning	89	(1997)	113–148
Etzioni, O., Embedding decision-analytic control in a learning architecture	49	(1991)	129–159
Fagin, R. and J.Y. Halpern, Belief, awareness, and limited reasoning	34	(1988)	39– 76
Fagin, R., J.Y. Halpern and M.Y. Vardi, A nonstandard approach to the logical omniscience problem	79	(1995)	203–240
Fagin, R., see Halpern, J.Y.	54	(1992)	275–317
Fahlman, S.E., A planning system for robot construction tasks	5	(1974)	1– 49
Falk, G., Interpretation of imperfect line data as a three-dimensional scene	3	(1972)	101–144
Falkenhainer, B., K.D. Forbus and D. Gentner, The structure-mapping engine: algorithm and examples	41	(1990)	1– 63
Falkenhainer, B. and K.D. Forbus, Compositional modeling: finding the right model for the job	51	(1991)	95–143
Faltings, B., Qualitative kinematics in mechanisms	44	(1990)	89–119
Faltings, B., A symbolic approach to qualitative kinematics	56	(1992)	139–170
Faltings, B., Arc-consistency for continuous variables (Research Note)	65	(1994)	363–376
Faltings, B., see Forbus, K.D.	51	(1991)	417–471
Fariñas del Cerro, L., A. Herzig and J. Lang, From ordering-based nonmonotonic reasoning to conditional logics	66	(1994)	375–393
Farringdon, J., see Cooper, R.	85	(1996)	3– 44
Faugeras, O.D., E. Le Bras-Mehlman and J.D. Boissonat, Representing stereo data with the Delaunay triangulation	44	(1990)	41– 87
Faugeras, O., see Zhang, Z.	78	(1995)	87–119
Faught, W.S., see Parkison, R.C.	9	(1977)	111–134
Fehling, M.R., Unified theories of cognition: modeling cognitive competence (Book review)	59	(1993)	295–328
Feigenbaum, E.A. and B.G. Buchanan, DENDRAL and Meta-DENDRAL: roots of knowledge systems and expert system applications	59	(1993)	233–240
Feigenbaum, E.A., see Buchanan, B.G.	11	(1978)	5– 24
Feigenbaum, E.A., see Lenat, D.B.	47	(1991)	185–250
Feigenbaum, E.A., see Lindsay, R.K.	61	(1993)	209–261
Feldman, J.A. and Y. Yakimovsky, Decision theory and artificial intelligence I: a semantics-based region analyzer	5	(1974)	349–371
Fennema, C.L., see Brice, C.R.	1	(1970)	205–226
Ferguson, C., see Powley, C.	60	(1993)	199–242
Fermüller, C.G., see Gottlob, G.	61	(1993)	263–289

Feustel, C., see Fowler, G.	21	(1983)	245–269
Fikes, R.E., REF-ARF: a system for solving problems stated as procedures	1	(1970)	27–120
Errata	1	(1970)	299
Fikes, R.E., Odyssey: a knowledge-based assistant	16	(1981)	331–361
Fikes, R.E., P.E. Hart and N.J. Nilsson, Learning and executing generalized robot plans	3	(1972)	251–288
Fikes, R.E. and N.J. Nilsson, STRIPS: a new approach to the application of theorem proving to problem solving	2	(1971)	189–208
Fikes, R.E. and N.J. Nilsson, STRIPS, a retrospective	59	(1993)	227–232
Finin, T., see Palmer, M.S.	63	(1993)	17– 68
Fink, E. and Q. Yang, Automatically selecting and using primary effects in planning: theory and experiments	89	(1997)	285–315
Finkel, R.A. and J.P. Fishburn, Parallelism in alpha-beta search	19	(1982)	89–106
Finkler, W., see Wahlster, W.	63	(1993)	387–427
Fishburn, J.P., see Finkel, R.A.	19	(1982)	89–106
Fisher, D., see Gennari, J.H.	40	(1989)	11– 61
Fishman, D.H. and J. Minker, *Π*-representation: a clause representation for parallel search	6	(1975)	103–127
Fishman, D.H., see Minker, J.	4	(1973)	225–243
Fleck, M.M., The topology of boundaries	80	(1996)	1– 27
Fleming, A., Geometric relationships between toleranced features	37	(1988)	403–412
Flinchbaugh, B.E. and B. Chandrasekaran, A theory of spatio-temporal aggregation for vision	17	(1981)	387–407
Flores, F., see Winograd, T.	31	(1987)	250–261
Follett, R., Synthesising recursive functions with side effects	13	(1980)	175–200
Forbus, K.D., Qualitative process theory	24	(1984)	85–168
Forbus, K.D., Book review of *Structure and Interpretation of Computer Programs* (H. Abelson and G.J. Sussman with J. Sussman)	27	(1985)	124–127
Forbus, K.D., Qualitative process theory: twelve years after	59	(1993)	115–123
Forbus, K.D., P. Nielsen and B. Faltings, Qualitative spatial reasoning: the CLOCK project	51	(1991)	417–471
Forbus, K.D., see Falkenhainer, B.	41	(1990)	1– 63
Forbus, K.D., see Gentner, D.	44	(1990)	373–375
Forbus, K.D., see Falkenhainer, B.	51	(1991)	95–143
Forgy, C.L., Rete: a fast algorithm for the many pattern/many object pattern match problem	19	(1982)	17– 37
Forsyth, D., see Zisserman, A.	78	(1995)	239–288
Foster, D.A., see Schank, R.C.	79	(1995)	129–143
Foulser, D.E., M. Li and Q. Yang, Theory and algorithms for plan merging	57	(1992)	143–181
Fowler, G., R.M. Haralick, F.G. Gray, C. Feustel and C. Grinstead, Efficient graph automorphism by vertex partitioning	21	(1983)	245–269

Fox, J., see Cooper, R.	85 (1996)	3– 44
Fox, M.S., see Sadeh, N.	86 (1996)	1– 41
Frankot, R.T. and R. Chellappa, Estimation of surface topography from SAR imagery using shape from shading techniques	43 (1990)	271–310
Frederiksen, J.R., see White, B.Y.	42 (1990)	99–157
Freeman, J.W., Hard random 3-SAT problems and the Davis–Putnam procedure	81 (1996)	183–198
Freksa, C., Temporal reasoning based on semi-intervals	54 (1992)	199–227
Freksa, C., Erratum to: "Temporal reasoning based on semi-intervals"	87 (1996)	387
Freuder, E.C., On the knowledge required to label a picture graph	15 (1980)	1– 17
Freuder, E.C. and A.K. Mackworth, Introduction to the Special Volume on Constraint-Based Reasoning	58 (1992)	1– 2
Freuder, E.C. and R.J. Wallace, Partial constraint satisfaction	58 (1992)	21– 70
Freuder, E.C., see A.K. Mackworth	25 (1985)	65– 74
Freuder, E.C., see A.K. Mackworth	59 (1993)	57– 62
Freund, M., D. Lehmann and P. Morris, Rationality, Transitivity, and Contraposition (Research Note)	52 (1991)	191–203
Frisby, J.P., see Mayhew, J.E.W.	17 (1981)	349–385
Frisch, A.M., The substitutional framework for sorted deduction: fundamental results on hybrid reasoning	49 (1991)	161–198
Frisch, A.M. and P. Haddawy, Anytime deduction for probabilistic logic	69 (1994)	93–122
Frixione, M., see Chella, A.	89 (1997)	73–111
Funt, B.V., Problem-solving with diagrammatic representations	13 (1980)	201–230
Gabriel, R.P., Book review of *The Art of the Metaobject Protocol* (Gregor Kiczales, Jim des Rivières and Daniel G. Bobrow)	61 (1993)	331–342
Gaglio, M., see Chella, A.	89 (1997)	73–111
Galen, R.S., see Weiss, S.M.	45 (1990)	47– 71
Galton, A., A critical examination of Allen's theory of action and time	42 (1990)	159–188
Gärdenfors, P. and D. Makinson, Nonmonotonic inference based on expectations	65 (1994)	197–245
Gardin, F. and B. Meltzer, Analogical representations of naive physics	38 (1989)	139–159
Gårding, J., Shape from texture and contour by weak isotropy	64 (1993)	243–297
Garton, B., Book review of *Music and Connectionism* (Peter Todd and D. Gareth Loy, eds.)	79 (1995)	387–398
Gasser, L., Social conceptions of knowledge and action: DAI foundations and open systems semantics	47 (1991)	107–138

Geffner, H. and J. Pearl, Conditional entailment: bridging two approaches to default reasoning	53	(1992)	209–244
Geib, C., see Webber, B.	73	(1995)	253–269
Geiger, D. and D. Heckerman, Knowledge representation and inference in similarity networks and Bayesian multinets	82	(1996)	45– 74
Geiger, D., see Becker, A.	83	(1996)	167–188
Gelfond, M. and H. Przymusinska, Negation as failure: careful closure procedure	30	(1986)	273–287
Gelfond, M., H. Przymusinska and T.C. Przymusinski, On the relationship between circumscription and negation as failure	38	(1989)	75– 94
Gelperin, D., On the optimality of A*	8	(1977)	69– 76
Gelsey, A., Automated reasoning about machines	74	(1995)	1– 54
Genesereth, M.R., The use of design descriptions in automated diagnosis	24	(1984)	411–436
Genesereth, M.R., From Dart to Designworld: a chronicle of research on automated engineering in the Stanford Logic Group	59	(1993)	159–165
Genesereth, M.R., see Smith, D.E.	26	(1985)	171–215
Genesereth, M.R., see Smith, D.E.	30	(1986)	343–389
Gennari, J.H., P. Langley and D. Fisher, Model of incremental concept formation	40	(1989)	11– 61
Gent, I.P. and T. Walsh, Easy problems are sometimes hard (Research Note)	70	(1994)	335–345
Gent, I.P. and T. Walsh, The satisfiability constraint gap	81	(1996)	59– 80
Gent, I.P. and T. Walsh, The TSP phase transition (Research Note)	88	(1996)	349–358
Gentner, D. and K.D. Forbus, A note on "Creativity and learning in a case-based explainer"	44	(1990)	373–375
Gentner, D., see Falkenhainer, B.	41	(1990)	1– 63
George, F.H., see Shimura, M.	4	(1973)	203–223
Georgeff, M.P., Procedural control in production systems	18	(1982)	175–201
Georgeff, M.P., Strategies in heuristic search	20	(1983)	393–425
Gerevini, A. and L. Schubert, On point-based temporal disjointness (Research Note)	70	(1994)	347–361
Gerevini, A. and L. Schubert, Efficient algorithms for qualitative reasoning about time	74	(1995)	207–248
Gerla, G., Inferences in probability logic	70	(1994)	33– 52
Ghallab, M., see Escalada-Imaz, G.	36	(1988)	249–263
Ghose, S., see Chakrabarti, P.P.	29	(1986)	339–347
Ghose, S., see Chakrabarti, P.P.	34	(1988)	97–113
Ghose, S., see Chakrabarti, P.P.	41	(1990)	197–221
Ghose, S., see Sarkar, U.K.	50	(1991)	207–221
Gibbon, G., see Aisbett, J.	65	(1994)	143–164
Gil, Y., see Minton, S.	40	(1989)	63–118
Gillies, D.A., see Sucar, L.E.	61	(1993)	187–208

Gillies, D.F., see Kwoh, C.-K.	88	(1996)	1– 38
Gillies, D.F., see Sucar, L.E.	61	(1993)	187–208
Gillogly, J.J., The technology chess program	3	(1972)	145–163
Gilmore, P.C., An examination of the Geometry Theorem Machine	1	(1970)	171–187
Ginsberg, M., Book review of *The Society of Mind* (Marvin Minsky)	48	(1991)	335–339
Ginsberg, M., Approximate planning	76	(1995)	89–123
Ginsberg, M.L., Counterfactuals	30	(1986)	35– 79
Ginsberg, M.L., A circumscriptive theorem prover	39	(1989)	209–230
Ginsberg, M.L. and W.D. Harvey, Iterative broadening	55	(1992)	367–383
Ginsberg, M.L. and D.E. Smith, Reasoning about action I: a possible worlds approach	35	(1988)	165–195
Ginsberg, M.L. and D.E. Smith, Reasoning about action II: the qualification problem	35	(1988)	311–342
Ginsberg, M.L., see Smith, D.E.	30	(1986)	343–389
Ginsberg, A., S.M. Weiss and P. Politakis, Automatic knowledge base refinement for classification systems	35	(1988)	197–226
Giordano, L. and A. Martelli, On cumulative default logics	66	(1994)	161–179
Giunchiglia, F., An epistemological science of common sense (Book review)	77	(1995)	371–392
Giunchiglia, F. and L. Serafini, Multilanguage hierarchical logics, or: how we can do without modal logics	65	(1994)	29– 70
Giunchiglia, F. and P. Traverso, A metatheory of a mechanized object theory	80	(1996)	197–241
Giunchiglia, F. and T. Walsh, A theory of abstraction	57	(1992)	323–389
Giunchiglia, F., see Bundy, A.	88	(1996)	39– 67
Givan, R., see McAllester, D.A.	56	(1992)	1– 20
Glymour, C., Independence assumptions and Bayesian updating	25	(1985)	95– 99
Gochfeld, D., see Thagard, P.	46	(1990)	259–310
Goddard, N., Book review of *Proceedings of the 1988 Connectionist Models Summer School* (David Touretzky, Geoffrey Hinton and Terrence Sejnowski, eds.)	53	(1992)	345–353
Goddard, N.H., Book review of *The Perception of Multiple Objects: A Connectionist Approach* (Michael A. Mozer)	62	(1993)	165–177
Goetsch, G., see Berliner, H.J.	43	(1990)	7– 20
Goguen, J.A., Modular algebraic specification of some basic geometrical constructions	37	(1988)	123–153
Goldberg, D.E., see Booker, L.B.	40	(1989)	235–282
Golden, K., see Etzioni, O.	89	(1997)	113–148
Golding, A.R. and P.S. Rosenbloom, Improving accuracy by combining rule-based and case-based reasoning	87	(1996)	215–254
Goldman, A.I., On *Epistemology and Cognition*: a response to the review by S.W. Smoliar	34	(1988)	265–267

Goldman, R.P., see Charniak, E.	64	(1993)	53– 79
Goldstein, I.P., Summary of MYCROFT: a system for understanding simple picture programs	6	(1975)	249–288
Goldszmidt, M. and J. Pearl, On the consistency of defeasible databases	52	(1991)	121–149
Goldszmidt, M. and J. Pearl, Qualitative probabilities for default reasoning, belief revision, and causal modeling	84	(1996)	57–112
Gomatam, J., see Reynolds, D.	82	(1996)	303–330
Gomatam, J., see Reynolds, D.	86	(1996)	375–390
Gong, S., see Buxton, H.	78	(1995)	431–459
Goodson, J.L., see Schmidt, C.F.	11	(1978)	45– 83
Gordon, G., see Segre, A.	62	(1993)	383–386
Gordon, G.J., see Segre, A.M.	85	(1996)	301–319
Gordon, J. and E.H. Shortliffe, A method for managing evidential reasoning in a hierarchical hypothesis space	26	(1985)	323–357
Gordon, J. and E.H. Shortliffe, A method of managing evidential reasoning in a hierarchical hypothesis space: a retrospective	59	(1993)	43– 47
Gordon, M., Book review of *Machine Intelligence and Related Topics: An Information Scientist's Weekend Book* (Donald Michie)	31	(1987)	399
Gorry, G.A., see Kahn, K.	9	(1977)	87–108
Goto, S. and H. Nojima, Equilibrium analysis of the distribution of information in human society	75	(1995)	115–130
Gotoh, Y., see Charniak, E.	85	(1996)	45– 57
Gottlob, G. and C.G. Fermüller, Removing redundancy from a clause	61	(1993)	263–289
Gottlob, G. and Zhang Mingyi, Cumulative default logic: finite characterization, algorithms, and complexity (Research Note)	69	(1994)	329–345
Gottlob, G., see Cadoli, M.	54	(1992)	397–410
Gottlob, G., see Eiter, T.	57	(1992)	227–270
Grass, J.W., see Hammond, K.J.	72	(1995)	305–327
Gratch, J. and G.F. DeJong, A statistical approach to adaptive problem solving	88	(1996)	101–142
Gratch, J., see DeJong, G.	50	(1991)	117–127
Gray, F.G., see Fowler, G.	21	(1983)	245–269
Gray, N.A.B., Applications of artificial intelligence for organic chemistry: analysis of C-13 spectra	22	(1984)	1– 21
Green, C. and D.R. Barstow, On program synthesis knowledge	10	(1978)	241–279
Greene, R.L., Connectionist hashed associative memory (Research Note)	48	(1991)	87– 98
Greene, R.L., Efficient retrieval from sparse associative memory	66	(1994)	395–410
Greiner, R., Learning by understanding analogies	35	(1988)	81–125

Greiner, R., Finding optimal derivation strategies in redundant knowledge bases (Research Note)	50	(1991)	95–115
Greiner, R., PALO: a probabilistic hill-climbing algorithm	84	(1996)	177–208
Greiner, R. and P. Orponen, Probably approximately optimal satisficing strategies	82	(1996)	21– 44
Greiner, R., B.A. Smith and R.W. Wilkerson, A correction to the algorithm in Reiter's theory of diagnosis (Research Note)	41	(1990)	79– 88
Greiner, R., see Elkan, C.	61	(1993)	41– 52
Griffith, A.K., A comparison and evaluation of three machine learning procedures as applied to the game of checkers	5	(1974)	137–148
Grimson, W.E.L., The combinatorics of object recognition in cluttered environments using constrained search	44	(1990)	121–165
Grinstead, C., see Fowler, G.	21	(1983)	245–269
Grishman, R. and L. Hirschman, Question answering from natural language medical data bases	11	(1978)	25– 43
Grosz, B.J., Natural language processing (Correspondent's Report)	19	(1982)	131–136
Grosz, B.J., Natural-language processing (Correspondent's Report)	25	(1985)	1– 4
Grosz, B.J., D.E. Appelt, P.A. Martin and F.C.N. Pereira, TEAM: an experiment in the design of transportable natural-language interfaces	32	(1987)	173–243
Grosz, B.J. and S. Kraus, Collaborative plans for complex group action	86	(1996)	269–357
Grosz, B.J., see Pereira, F.C.N.	63	(1993)	1– 15
Grove, A.J., Naming and identity in epistemic logic. Part II: a first-order logic for naming	74	(1995)	311–350
Grove, A.J., see Bacchus, F.	87	(1996)	75–143
Guha, R.V. and D.B. Lenat, Re: CycLing paper reviews (Response)	61	(1993)	149–174
Gupta, N. and L. Kanal, 3-D motion estimation from motion field	78	(1995)	45– 86
Gupta, N. and D.S. Nau, On the complexity of blocks-world planning	56	(1992)	223–254
Güsgen, H.-W. and J. Hertzberg, Some fundamental properties of local constraint propagation (Research Note)	36	(1988)	237–247
Gyssens, M., P.G. Jeavons and D.A. Cohen, Decomposing constraint satisfaction problems using database techniques	66	(1994)	57– 89
Haas, A.R., A syntactic theory of belief and action	28	(1986)	245–292
Haase, K.B., Too many ideas, just one word: a review of Margaret Boden's *The Creative Mind: Myths and Mechanisms*	79	(1995)	69– 82
Haddawy, P., see Frisch, A.M.	69	(1994)	93–122

Haddawy, P., A logic of time, chance, and action for representing plans 80 (1996) 243–308
Hájek, P., Epistemic entrenchment and arithmetical hierarchy (Research Note) 62 (1993) 79– 87
Errata 65 (1994) 191
Hall, R.P., Computational approaches to analogical reasoning: a comparative analysis 39 (1989) 39–120
Halpern, J.Y., An analysis of first-order logics of probability 46 (1990) 311–350
Halpern, J.Y., The effect of bounding the number of primitive propositions and the depth of nesting on the complexity of modal logic (Research Note) 75 (1995) 361–372
Halpern, J.Y. and R. Fagin, Two views of belief: belief as generalized probability and belief as evidence 54 (1992) 275–317
Halpern, J.Y. and G. Lakemeyer, Levesque's axiomatization of only knowing is incomplete (Research Note) 74 (1995) 381–387
Halpern, J.Y. and Y. Moses, A guide to completeness and complexity for modal logics of knowledge and belief 54 (1992) 319–379
Halpern, J.Y. and M.O. Rabin, A logic to reason about likelihood 32 (1987) 379–405
Halpern, J.Y., see Bacchus, F. 87 (1996) 75–143
Halpern, J.Y., see Fagin, R. 34 (1988) 39– 76
Halpern, J.Y., see Fagin, R. 79 (1995) 203–240
Hammer, P.L. and A. Kogan, Optimal compression of propositional Horn knowledge bases: complexity and approximation (Research Note) 64 (1993) 131–145
Hammond, K.J., Explaining and repairing plans that fail 45 (1990) 173–228
Hammond, K.J., T.M. Converse and J.W. Grass, The stabilization of environments 72 (1995) 305–327
Hamscher, W.C., Modeling digital circuits for troubleshooting 51 (1991) 223–271
Han, C.-C. and C.-H. Lee, Comments on Mohr and Henderson's path consistency algorithm (Research Note) 36 (1988) 125–130
Handelman, E., Book review of *Interactive Music Systems: Machine Listening and Composing* (Robert Rowe) 79 (1995) 349–359
Hanks, S., see Kushmerick, N. 76 (1995) 239–286
Hanks, S. and D. McDermott, Nonmontonic logic and temporal projection 33 (1987) 379–412
Hanks, S. and D. McDermott, Modeling a dynamic and uncertain world I: symbolic and probabilistic reasoning about change 66 (1994) 1– 55
Hanna, F.K., see Ritchie, G.D. 23 (1984) 249–268
Hansson, S.O., Knowledge-level analysis of belief base operations 82 (1996) 215–235
Hansson, S.O., A test battery for rational database updating (Research Note) 82 (1996) 341–352

Hansson, O., A. Mayer and M. Valtorta, A new result on the complexity of heuristic estimates for the A^* algorithm (Research Note)	55	(1992)	129–143
Haraldson, A., see Beckman, L.	7	(1976)	319–357
Haralick, R.M. and G.L. Elliott, Increasing tree search efficiency for constraint satisfaction problems	14	(1980)	263–313
Haralick, R.M. and K. Ripken, An associative-categorical model of world meaning	6	(1975)	75– 99
Haralick, R.M., see Fowler, G.	21	(1983)	245–269
Haralick, R.M., see Lee, S.J.	26	(1985)	145–169
Harley, S., see Lehnert, W.G.	20	(1983)	15– 62
Harris, L.R., The heuristic search under conditions of error	5	(1974)	217–234
Hart, T.P., see Yates, R.A.	1	(1970)	257–289
Hart, P.E., see Fikes, R.E.	3	(1972)	251–288
Harvey, W.D., see Ginsberg, M.L.	55	(1992)	367–383
Haugeland, J., Body and world: a review of *What Computers Still Can't Do: A Critique of Artificial Reason* (Hubert L. Dreyfus)	80	(1996)	119–128
Haussler, D., Quantifying inductive bias: AI learning algorithms and Valiant's learning framework	36	(1988)	177–221
Corrigendum	45	(1990)	265
Havel, I.M., see Štěpánková, O.	7	(1976)	129–161
Hayes, P.J., see Bobrow, D.G.	25	(1985)	375–415
Hayes-Roth, B., A blackboard architecture for control	26	(1985)	251–321
Hayes-Roth, B., Intelligent control	59	(1993)	213–220
Hayes-Roth, B., On building integrated cognitive agents: a review of Allen Newell's *Unified Theories of Cognition*	59	(1993)	329–341
Hayes-Roth, B., An architecture for adaptive intelligent systems	72	(1995)	329–365
Hayes-Roth, B., see Ash, D.	88	(1996)	317–347
Hayes-Roth, F., Book review of *The Handbook of Artificial Intelligence*, Vol. 1 (Avron Barr and Edward A. Feigenbaum, eds.)	18	(1982)	369–371
Hayes-Roth, F., see Stefik, M.J.	18	(1982)	135–173
Hayes-Roth, F., see Stefik, M.J.	59	(1993)	221–224
Heckerman, D., see Geiger, D.	82	(1996)	45– 74
Hedrick, C.L., Learning production systems from examples	7	(1976)	21– 49
Hedtstück, U., see Beierle, C.	55	(1992)	149–191
Heinsohn, J., D. Kudenko, B. Nebel and H.-J. Profitlich, An empirical analysis of terminological representation systems	68	(1994)	367–397
Henderson, T.C., see Mohr, R.	28	(1986)	225–233
Hendler, J., see McDermott, D.	76	(1995)	1– 16
Hendler, J., see Spector, L.	39	(1989)	137–139
Hendler, J.A., see Kambhampati, S.	55	(1992)	193–258

Hendler, J., Book review of *Planning and Control* (Thomas Dean and Michael Wellman)	73	(1995)	379–386
Hendriks, A.J., see Lyons, D.M.	73	(1995)	117–148
Hendrix, G.G., Modeling simultaneous actions and continuous processes	4	(1973)	145–180
Henneman, W.H., see Bledsoe, W.W.	3	(1972)	27– 60
Henrion, M., see Pradhan, M.	85	(1996)	363–397
Henschen, L., see Wos, L.	22	(1984)	303–356
Herman, M. and T. Kanade, Incremental reconstruction of 3D scenes from multiple, complex images	30	(1986)	289–341
Herman, M., see Walker, E.L.	37	(1988)	275–290
Herschberg, I.S., see Dekker, S.T.	43	(1990)	111–123
Hertzberg, J., see Güsgen, H.-W.	36	(1988)	237–247
Herzig, A., see Fariñas del Cerro, L.	66	(1994)	375–393
Hewitt, C., Open Information Systems Semantics for Distributed Artificial Intelligence	47	(1991)	79–106
Hewitt, C., Viewing control structures as patterns of passing messages	8	(1977)	323–364
Comments	10	(1978)	317–318
Hickey, R.J., Noise modelling and evaluating learning from examples	82	(1996)	157–179
Hildreth, E.C., Computations underlying the measurement of visual motion	23	(1984)	309–354
Hilf, F.D., see Colby, K.M.	2	(1971)	1– 25
Hilf, F.D., see Colby, K.M.	3	(1972)	199–221
Hinton, G.E., Connectionist learning procedures	40	(1989)	185–234
Hinton, G.E., Preface to the Special Issue on Connectionist Symbol Processing	46	(1990)	1– 4
Hinton, G.E., Mapping part–whole hierarchies into connectionist networks	46	(1990)	47– 75
Hirsch, R., Relation algebras of intervals	83	(1996)	267–295
Hirschberg, J., Pitch accent in context: predicting intonational prominence from text	63	(1993)	305–340
Hirschman, L., see Grishman, R.	11	(1978)	25– 43
Hirst, G., Semantic interpretation and ambiguity	34	(1988)	131–177
Hirst, G., Existence assumptions in knowledge representation	49	(1991)	199–242
Hobbs, J.R. and S.J. Rosenschein, Making computational sense of Montague's intensional logic	9	(1977)	287–306
Hobbs, J.R., M.E. Stickel, D.E. Appelt and P. Martin, Interpretation as abduction	63	(1993)	69–142
Hodes, L., Solving problems by formula manipulation in logic and linear inequalities	3	(1972)	165–174
Hoffmann, C. and J. Hopcroft, The geometry of projective blending surfaces	37	(1988)	357–376
Hogg, T., Refining the phase transition in combinatorial search	81	(1996)	127–154

Hogg, T., B.A. Huberman and C.P. Williams, Phase transitions and the search problem (Editorial) 81 (1996) 1– 15
Hogg, T. and C.P. Williams, The hardest constraint problems: a double phase transition (Research Note) 69 (1994) 359–377
Hogg, T., see Clearwater, S.H. 81 (1996) 327–347
Hogg, T., see Huberman, B.A. 33 (1987) 155–171
Hogg, T., see Williams, C.P. 70 (1994) 73–117
Holland, J.H., see Booker, L.B. 40 (1989) 235–282
Hollunder, B., see Baader, F. 88 (1996) 195–213
Hollunder, B., see Donini, F.M. 53 (1992) 309–327
Holte, R., T. Mkadmi, R.M. Zimmer and A.J. MacDonald, Speeding up problem solving by abstraction: a graph oriented approach 85 (1996) 321–361
Holte, R.C., see Porter, B.W. 45 (1990) 229–263
Holyoak, K.J., see Thagard, P. 46 (1990) 259–310
Hopcroft, J., see Hoffmann, C. 37 (1988) 357–376
Horacek, H., Reasoning with uncertainty in computer chess 43 (1990) 37– 56
Horaud, R., see Ahuja, N. 78 (1995) 1– 3
Horaud, R. and M. Brady, On the geometric interpretation of image contours 37 (1988) 333–353
Horn, B.K.P. and B.G. Schunck, Determining optical flow 17 (1981) 185–203
Horn, B.K.P. and B.G. Schunck, "Determining optical flow": a retrospective 59 (1993) 81– 87
Horn, B.K.P., Understanding image intensities 8 (1977) 201–231
Horn, B.K.P., see Ikeuchi, K. 17 (1981) 141–184
Horswill, I., Analysis of adaptation and environment 73 (1995) 1– 30
Horty, J.F., R.H. Thomason and D.S. Touretzky, A skeptical theory of inheritance in nonmonotonic semantic networks 42 (1990) 311–348
Hou, A., A theory of measurement in diagnosis from first principles 65 (1994) 281–328
Hovy, E.H., Pragmatics and natural language generation 43 (1990) 153–197
Hovy, E.H., Automated discourse generation using discourse structure relations 63 (1993) 341–385
Howe, A.E. and P.R. Cohen, Understanding planner behavior 76 (1995) 125–166
Hrycej, T., Gibbs sampling in Bayesian networks (Research Note) 46 (1990) 351–363
Hsiang, J., Refutational theorem proving using term-rewriting systems 25 (1985) 255–300
Hsu, F.-H., see Anantharaman, T. 43 (1990) 99–109
Huang, K., see Pradhan, M. 85 (1996) 363–397
Huang, Z., M. Masuch and L. Pólos, ALX, an action logic for agents with bounded rationality 82 (1996) 75–127
Huberman, B.A. and T. Hogg, Phase transitions in artificial intelligence systems 33 (1987) 155–171
Hubermann, B.A., see Hogg, T. 81 (1996) 1– 15

Huyn, N., R. Dechter and J. Pearl, Probabilistic analysis of the complexity of *A** 15 (1980) 241–254
Hyvönen, E., Constraint reasoning based on interval arithmetic: the tolerance propagation approach 58 (1992) 71–112

Ibaraki, T., Generalization of alpha-beta and SSS* search procedures 29 (1986) 73–117
Ikeuchi, K., Shape from regular patterns 22 (1984) 49– 75
Ikeuchi, K., Comment on "Numerical shape from shading and occluding boundaries" 59 (1993) 89– 94
Ikeuchi, K. and B.K.P. Horn, Numerical shape from shading and occluding boundaries 17 (1981) 141–184
Imielinski, T., Results on translating defaults to circumscription (Research Note) 32 (1987) 131–146
Errata 33 (1987) 413
Inoue, K., Linear resolution for consequence finding 56 (1992) 301–353
Ireland, A., see Bundy, A. 62 (1993) 185–253
Isard, M., see Blake, A. 78 (1995) 179–212
Ishikawa, M., Learning of modular structured networks 75 (1995) 51– 62
Israel, D., Book review of *Language in Action: Categories, Lambdas and Dynamic Logic* (Johan van Benthem) 63 (1993) 503–510
Iwanuma, K. and K. Oota, An extension of pointwise circumscription (Research Note) 86 (1996) 391–402
Iwasaki, Y. and H.A. Simon, Causality in device behavior 29 (1986) 3– 32
Iwasaki, Y. and H.A. Simon, Theories of causal ordering: reply to De Kleer and Brown 29 (1986) 63– 72
Iwasaki, Y. and H.A. Simon, Retrospective on "Causality in device behavior" 59 (1993) 141–146
Iwasaki, Y. and H.A. Simon, Causality and model abstraction 67 (1994) 143–194
Iyengar, S.S., see Brooks, R.R. 84 (1996) 339–354

Jackson, W.K., see Delgrande, J.P. 70 (1994) 167–237
Jackson Jr, P.C., Proving unsatisfiability for problems with constant cubic sparsity (Research Note) 57 (1992) 125–137
Jacobs, P.S., Knowledge-intensive natural language generation 33 (1987) 325–378
Jacobs, P.S. and L.F. Rau, Innovations in text interpretation 63 (1993) 143–191
Jaeger, M., Circumscription: completeness reviewed (Research Note) 60 (1993) 293–301
Jain, R., see Roth, Y. 71 (1994) 257–280
James, M., see Weischedel, R.M. 10 (1978) 225–240
Jeavons, P.G., see Cooper, M.C. 65 (1994) 347–361
Jeavons, P.G., see Gyssens, M. 66 (1994) 57– 89
Jeavons, P.G. and M.C. Cooper, Tractable constraints on ordered domains (Research Note) 79 (1995) 327–339

Jennings, N.R., Controlling cooperative problem solving in industrial multi-agent systems using joint intentions	75	(1995)	195–240
Johnson, P.N., see Lehnert, W.G.	20	(1983)	15– 62
Johnson, R.W., Independence and Bayesian updating methods (Research Note)	29	(1986)	217–222
Johnson, W.L., Understanding and debugging novice programs	42	(1990)	51– 97
Johnson, W.L., Book review of *Intelligent Tutoring Systems: Lesson Learned* (J. Psotka, L.D. Massey and S.A. Mutter, eds.)	48	(1991)	125–134
Johnston, M.D., see Minton, S.	58	(1992)	161–205
Jona, M.Y., see Schank, R.C.	59	(1993)	375–388
Josephson, J.R., see Bylander, T.	49	(1991)	25– 60
Joskowicz, L. and E.P. Sacks, Computational kinematics	51	(1991)	381–416
Joskowicz, L., see Nayak, P.P.	83	(1996)	193–227
Joslin, D. and J. Roach, A theoretical analysis of conjunctive-goal problems (Research Note)	41	(1990)	97–106
Jurafsky, D., Book review of *Natural Language Understanding* (James Allen)	38	(1989)	367–377
Jurik, M., Book review of *Neurocomputing: Foundations of Research* (James A. Anderson and Edward Rosenfeld, eds.)	53	(1992)	355–359
Kadane, J.B., see Simon, H.A.	6	(1975)	235–247
Kadesch, R.R., Subjective inference with multiple evidence (Research Note)	28	(1986)	333–341
Kaelbling, L.P., see Basye, K.	72	(1995)	139–171
Kaelbling, L.P., see Dean, T.	76	(1995)	35– 74
Kaelbling, L.P., see Rosenschein, S.J.	73	(1995)	149–173
Kahn, K. and G.A. Gorry, Mechanizing temporal knowledge	9	(1977)	87–108
Kambhampati, S., Multi-contributor causal structures for planning: a formalization and evaluation	69	(1994)	235–278
Kambhampati, S. and J.A. Hendler, A validation-structure-based theory of plan modification and reuse	55	(1992)	193–258
Kambhampati, S., S. Katukam and Y. Qu, Failure driven dynamic search control for partial order planners: an explanation based approach	88	(1996)	253–315
Kambhampati, S. and S. Kedar, A unified framework for explanation-based generalization of partially ordered and partially instantiated plans	67	(1994)	29– 70
Kambhampati, S., C.A. Knoblock and Q. Yang, Planning as refinement search: a unified framework for evaluating design tradeoffs in partial order planning	76	(1995)	167–238
Kambhampati, S. and D.S. Nau, On the nature and role of modal truth criteria in planning	82	(1996)	129–155
Kaminski, M., A comparative study of open default theories	77	(1995)	285–319
Kanade, T., A theory of Origami world	13	(1980)	279–311

Kanade, T., Recovery of the three-dimensional shape of an object from a single view	17	(1981)	409–460
Kanade, T., From a real chair to a negative chair	59	(1993)	95–101
Kanade, T., see Herman, M.	30	(1986)	289–341
Kanal, L., see Gupta, N.	78	(1995)	45– 86
Kanal, L.N., see Kumar, V.	21	(1983)	179–198
Kanal, L.N., see Nau, D.S.	23	(1984)	29– 58
Kanatani, K., Detection of surface orientation and motion from texture by a stereological technique	23	(1984)	213–237
Kanatani, K. and T.-C. Chou, Shape from texture: general principle	38	(1989)	1– 48
Kant, E., On the efficient synthesis of efficient programs	20	(1983)	253–305
Kaplan, R.M., Augmented transition networks as psychological models of sentence comprehension	3	(1972)	77–100
Kaplan, R.M., see Bobrow, D.G.	8	(1977)	155–173
Kaplan, S.J., Cooperative responses from a portable natural language query system	19	(1982)	165–187
Kapur, D., see Barry, M.	37	(1988)	291–332
Kapur, D., A refutational approach to geometry theorem proving	37	(1988)	61– 93
Kapur, D. and J.L. Mundy, Geometric reasoning and artificial intelligence: introduction to the Special Volume	37	(1988)	1– 11
Kapur, D. and J.L. Mundy, Wu's method and its application to perspective viewing	37	(1988)	15– 36
Kapur, D. and D.R. Musser, Proof by consistency	31	(1987)	125–157
Karp, R.M. and J. Pearl, Searching for an optimal path in a tree with random costs	21	(1983)	99–116
Kartha, G.N., Two counterexamples related to Baker's approach to the frame problem (Research Note)	69	(1994)	379–391
Kasif, S., On the parallel complexity of discrete relaxation in constraint satisfaction networks	45	(1990)	275–286
Kasif, S. and A.L. Delcher, Local consistency in parallel constraint satisfaction networks	69	(1994)	307–327
Kass, M., see Terzopoulos, D.	36	(1988)	91–123
Kassler, M., Book review of *Speech Understanding Systems: Final Report of a Study Group* (A. Newell et al.)	6	(1975)	209–213
Katsuno, H. and A.O. Mendelzon, Propositional knowledge base revision and minimal change	52	(1991)	263–294
Katukam, S., see Kambhampati, S.	88	(1996)	253–315
Katz, J., see Charniak, E.	85	(1996)	45– 57
Kautz, H., M. Kearns and B. Selman, Horn approximations of empirical data	74	(1995)	129–146
Kautz, H.A. and B. Selman, Hard problems for simple default logics	49	(1991)	243–279
Kautz, H.A., see Selman, B.	45	(1990)	287–322

Kay, M., see Bobrow, D.G. 8 (1977) 155–173
Kearns, M., see Kautz, H. 74 (1995) 129–146
Kedar, S., see Kambhampati, S. 67 (1994) 29– 70
Keller, J.M., see Chen, S.S. 43 (1990) 199–218
Kender, J.R., see Park, Il-Pyung 78 (1995) 355–395
Keller, R.M., Defining operationality for explanation-based learning 35 (1988) 227–241
Kennes, R., see Smets, P. 66 (1994) 191–234
Khardon, R. and D. Roth, Reasoning with models 87 (1996) 187–213
Kifer, M., see Thirunarayan, K. 60 (1993) 23– 50
King, R.D., see Srinivasan, A. 85 (1996) 277–299
King, M., Book review of *Thinking: Readings in Cognitive Science* (P.N. Johnson-Laird and P.C. Wason, eds.) 13 (1980) 313–322
Kirkpatrick, S., see Selman, B. 81 (1996) 273–295
Kirman, J., see Dean, T. 76 (1995) 35– 74
Kirousis, L.M., Fast parallel constraint satisfaction (Research Note) 64 (1993) 147–160
Kirsh, D., Foundations of AI: the big issues 47 (1991) 3– 30
Kirsh, D., Today the earwig, tomorrow man? 47 (1991) 161–184
Kirsh, D., The intelligent use of space 73 (1995) 31– 68
Kitahashi, T., see Niizuma, S. 25 (1985) 117–151
Klassner, F.I., see Lesser, V.R. 77 (1995) 129–171
Kleiman, R.J., Book review of *Semantics and Cognition* (R. Jackendoff) 29 (1986) 225–235
Klein, D.A. and E.H. Shortliffe, A framework for explaining decision-theoretic advice 67 (1994) 201–243
Kleiter, G.D., Bayesian diagnosis in expert systems 54 (1992) 1– 32
Kleiter, G.D., Propagating imprecise probabilities in Bayesian networks 88 (1996) 143–161
Kling, R.E., A paradigm for reasoning by analogy 2 (1971) 147–178
Knight, B., see Schaeffer, J. 53 (1992) 273–289
Knoblock, C.A., Automatically generating abstraction for planning 68 (1994) 243–302
Knoblock, C.A., see Kambhampati, S. 76 (1995) 167–238
Knoblock, C.A., see Minton, S. 40 (1989) 63–118
Knuth, D.E. and R.W. Moore, An analysis of alpha-beta pruning 6 (1975) 293–326
Ko, H.-P., Geometry theorem proving by decomposition of quasi-algebraic sets: an application of the Ritt–Wu principle 37 (1988) 95–122
Kochen, M., Representations and algorithms for cognitive learning 5 (1974) 199–216
Koehler, J., Planning from second principles 87 (1996) 145–186
Koehler, J., see Nebel, B. 76 (1995) 427–454
Koffman, E.B. and S.E. Blount, Artificial intelligence and automatic programming in CAI 6 (1975) 215–234

Kogan, A., see Hammer, P.L.	64 (1993)	131–145
Koller, D., see Bacchus, F.	87 (1996)	75–143
Kolodner, J., see Ram, A.	79 (1995)	111–128
Kondrak, G. and P. van Beek, A theoretical evaluation of selected backtracking algorithms	89 (1997)	365–387
Konolige, K., On the relation between default and autoepistemic logic	35 (1988)	343–382
Errata	41 (1990)	115
Konolige, K., Abduction versus closure in causal theories (Research Note)	53 (1992)	255–272
Konolige, K., see De Kleer, J.	39 (1989)	391–398
Konolige, K., see Saffioti, A.	76 (1995)	481–526
Koomen, J.A., see Bacchus, F.	52 (1991)	87–108
Korf, R.E., Toward a model of representation changes	14 (1980)	41– 78
Korf, R.E., Macro-operators: a weak method for learning	26 (1985)	35– 77
Korf, R.E., Depth-first iterative-deepening: an optimal admissible tree search	27 (1985)	97–109
Erratum	28 (1986)	123
Korf, R.E., Planning as search: a quantitative approach	33 (1987)	65– 88
Korf, R.E., Real-time heuristic search	42 (1990)	189–211
Korf, R.E., Multi-player alpha-beta pruning (Research Note)	48 (1991)	99–111
Korf, R.E., Linear-space best-first search	62 (1993)	41– 78
Korf, R.E. and D.M. Chickering, Best-first minimax search	84 (1996)	299–337
Korf, R.E., see Powley, C.	60 (1993)	199–242
Korf, R.E., see Zhang, W.	79 (1995)	293–326
Korf, R.E., see Zhang, W.	81 (1996)	223–239
Kort, B., Book review of *Apprentices of Wonder: Inside the Neural Network Revolution* (William F. Allman)	53 (1992)	343–344
Koschmann, T.D., Book review of *Mind over Machine: The Power of Human Intuition and Expertise in the Era of the Computer* (Hubert L. Dreyfus and Stuart E. Dreyfus)	33 (1987)	135–140
Koschmann, T., Of Hubert Dreyfus and dead horses: some thoughts on Dreyfus' *What Computers Still Can't Do* (Book review)	80 (1996)	129–141
Kowalski, R. and D. Kuehner, Linear resolution with selection function	2 (1971)	227–260
Kraemer, H.C., see Colby, K.M.	3 (1972)	199–221
Kramer, G.A., A geometric constraint engine	58 (1992)	327–360
Kraus, S., An overview of incentive contracting	83 (1996)	297–346
Kraus, S., D. Lehmann and M. Magidor, Nonmonotonic reasoning, preferential models and cumulative logics	44 (1990)	167–207
Kraus, S., J. Wilkenfeld and G. Zlotkin, Multiagent negotiation under time constraints	75 (1995)	297–345
Kraus, S., see Etherington, D.W.	52 (1991)	221–261
Kraus, S., see Grosz, B.J.	86 (1996)	269–357

Krishnan, S., see Wipke, W.T.	11	(1978)	173–193
Kubat, M., Conceptual inductive learning: the case of unreliable teachers (Research Note)	52	(1991)	169–182
Kudenko, D., see Heinsohn, J.	68	(1994)	367–397
Kuehner, D., see Kowalski, R.	2	(1971)	227–260
Kuipers, B.J., Qualitative simulation	29	(1986)	289–338
Kuipers, B.J., Commonsense reasoning about causality: deriving behavior from structure	24	(1984)	169–203
Kuipers, B.J., Reasoning with qualitative models	59	(1993)	125–132
Kuipers, B.J., Qualitative simulation: then and now	59	(1993)	133–140
Kuipers, B.J., C. Chiu, D.T. Dalle Molle and D.R. Throop, Higher-order derivative constraints in qualitative simulation	51	(1991)	343–379
Kulikowski, C.A., see Weiss, S.M.	11	(1978)	145–172
Kumar, V. and L.N. Kanal, A general branch and bound formulation for understanding and synthesizing And/Or tree search procedures	21	(1983)	179–198
Kumar, V., see Nau, D.S.	23	(1984)	29– 58
Kunen, K., see Bledsoe, W.W.	27	(1985)	255–288
Kuokka, D.R., see Minton, S.	40	(1989)	63–118
Kuru, S., see Say, A.C.C.	83	(1996)	75–141
Kushmerick, N., S. Hanks and D.S. Weld, An algorithm for probabilistic planning	76	(1995)	239–286
Kutulakos, K.N. and C.R. Dyer, Global surface reconstruction by purposive control of observer motion	78	(1995)	147–177
Kwa, J.B.H., BS*: an admissible bidirectional staged heuristic search algorithm (Research Note)	38	(1989)	95–109
Kwoh, C.-K. and D.F. Gillies, Using hidden nodes in Bayesian networks	88	(1996)	1– 38
Kyburg Jr, H.E., Bayesian and non-Bayesian evidential updating	31	(1987)	271–293
Addendum	36	(1988)	265–266
Ladkin, P.B. and A. Reinefeld, Effective solution of qualitative interval constraint problems (Research Note)	57	(1992)	105–124
Lai, Y., see Tsotsos, J.K.	78	(1995)	507–545
Laird, J.E., see Rosenbloom, P.S.	47	(1991)	289–325
Laird, J.E., see Rosenbloom, P.S.	59	(1993)	389–413
Laird, J.E., A. Newell and P.S. Rosenbloom, SOAR: an architecture for general intelligence	33	(1987)	1– 64
Laird, P., see Minton, S.	58	(1992)	161–205
Lakemeyer, G., Limited reasoning in first-order knowledge bases	71	(1994)	213–255
Lakemeyer, G., Limited reasoning in first-order knowledge bases with full introspection	84	(1996)	209–255
Lakemeyer, G., see Halpern, J.Y.	74	(1995)	381–387

Lam, F.C. and W.K. Yeap, Bayesian updating: on the interpretation of exhaustive and mutually exclusive assumptions (Research Note)	53	(1992)	245–254
Lang, J., see Fariñas del Cerro, L.	66	(1994)	375–393
Langley, P. and J.M. Zytkow, Data-driven approaches to empirical discovery	40	(1989)	283–312
Langley, P., see Gennari, J.H.	40	(1989)	11– 61
Langrana, N., see Steinberg, L.	84	(1996)	37– 56
Larcombe, M.H.E., Book review of *Theory and Practice of Robots and Manipulation*, Proceedings of the Second International CISM–IFToMM Symposium, Warsaw, Poland, September 14–17, 1976 (A. Morecki and K. Kedzior, eds.)	11	(1978)	269–271
Larsson, J.E., Diagnosis based on explicit means–end models	80	(1996)	29– 93
Laskey, K.B. and P.E. Lehner, Assumptions, beliefs and probabilities	41	(1990)	65– 77
Lathrop, R.H., see Dietterich, T.G.	89	(1997)	31– 71
Latombe, J.-C., A. Lazanas and S. Shekhar, Robot motion planning with uncertainty in control and sensing	52	(1991)	1– 47
Latombe, J.-C., see Descotte, Y.	27	(1985)	183–217
Latombe, J.-C., see Lazanas, A.	76	(1995)	287–317
Latombe, J.-C., see Wilson, R.H.	71	(1994)	371–396
Laurent, J.-P., A program that computes limits using heuristics to evaluate the indeterminate forms	4	(1973)	69– 94
Laurent, J.-P., see Adam, A.	15	(1980)	75–122
Lauriere, J.-L., A language and a program for stating and solving combinatorial problems	10	(1978)	29–127
Lawton, D.T., see Levitt, T.S.	44	(1990)	305–360
Lazanas, A. and J.-C. Latombe, Motion planning with uncertainty: a landmark approach	76	(1995)	287–317
Lazanas, A., see Latombe, J.-C.	52	(1991)	1– 47
Leake, D.B., see Schank, R.C.	40	(1989)	353–385
Lebowitz, M., Memory-based parsing	21	(1983)	363–404
Le Bras-Mehlman, E., see Faugeras, O.D.	44	(1990)	41– 87
Lederberg, J., see Lindsay, R.K.	61	(1993)	209–261
Lee, C.-H., A comparison of two evidential reasoning schemes (Research Note)	35	(1988)	127–134
Lee, C.-H., Interpreting image curve from multiframes	35	(1988)	145–163
Lee, C.-H. and A. Rosenfeld, Improved methods of estimating shape from shading using the light source coordinate system	26	(1985)	125–143
Lee, C.-H., see Han, C.-C.	36	(1988)	125–130
Lee, H.S. and M.I. Schor, Match algorithms for generalized Rete networks	54	(1992)	249–274
Lee, K.-F. and S. Mahajan, A pattern classification approach to evaluation function learning	36	(1988)	1– 25

Lee, K.-F. and S. Mahajan, The development of a world class Othello program	43	(1990)	21– 36
Lee, R.C.T., Book review of *On Machine Intelligence* (D. Michie)	6	(1975)	213–214
Lee, S.J., R.M. Haralick and M.C. Zhang, Understanding objects with curved surfaces from a single perspective view of boundaries	26	(1985)	145–169
Lee, S.-J. and D.A. Plaisted, Problem solving by searching for models with a theorem prover	69	(1994)	205–233
Lehmann, D. and M. Magidor, What does a conditional knowledge base entail?	55	(1992)	1– 60
Lehmann, D. and M. Magidor, Erratum to: What does a conditional knowledge base entail?	68	(1994)	411
Lehmann, D., see Freund, M.	52	(1991)	191–203
Lehmann, D., see Kraus, S.	44	(1990)	167–207
Lehner, P.E., see Laskey, K.B.	41	(1990)	65– 77
Lehnert, W.G., M.G. Dyer, P.N. Johnson, C.J. Yang and S. Harley, BORIS—an experiment in in-depth understanding of narratives	20	(1983)	15– 62
Leman, M., On *Models of Musical Communication and Cognition*: a response to the review by S.W. Smoliar	44	(1990)	372
Lenat, D.B., The nature of heuristics	19	(1982)	189–249
Lenat, D.B., The ubiquity of discovery	9	(1977)	257–285
Lenat, D.B., Theory formation by heuristic search. The nature of heuristics II: background and examples	21	(1983)	31– 59
Lenat, D.B., EURISKO: a program that learns new heuristics and domain concepts. The nature of heuristics III: program design and results	21	(1983)	61– 98
Lenat, D.B. and J.S. Brown, Why AM and EURISKO appear to work	23	(1984)	269–294
Lenat, D.B. and E.A. Feigenbaum, On the thresholds of knowledge	47	(1991)	185–250
Lenat, D.B., see Guha, R.V.	61	(1993)	149–174
Lenzerini, M., see Donini, F.M.	53	(1992)	309–327
Leonard, J.J., see Cox, I.J.	66	(1994)	311–344
Lespérance, Y. and H.J. Levesque, Indexical knowledge and robot action—a logical account	73	(1995)	69–115
Lesser, V.R., S.H. Nawab and F.I. Klassner, IPUS: an architecture for the integrated processing and understanding of signals	77	(1995)	129–171
Levesque, H.J., Foundations of a functional approach to knowledge representation	23	(1984)	155–212
Levesque, H.J., Making believers out of computers	30	(1986)	81–108
Levesque, H.J., All I know: a study in autoepistemic logic	42	(1990)	263–309
Levesque, H.J., see Brachman, R.J.	49	(1991)	1– 3

Levesque, H.J., see Cohen, P.R. 42 (1990) 213–261
Levesque, H.J., see Lespérance, Y. 73 (1995) 69–115
Levesque, H.J., see Mitchell, D.G. 81 (1996) 111–125
Levesque, H.J., see Selman, B. 62 (1993) 303–339
Levesque, H.J., see Selman, B. 81 (1996) 17– 29
Levesque, H.J., see Selman, B. 82 (1996) 259–272
Levi, G. and F. Sirovich, Generalized And/Or graphs 7 (1976) 243–259
Levinson, R., A general programming language for unified planning and control 76 (1995) 319–375
Levison, L., see Webber, B. 73 (1995) 253–269
Levitt, K.N., see Waldinger, R.J. 5 (1974) 235–316
Levitt, T.S. and D.T. Lawton, Qualitative navigation for mobile robots 44 (1990) 305–360
Lewis, M.W., see Anderson, J.R. 42 (1990) 7– 49
Leyton, M., A process-grammar for shape 34 (1988) 213–247
Li, L., Possible world semantics and autoepistemic reasoning 71 (1994) 281–320
Li, M., see Foulser, D.E. 57 (1992) 143–181
Liang, C.-C., see Lin, W.-C. 38 (1989) 207–224
Liau, C.J. and B.I. Lin, Abstract minimality and circumscription (Research Note) 54 (1992) 381–396
Liau, C.-J. and B.I-P. Lin, Possibilistic reasoning—a mini-survey and uniform semantics 88 (1996) 163–193
Liaw, J.-S., see Arbib, M.A. 72 (1995) 53– 79
Lifschitz, V., Closed-world databases and circumscription 27 (1985) 229–235
Lifschitz, V., On the satisfiability of circumscription (Research Note) 28 (1986) 17– 27
Lifschitz, V., Frames in the space of situations (Research Note) 46 (1990) 365–376
Lifschitz, V., Minimal belief and negation as failure 70 (1994) 53– 72
Lifschitz, V., Nested abnormality theories (Research Note) 74 (1995) 351–365
Lifschitz, V. and A. Rabinov, Miracles in formal theories of action (Research Note) 38 (1989) 225–237
Ligęza, A., Dynamic backward reasoning systems 43 (1990) 127–152
Lin, B.I., see Liau, C.J. 54 (1992) 381–396
Lin, B.I-P., see Liau, C.-J. 88 (1996) 163–193
Lin, F. and Y. Shoham, A logic of knowledge and justified assumptions 57 (1992) 271–289
Lin, J., Integration of weighted knowledge bases 83 (1996) 363–378
Lin, J., A semantics for reasoning consistently in the presence of inconsistency 86 (1996) 75– 95
Lin, L.-J., see Whitehead, S.D. 73 (1995) 271–306
Lin, W.-C., C.-C. Liang and C.-T. Chen, A computational model for process-grammar (Research Note) 38 (1989) 207–224
Lindsay, R.K., Book review of *The Science of the Mind* (Owen J. Flanagan Jr) 34 (1988) 385

Lindsay, R.K., B.G. Buchanan, E.A. Feigenbaum and J. Lederberg, DENDRAL: a case study of the first expert system for scientific hypothesis formation — 61 (1993) 209–261

Lismont, L. and P. Mongin, A non-minimal but very weak axiomatization of common belief (Research Note) — 70 (1994) 363–374

Litman, D.J., see Devanbu, P.T. — 84 (1996) 1– 35

Littman, M., see Charniak, E. — 85 (1996) 45– 57

Liu, J., see Zisserman, A. — 78 (1995) 239–288

Lobo, J. and C. Uzcátegui, Abductive consequence relations — 89 (1997) 149–171

Loehlin, J.C., Book review of *Artificial and Human Thinking* (Alick Elithorn and David Jones, eds.) — 5 (1974) 413–415

Logan, R., see Shafer, G. — 33 (1987) 271–298

London, P., Book review of *Artificial Intelligence Programming* (Eugene Charniak, Christopher Riesbeck and Drew McDermott) — 15 (1980) 123–124

Lougee, M., Book review of *Computer Culture: The Scientific, Intellectual, and Social Impact of the Computer*, Annals of the New York Academy of Sciences **426** (Heinz R. Pagels, ed.) — 31 (1987) 400–401

Loui, R.P., Book review of *Change in View* (G. Harman) — 34 (1988) 119–124

Loui, R.P., see Simari, G.R. — 53 (1992) 125–157

Lowe, D.G., Three-dimensional object recognition from single two-dimensional images — 31 (1987) 355–395

Lozano-Pérez, T., Robotics (Correspondent's Report) — 19 (1982) 137–143

Lozano-Pérez, T., Compliance in robot manipulation (Correspondent's Report) — 25 (1985) 5– 12

Lozano-Pérez, T., see Dietterich, T.G. — 89 (1997) 31– 71

Lu, P., see Schaeffer, J. — 53 (1992) 273–289

Luby, M., see Dagum, P. — 60 (1993) 141–153

Luckham, D. and N.J. Nilsson, Extracting information from resolution proof trees — 2 (1971) 27– 54

Luong, Q.-T., see Zhang, Z. — 78 (1995) 87–119

Lustig, R., Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) — 79 (1995) 83– 96

Lyons, D.M., Book review of *Vision, Instruction, and Action* (David Chapman) — 73 (1995) 387–401

Lyons, D.M. and A.J. Hendriks, Exploiting patterns of interaction to achieve reactive behavior — 73 (1995) 117–148

Ma, Y., see Wilkins, D.C. — 70 (1994) 1– 32

MacDonald, A.J., see Holte, R. — 85 (1996) 321–361

MacGregor, J.N., The effects of order on learning classifications by example: heuristics for finding the optimal order (Research Note) — 34 (1988) 361–370

Machaniak, P., Book review of *Introductory Readings in Expert Systems* (D. Michie, ed.) 30 (1986) 391–392
Mackworth, A.K., Interpreting pictures of polyhedral scenes 4 (1973) 121–137
Mackworth, A.K., Consistency in networks of relations 8 (1977) 99–118
Mackworth, A.K., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z.W. Pylyshyn) 38 (1989) 239–240
Mackworth, A.K., The logic of constraint satisfaction 58 (1992) 3– 20
Mackworth, A.K. and E.C. Freuder, The complexity of some polynomial network consistency algorithms for constraint satisfaction problems 25 (1985) 65– 74
Erratum 26 (1985) 247
Mackworth, A.K. and E.C. Freuder, The complexity of constraint satisfaction revisited 59 (1993) 57– 62
Mackworth, A.K., see De Kleer, J. 56 (1992) 197–222
Mackworth, A.K., see Freuder, E.C. 58 (1992) 1– 2
Mackworth, A.K., see Reiter, R. 41 (1990) 125–155
Magidor, M., see Kraus, S. 44 (1990) 167–207
Magidor, M., see Lehmann, D. 55 (1992) 1– 60
Magidor, M., see Lehmann, D. 68 (1994) 411
Mahadevan, S. and J. Connell, Automatic programming of behavior-based robots using reinforcement learning 55 (1992) 311–365
Mahadevan, S., T.M. Mitchell, J. Mostow, L. Steinberg and P.V. Tadepalli, An apprentice-based approach to knowledge acquisition 64 (1993) 1– 52
Mahajan, S., see Lee, K.-F. 36 (1988) 1– 25
Mahajan, S., see Lee, K.-F. 43 (1990) 21– 36
Mahanti, A. and C.J. Daniels, A SIMD approach to parallel heuristic search 60 (1993) 243–282
Maida, A.S., Maintaining mental models of agents who have existential misconceptions 50 (1991) 331–383
Makhoul, J., see Woods, W.A. 5 (1974) 73– 91
Makinson, D. and K. Schlechta, Floating conclusions and zombie paths: two deep difficulties in the "directly skeptical" approach to defeasible inheritance nets (Research Note) 48 (1991) 199–209
Makinson, D., see Gärdenfors, P. 65 (1994) 197–245
Manna, Z., The correctness of nondeterministic programs 1 (1970) 1– 26
Manna, Z. and R.J. Waldinger, Knowledge and reasoning in program synthesis 6 (1975) 175–208
Manzini, G., BIDA*: an improved perimeter search algorithm (Research Note) 75 (1995) 347–360
Marcus, S., Book review of *A Practical Guide to Knowledge Acquisition* (A. Carlisle Scott, Jan E. Clayton and Elizabeth L. Gibson) 60 (1993) 167–170

Marcus, S. and J. McDermott, SALT: a k*n*owledge *ac*quisition *l*anguage for propose-and-revise systems	39	(1989)	1– 37
Marinos, C., see Blake, A.	45	(1990)	323–380
Marinov, V., see Siklóssy, L.	4	(1973)	1– 27
Marr, D., Artificial Intelligence—a personal view	9	(1977)	37– 48
Marsland, T.A., A. Reinefeld and J. Schaeffer, Low overhead alternatives to SSS* (Research Note)	31	(1987)	185–199
Marsland, T.A., see Campbell, M.S.	20	(1983)	347–367
Martelli, A., On the complexity of admissible search algorithms	8	(1977)	1– 13
Martelli, A., see Giordano, L.	66	(1994)	161–179
Martin, B., Book review of *Neural Connections, Mental Computation* (Lynn Nadel, Lynn A. Cooper, Peter Culicover and R. Michael Harnish, eds.)	62	(1993)	141–151
Martin, J.H., Norvig's *Paradigms of Artificial Intelligence Programming*: an instructor's perspective (Book review)	64	(1993)	169–180
Martin, P., see Hobbs, J.R.	63	(1993)	69–142
Martin, P.A., see Grosz, B.J.	32	(1987)	173–243
Martins, J.P. and S.C. Shapiro, A model for belief revision	35	(1988)	25– 79
Masuch, M., see Huang, Z.	82	(1996)	75–127
Mathias, K., see Whitley, D.	85	(1996)	245–276
Matsuyama, T. and T. Nitta, Geometric theorem proving by integrated logical and algebraic reasoning	75	(1995)	93–113
Maxwell, P.C., Alternative descriptions in line drawing analysis	5	(1974)	325–348
Mayer, A., see Hansson, O.	55	(1992)	129–143
Mayhew, J.E.W. and J.P. Frisby, Phychophysical and computational studies towards a theory of human stereopsis	17	(1981)	349–385
Mazlack, L.J., Computer construction of crossword puzzles using precedence relationships	7	(1976)	1– 19
McAllester, D.A., Conspiracy numbers for min-max search	35	(1988)	287–310
McAllester, D.A. and R. Givan, Natural language syntax and first-order inference	56	(1992)	1– 20
McCann, J., see Charniak, E.	85	(1996)	45– 57
McCarl, R., see Rosenbloom, P.S.	47	(1991)	289–325
McCarthy, J., Book review of "A general survey", in: *Artificial Intelligence: A Paper Symposium* (Sir James Lighthill)	5	(1974)	317–322
McCarthy, J., Circumscription—a form of non-monotonic reasoning	13	(1980)	27– 39
McCarthy, J., Addendum: Circumscription and other non-monotonic formalisms	13	(1980)	171–172
Erratum	15	(1980)	141
McCarthy, J., Applications of circumscription to formalizing common-sense knowledge	28	(1986)	89–116
McCarthy, J., History of circumscription	59	(1993)	23– 26

McCarthy, J., Book review of *What Computers Still Can't Do* (Hubert Dreyfus) 80 (1996) 143–150
McClelland, J.L., see St. John, M.F. 46 (1990) 217–257
McConnell, C., see Berliner, H.J. 86 (1996) 97–156
McCord, M.C., Using slots and modifiers in logic grammars for natural language 18 (1982) 327–367
McCoy, K.F., Generating context-sensitive responses to object-related misconception 41 (1990) 157–195
McDermott, D., A general framework for reason maintenance 50 (1991) 289–329
McDermott, D., Book review of *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 53– 63
McDermott, D. and E. Davis, Planning routes through uncertain territory 22 (1984) 107–156
McDermott, D. and J. Doyle, Non-monotonic logic I 13 (1980) 41– 72
McDermott, D. and J. Hendler, Planning: What it is, What it could be, An introduction to the Special Issue on Planning and Scheduling 76 (1995) 1– 16
McDermott, D., see Dean, T.L. 32 (1987) 1– 55
McDermott, D., see Hanks, S. 33 (1987) 379–412
McDermott, D., see Hanks, S. 66 (1994) 1– 55
McDermott, D., see Shoham, Y. 36 (1988) 49– 61
McDermott, J., Book review of *Principles of Artificial Intelligence* (Nils J. Nilsson) 15 (1980) 127–131
McDermott, J., R1: a rule-based configurer of computer systems 19 (1982) 39– 88
McDermott, J., R1 ("XCON") at age 12: lessons from an elementary school achiever 59 (1993) 241–247
McDermott, J., see Marcus, S. 39 (1989) 1– 37
McKeown, K.R., Discourse strategies for generating natural-language text 27 (1985) 1– 41
McKeown, K., see Robin, J. 85 (1996) 135–179
McLeod, D. and P.L. Yanover, Book review of *Expert Database Systems: Proceedings from the Second International Conference* (Larry Kerschberg, ed.) 48 (1992) 245–252
McSkimin, J.R., see Minker, J. 4 (1973) 225–243
Meiri, I., Combining qualitative and quantitative constraints in temporal reasoning 87 (1996) 343–385
Meiri, I., R. Dechter and J. Pearl, Uncovering trees in constraint networks 86 (1996) 245–267
Meiri, I., see Dechter, R. 49 (1991) 61– 95
Meiri, I., see Dechter, R. 68 (1994) 211–241
Mellish, C., The description identification problem (Research Note) 52 (1991) 151–167

Meltzer, B., The semantics of induction and the possibility of complete systems of inductive inference 1 (1970) 189–192
Meltzer, B., see Gardin, F. 38 (1989) 139–159
Mendelzon, A.O., see Katsuno, H. 52 (1991) 263–294
Mercer, R.E., see Besnard, P. 39 (1989) 251–262
Mérõ, L., A heuristic search algorithm with modifiable estimate 23 (1984) 13– 27
Michalski, R.S., A theory and methodology of inductive learning 20 (1983) 111–161
Michalski, R.S. and P.H. Winston, Variable precision logic 29 (1986) 121–146
Michalski, R.S., see Dietterich, T.G. 16 (1981) 257–294
Michalski, R.S., see Dietterich, T.G. 25 (1985) 187–232
Michalski, R.S., see Stepp, R.E. 28 (1986) 43– 69
Michie, D., Turing's Test and conscious thought 60 (1993) 1– 22
Milenkovic, V.J., Verifiable implementations of geometric algorithms using finite precision arithmetic 37 (1988) 377–401
Minicozzi, E. and R. Reiter, A note on linear resolution strategies in consequence-finding 3 (1972) 175–180
Minker, J., D.H. Fishman and J.R. McSkimin, The Q* algorithm—a search strategy for a deductive question-answering system 4 (1973) 225–243
Minker, J., see Fishman, D.H. 6 (1975) 103–127
Minker, J., see Perlis, D. 28 (1986) 29– 42
Minsky, M., *Society of Mind*: a response to four reviews 48 (1991) 371–396
Minsky, M., Book review of *Unified Theories of Cognition* (Allen Newell) 59 (1993) 343–354
Minton, S., Quantitative results concerning the utility of explanation-based learning 42 (1990) 363–391
Minton, S., J.G. Carbonell, C.A. Knoblock, D.R. Kuokka, O. Etzioni and Y. Gil, Explanation-based learning: a problem solving perspective 40 (1989) 63–118
Minton, S., M.D. Johnston, A.B. Philips and P. Laird, Minimizing conflicts: a heuristic repair method for constraint satisfaction and scheduling problems 58 (1992) 161–205
Miranker, D.P., see Bayardo Jr, R.J. 71 (1994) 159–181
Mitchell, D.G., see Selman, B. 81 (1996) 17– 29
Mitchell, D.G. and H.J. Levesque, Some pitfalls for experimenters with random SAT 81 (1996) 111–125
Mitchell, J.S.B., An algorithmic approach to some problems in terrain navigation 37 (1988) 171–201
Mitchell, T.M., Generalization as search 18 (1982) 203–226
Mitchell, T.M., see Mahadevan, S. 64 (1993) 1– 52
Miyashita, K. and K. Sycara, CABINS: a framework of knowledge acquisition and iterative revision for schedule improvement and reactive repair 76 (1995) 377–426

Mkadmi, T., see Holte, R. 85 (1996) 321–361
Mohr, R., B. Boufama and P. Brand, Understanding positioning from multiple images 78 (1995) 213–238
Mohr, R. and T.C. Henderson, Arc and path consistency revisited (Research Note) 28 (1986) 225–233
Moinard, Y., see Besnard, P. 39 (1989) 251–262
Mongin, P., see Lismont, L. 70 (1994) 363–374
Montanari, U., Heuristically guided search and chromosome matching 1 (1970) 227–245
Montanari, U. and F. Rossi, Constraint relaxation may be perfect 48 (1991) 143–170
Mooney, R.J., see Ourston, D. 66 (1994) 273–309
Moore, M., see Webber, B. 73 (1995) 253–269
Moore, R.C., Semantical considerations of nonmonotonic logic 25 (1985) 75– 94
Moore, R.C., Autoepistemic logic revisited 59 (1993) 27– 30
Moore, R.W., see Knuth, D.E. 6 (1975) 293–326
Morgan, C.G., Hypothesis generation by machine 2 (1971) 179–187
Morgenstern, L., see Stein, L.A. 71 (1994) 1– 42
Morris, P., see Freund, M. 52 (1991) 191–203
Morris, P.H., The anomalous extension problem in default reasoning 35 (1988) 383–399
Moses, Y., see Halpern, J.Y. 54 (1992) 319–379
Moses, Y. and Y. Shoham, Belief as defeasible knowledge 64 (1993) 299–321
Moses, Y. and M. Tennenholtz, Off-line reasoning for on-line efficiency: knowledge bases 83 (1996) 229–239
Mostow, J., see Mahadevan, S. 64 (1993) 1– 52
Mostow, J., Design by derivational analogy: issues in the automated replay of design plans 40 (1989) 119–184
Motoda, H., see Yoshida, K. 75 (1995) 63– 92
Mott, P.L., A theorem on the consistency of circumscription (Research Note) 31 (1987) 87– 98
Muggleton, S.H., see Srinivasan, A. 85 (1996) 277–299
Mundy, J.L., see Barry, M. 37 (1988) 291–332
Mundy, J.L., see Kapur, D. 37 (1988) 1– 11
Mundy, J.L., see Kapur, D. 37 (1988) 15– 36
Mundy, J., see Zisserman, A. 78 (1995) 239–288
Muresan, L.V., see Pednault, E.P.D. 16 (1981) 213–222
Murray, N.V., Completely non-clausal theorem proving 18 (1982) 67– 85
Musen, M.A., see Eriksson, H. 79 (1995) 293–326
Musliner, D.J., E.H. Durfee and K.G. Shin, World modeling for the dynamic construction of real-time control plans 74 (1995) 83–128
Musser, D.R., see Kapur, D. 31 (1987) 125–157
Mutchler, D., The multi-player version of minimax displays game-tree pathology (Research Note) 64 (1993) 323–336

Mycroft, A. and R.A. O'Keefe, A polymorphic type system for Prolog 23 (1984) 295–307
Myers, K.L., Hybrid reasoning using universal attachment 67 (1994) 329–375

Nadin, M., Book review of *Language as a Cognitive Process*, Vol. I: *Syntax* (T. Winograd) 27 (1985) 353–357
Nagel, H.-H., On the estimation of optical flow: relations between different approaches and some new results 33 (1987) 299–324
Nagel, H.-H., see Otte, M. 78 (1995) 5– 43
Nagy, G., Book review of *Pattern Classification and Scene Analysis* (Richard O. Duda and Peter E. Hart) 4 (1973) 139–143
Nakhimovsky, A., Book review of *Tense and Aspect Systems* (Oesten Dahl) 32 (1987) 407–410
Nardi, D., see Donini, F.M. 53 (1992) 309–327
Nau, D.S., The Last Player Theorem 18 (1982) 53– 65
Nau, D.S., An investigation of the causes of pathology in games 19 (1982) 257–278
Nau, D.S., Pathology on game trees revisited, and an alternative to minimaxing 21 (1983) 221–244
Nau, D.S., V. Kumar and L.N. Kanal, General branch and bound, and its relation to A* and AO* 23 (1984) 29– 58
Nau, D.S., see Erol, K. 76 (1995) 75– 88
Nau, D.S., see Gupta, N. 56 (1992) 223–254
Nau, D.S., see Kambhampati, S. 82 (1996) 129–155
Nawab, S.H., see Lesser, V.R. 77 (1995) 129–171
Nayak, P.P., Causal approximations 70 (1994) 277–334
Nayak, P.P. and L. Joskowicz, Efficient compositional modeling for generating causal explanations 83 (1996) 193–227
Neal, R.M., Connectionist learning of belief networks 56 (1992) 71–113
Nebel, B., Computational complexity of terminological reasoning in BACK (Research Note) 34 (1988) 371–383
Nebel, B., Terminological reasoning is inherently intractable (Research Note) 43 (1990) 235–249
Nebel, B. and C. Bäckström, On the computational complexity of temporal projection, planning, and plan validation 66 (1994) 125–160
Nebel, B. and J. Koehler, Plan reuse versus plan generation: a theoretical and empirical analysis 76 (1995) 427–454
Nebel, B., see Heinsohn, J. 68 (1994) 367–397
Neches, R., Book review of *Building Large Knowledge-Based Systems*: *Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 65– 79
Nelson, G., see Thagard, P. 46 (1990) 259–310
Nelson, P.C., see Dillenburg, J.F. 65 (1994) 165–178
Nersessian, N., see Ram, A. 79 (1995) 111–128
Neufeld, E., Notes on "A clash of intuitions" (Research Note) 48 (1991) 225–240

Nevatia, R. and T.O. Binford, Description and recognition of curved objects	8	(1977)	77– 98
Nevatia, R., see Ulupınar, F.	67	(1994)	1– 28
Nevins, A.J., Plane geometry theorem proving using forward chaining	6	(1975)	1– 23
Nevins, A.J., A relaxation approach to splitting in an automatic theorem prover	6	(1975)	25– 39
Newborn, M.M., The efficiency of the alpha–beta search on trees with branch-dependent terminal node scores	8	(1977)	137–153
Newell, A., The knowledge level	18	(1982)	87–127
Newell, A., Reflections on the knowledge level	59	(1993)	31– 38
Newell, A., see Laird, J.E.	33	(1987)	1– 64
Newell, A., see Rosenbloom, P.S.	47	(1991)	289–325
Newell, A., see Waterman, D.A.	2	(1971)	285–318
Nguyen, V.-D., see Barry, M.	37	(1988)	291–332
Nicholson, A., see Dean, T.	76	(1995)	35– 74
Nie, X. and D.A. Plaisted, Refinements to depth-first iterative-deepening search in automatic theorem proving (Research Note)	41	(1990)	223–235
Nie, X. and D.A. Plaisted, A semantic backward chaining proof system	55	(1992)	109–128
Nielsen, P., see Forbus, K.D.	51	(1991)	417–471
Nigam, A., see Bhaskar, R.	45	(1990)	73–111
Niizuma, S. and T. Kitahashi, A problem-decomposition method using differences or equivalence relations between states	25	(1985)	117–151
Nilsson, N.J., Probabilistic logic	28	(1986)	71– 87
Nilsson, N.J., On *Logical Foundations of Artificial Intelligence*: a response to the reviews by S. Smoliar and J. Sowa	38	(1989)	132–133
Nilsson, N.J., Logic and artificial intelligence	47	(1991)	31– 56
Nilsson, N.J., Probabilistic logic revisited	59	(1993)	39– 42
Nilsson, N.J., Book review of *Artificial Intelligence: A Modern Approach* (Stuart Russell and Peter Norvig)	82	(1996)	369–380
Nilsson, N.J., see Fikes, R.E.	2	(1971)	189–208
Nilsson, N.J., see Fikes, R.E.	3	(1972)	251–288
Nilsson, N.J., see Fikes, R.E.	59	(1993)	227–232
Nilsson, N.J., see Luckham, D.	2	(1971)	27– 54
Nishida, T. and S. Doshita, Qualitative analysis of behavior of systems of piecewise linear differential equations with two state variables	75	(1995)	3– 29
Nishihara, H.K., Intensity, visible-surface, and volumetric representations	17	(1981)	265–284
Nitta, T., see Matsuyama, T.	75	(1995)	93–113
Nojima, H., see Goto, S.	75	(1995)	115–130
Norman, D.A., Approaches to the study of intelligence	47	(1991)	327–346

Norman, D.A., see Bobrow, D.G.	8	(1977)	155–173
Norton, L.M., Experiments with a heuristic theorem-proving program for predicate calculus with equality	2	(1971)	261–284
Norton, L.M., Automated analysis of instructional text	20	(1983)	307–344
Norvig, P., Book review of *Metaphors We Live By* (G. Lakoff and M. Johnson)	27	(1985)	357–361
Norvig, P., Book review of *Text-Based Intelligent Systems* (Paul Jacobs, ed.)	66	(1994)	181–188
Nudel, B., Consistent-labeling problems and their algorithms: expected-complexities and theory-based heuristics	21	(1983)	135–178
Nuflo, F., see Tsotsos, J.K.	78	(1995)	507–545
Nutt, W., see Donini, F.M.	53	(1992)	309–327
Oberlander, J., Book review of *Intentions in Communication* (Philip R. Cohen, Jerry Morgan and Martha E. Pollack, eds.)	63	(1993)	511–520
O'Gorman, F., Edge detection using Walsh functions (Technical Note)	10	(1978)	215–223
Ohlbach, H.J., see Eisinger, N.	50	(1991)	141–181
O'Keefe, R.A., see Mycroft, A.	23	(1984)	295–307
Olsson, R., Inductive functional programming using incremental program transformation	74	(1995)	55– 82
Oota, K., see Iwanuma, K.	86	(1996)	391–402
O'Rourke, J., Triple Book review of *Consciousness Explained* (Daniel C. Dennett), *The Evolution of Consciousness: Of Darwin, Freud, and Cranial Fire: The Origins of the Way We Think* (Robert Ornstein), and *Metaphysics of Consciousness* (William Seager)	60	(1993)	303–312
Orponen, P., Dempster's rule of combination is #*P*-complete (Research Note)	44	(1990)	245–253
Orponen, P., see Greiner, P.	82	(1996)	21– 44
Oskarsson, Ö., see Beckman, L.	7	(1976)	319–357
Otte, M. and H.-H. Nagel, Estimation of optical flow based on higher-order spatiotemporal derivatives in interlaced and non-interlaced image sequences	78	(1995)	5– 43
Ouchi, G.I., see Wipke, W.T.	11	(1978)	173–193
Ourston, D. and R.J. Mooney, Theory refinement combining analytical and empirical methods	66	(1994)	273–309
Palay, A.J., The B* tree search algorithm—new results	19	(1982)	145–163
Palmer, M.S., R.J. Passonneau, C. Weir and T. Finin, The KERNEL text understanding system	63	(1993)	17– 68
Papadimitriou, C.H. and M. Sideri, Default theories that always have extensions (Research Note)	69	(1994)	347–357
Paris, J.B. and A. Vencovská, A model of belief	64	(1993)	197–241

Park, Il-Pyung and J.R. Kender, Topological direction-giving and visual navigation in large environments	78	(1995)	355–395
Parkison, R.C., K.M. Colby and W.S. Faught, Conversational language comprehension using integrated pattern-matching and parsing	9	(1977)	111–134
Parodi, P. and V. Torre, On the complexity of labeling perspective projections of polyhedral scenes	70	(1994)	239–276
Passoneau, R.J., see Palmer, M.S.	63	(1993)	17– 68
Pastre, D., Automatic theorem proving in set theory	10	(1978)	1– 27
Pastre, D., MUSCADET: an automatic theorem proving system using knowledge and metaknowledge in mathematics	38	(1989)	257–318
Patel-Schneider, P.F., A four-valued semantics for terminological logics	38	(1989)	319–351
Erratum	39	(1989)	399
Patel-Schneider, P.F., Undecidability of subsumption in NIKL (Research Note)	39	(1989)	263–272
Patil, R.S., see Doyle, J.	48	(1991)	261–297
Pauker, S.G., see Szolovits, P.	11	(1978)	115–144
Pauker, S.G., see Szolovits, P.	59	(1993)	167–180
Pazienza, M.T., see Basili, R.	85	(1996)	59– 99
Pearl, J., Asymptotic properties of minimax trees and game-searching procedures	14	(1980)	113–138
Pearl, J., Knowledge versus search: a quantitative analysis using A^*	20	(1983)	1– 13
Pearl, J., On the nature of pathology in game searching	20	(1983)	427–453
Pearl, J., On evidential reasoning in a hierarchy of hypotheses (Research Note)	28	(1986)	9– 15
Pearl, J., Fusion, propagation, and structuring in belief networks	29	(1986)	241–288
Pearl, J., Evidential reasoning using stochastic simulation of causal models (Research Note)	32	(1987)	245–257
Addendum	33	(1987)	131–132
Pearl, J., Distributed revision of composite beliefs	33	(1987)	173–215
Pearl, J., Embracing causality in default reasoning (Research Note)	35	(1988)	259–271
Pearl, J., Belief networks revisited	59	(1993)	49– 56
Pearl, J., see Darwiche, A.	89	(1997)	1– 29
Pearl, J., see Dechter, R.	34	(1988)	1– 38
Pearl, J., see Dechter, R.	38	(1989)	353–366
Pearl, J., see Dechter, R.	49	(1991)	61– 95
Pearl, J., see Dechter, R.	58	(1992)	237–270
Pearl, J., see Geffner, H.	53	(1992)	209–244
Pearl, J., see Goldszmidt, M.	52	(1991)	121–149
Pearl, J., see Goldszmidt, M.	84	(1996)	57–112
Pearl, J., see Huyn, N.	15	(1980)	241–254

Pearl, J., see Karp, R.M.	21	(1983)	99–116
Pearl, J., see Meiri, I.	86	(1996)	245–267
Pearl, J., see Roizen, I.	21	(1983)	199–220
Pednault, E.P.D., S.W. Zucker and L.V. Muresan, On the independence assumption underlying subjective Bayesian updating	16	(1981)	213–222
Pemberton, J.C. and W. Zhang, Epsilon-transformation: exploiting phase transitions to solve combinatorial optimization problems	81	(1996)	297–325
Penberthy, J.S., see Addanki, S.	51	(1991)	145–177
Pennington, K.S., see Will, P.M.	2	(1971)	319–329
Pentland, A.P., Perceptual organization and the representation of natural form	28	(1986)	293–331
Pentland, A.P., Shading into texture	29	(1986)	147–170
Peot, M.A. and R.D. Shachter, Fusion and propagation with multiple observations in belief networks (Research Note)	48	(1991)	299–318
Pereira, F.C.N. and M.E. Pollack, Incremental interpretation	50	(1991)	37– 82
Pereira, F.C.N. and B.J. Grosz, Introduction	63	(1993)	1– 15
Pereira, F.C.N. and D.H.D. Warren, Definite clause grammars for language analysis—a survey of the formalism and a comparison with augmented transition networks	13	(1980)	231–278
Pereira, F.C.N., see Grosz, B.J.	32	(1987)	173–243
Perkins, D., An unfair review of Margaret Boden's *The Creative Mind* from the perspective of creative systems	79	(1995)	97–109
Perlin, M., Arc consistency for factorable relations (Research Note)	53	(1992)	329–342
Perlis, D., Languages with self-reference I: foundations (or: We can have everything in first-order logic!)	25	(1985)	301–322
Perlis, D., Circumscribing with sets (Research Note)	31	(1987)	201–211
Perlis, D., Languages with self-reference II: knowledge, belief, and modality	34	(1988)	179–212
Perlis, D., Autocircumscription (Research Note)	36	(1988)	223–236
Perlis, D., Truth and meaning (Research Note)	39	(1989)	245–250
Perlis, D. and J. Minker, Completeness results for circumscription	28	(1986)	29– 42
Perlis, D., see Etherington, D.W.	52	(1991)	221–261
Perrault, C.R., Book review of *Meaning and Grammar: An Introduction to Semantics* (Gennaro Chierchia and Sally McConnell-Ginet)	63	(1993)	493–502
Perrault, C.R., see Allen, J.F.	15	(1980)	143–178
Pevac, I., see Cvetković, D.	35	(1988)	1– 23
Phelps, R., Book review of *Mental Models* (P.N. Johnson-Laird)	28	(1985)	343–344
Philips, A.B., see Minton, S.	58	(1992)	161–205
Pijls, W., see Plaat, A.	87	(1996)	255–293

Pillow, N., see Zisserman, A.	78	(1995)	239–288
Pinkas, G., Reasoning, nonmonotonicity and learning in connectionist networks that capture propositional knowledge	77	(1995)	203–247
Pirolli, P., Book review of *Mind Bugs: The Origins of Procedural Misconceptions* (Kurt VanLehn)	52	(1991)	329–340
Pitrat, J., A chess combination program which uses plans	8	(1977)	275–321
Plaat, A., J. Schaeffer, W. Pijls and A. de Bruin, Best-first fixed-depth minimax algorithms	87	(1996)	255–293
Plaisted, D.A., Theorem proving with abstraction	16	(1981)	47–108
Plaisted, D.A., A simplified problem reduction format	18	(1982)	227–261
Plaisted, D.A., see Nie, X.	41	(1990)	223–235
Plaisted, D.A., see Nie, X.	55	(1992)	109–128
Plaisted, D.A., see Lee, S.-J.	69	(1994)	205–233
Pletat, U., see Beierle, C.	55	(1992)	149–191
Plummer, D., see Bundy, A.	27	(1985)	137–181
Pohl, I., Heuristic search viewed as path finding in a graph	1	(1970)	193–204
Politakis, P. and S.M. Weiss, Using empirical analysis to refine expert system knowledge bases	22	(1984)	23– 48
Politakis, P., see Ginsberg, A.	35	(1988)	197–226
Pollack, M.E., see Pereira, F.C.N.	50	(1991)	37– 82
Pollack, J.B., Recursive distributed representations	46	(1990)	77–105
Pollack, J.B., On the wings of knowledge: a review of Allen Newell's *Unified Theories of Cognition*	59	(1993)	355–369
Pollack, M.E., The uses of plans	57	(1992)	43– 68
Pollock, J.L., How to reason defeasibly	57	(1992)	1– 42
Pollock, J.L., Justification and defeat	67	(1994)	377–407
Pólos, L., see Huang, Z.	82	(1996)	75–127
Poole, D., A logical framework for default reasoning	36	(1988)	27– 47
Poole, D., The effect of knowledge on belief: conditioning, specificity and the lottery paradox in default reasoning	49	(1991)	281–307
Poole, D., Probabilistic Horn abduction and Bayesian networks	64	(1993)	81–129
Poole, D., Probabilistic conflicts in a search algorithm for estimating posterior probabilities in Bayesian networks	88	(1996)	69–100
Popplestone, R.J., A.P. Ambler and I.M. Bellos, An interpreter for a language for describing assemblies	14	(1980)	79–107
Popplestone, R.J., see Ambler, A.P.	6	(1975)	129–156
Popplestone, R.J., see Ambler, A.P.	6	(1975)	157–174
Porter, B., see Cohen, P.	85	(1996)	1– 2
Porter, B.W., R. Bareiss and R.C. Holte, Concept learning and heuristic classification in weak- theory domains	45	(1990)	229–263
Porter, B.W., see Blumenthal, B.	67	(1994)	287–327
Powley, C., C. Ferguson and R.E. Korf, Depth-first heuristic search on a SIMD machine	60	(1993)	199–242
Präcklein, A., see Eisinger, N.	50	(1991)	141–181
Prade, H., see Dubois, D.	35	(1988)	243–257

Prade, H., see Dubois, D.	50	(1991)	223–239
Pradhan, M., M. Henrion, G. Provan, B. del Favero and K. Huang, The sensitivity of belief networks to imprecise probabilities: an experimental investigation	85	(1996)	363–397
Prazdny, K., Book review of *Cognitive Psychology* (J. Green, ed.)	14	(1980)	110–112
Prieditis, A. and R. Davis, Quantitatively relating abstractness to the accuracy of admissible heuristics (Research Note)	74	(1995)	165–175
Priest, G., Reasoning about truth (Research Note)	39	(1989)	231–244
Profitlich, H.-J., see Wahlster, W.	63	(1993)	387–427
Profitlich, H.-J., see Heinsohn, J.	68	(1994)	367–397
Prokopowicz, P., see Brand, M.	73	(1995)	307–322
Prosser, P., An empirical study of phase transitions in binary constraint satisfaction problems	81	(1996)	81–109
Provan, G., see Pradhan, M.	85	(1996)	363–397
Przymusinska, H., see Gelfond, M.	38	(1989)	75– 94
Przymusinska, H., see Gelfond, M.	30	(1986)	273–287
Przymusinski, T.C., An algorithm to compute circumscription	38	(1989)	49– 73
Przymusinski, T.C., Three-valued nonmonotonic formalisms and semantics of logic programs	49	(1991)	309–343
Przymusinski, T.C., see Gelfond, M.	38	(1989)	75– 94
Puerta, A.R., see Eriksson, H.	79	(1995)	293–326
Pulman, S.G., see Crouch, R.S.	63	(1993)	265–304
Purdom Jr, P.W., Search rearrangement backtracking and polynomial average time	21	(1983)	117–133
Purves, D., Brain or mind? A review of Allen Newell's *Unified Theories of Cognition*	59	(1993)	371–373
Pustejovsky, J. and B. Boguraev, Lexical knowledge representation and natural language processing	63	(1993)	193–223
Pylyshyn, Z.W., Literature from cognitive psychology (Correspondent's Report)	19	(1982)	251–255
Pylyshyn, Z.W., On *Computation and Cognition: Toward a Foundation for Cognitive Science*: a response to the reviews by A.K. Mackworth and M.J. Stefik	38	(1989)	248–251
Qu, Y., see Kambhampati, S.	88	(1996)	253–315
Rabin, M.O., see Halpern, J.Y.	32	(1987)	379–405
Rabinov, A., A generalization of collapsible cases of circumscription (Research Note)	38	(1989)	111–117
Rabinov, A., see Lifschitz, V.	38	(1989)	225–237
Rada, R., Book review of *Artificial Intelligence* (Elaine Rich)	28	(1986)	119–121
Rae, J.P., see Bray, A.J.	52	(1991)	319–328
Raiman, O., Order of magnitude reasoning	51	(1991)	11– 38

Ram, A., L. Wills, E. Domeshek, N. Nersessian and J. Kolodner, Understanding the creative mind: a review of Margaret Boden's *Creative Mind* 79 (1995) 111–128
Rana, S., see Whitley, D. 85 (1996) 245–276
Rao, R.P.N. and D.H. Ballard, An active vision architecture based on iconic representations 78 (1995) 461–505
Raphael, B., see Yates, R.A. 1 (1970) 257–289
Rau, L.F., see Jacobs, P.S. 63 (1993) 143–191
Ravi Shankar, C., Book review of *Prolog and Natural-Language Analysis* (Fernando C.N. Pereira and Stuart M. Sheiber) 39 (1989) 275–278
Rayner, M., On the applicability of nonmonotonic logic to formal reasoning in continuous time 49 (1991) 345–360
Reece, D.A. and S.A. Shafer, Control of perceptual attention in robot driving 78 (1995) 397–430
Reeke Jr, G.N., Book review of *The Society of Mind* (Marvin Minsky) 48 (1991) 341–348
Reeke Jr, G.N., Book review of *The Computational Brain* (Patricia S. Churchland and Terrence J. Sejnowski) 82 (1996) 381–391
Reese, D., Book review of *Artificial Intelligence*, 2nd Ed. (P.H. Winston) 27 (1985) 127–128
Reichgelt, H., see Vila, L. 83 (1996) 59– 74
Reichman-Adar, R., Extended person–machine interface 22 (1984) 157–218
Reid, I.D. and J.M. Brady, Recognition of object classes from range data 78 (1995) 289–326
Reinefeld, A. and P. Ridinger, Time-efficient state space search (Research Note) 71 (1994) 397–408
Reinefeld, A., see Ladkin, P.B. 57 (1992) 105–124
Reinefeld, A., see Marsland, T.A. 31 (1987) 185–199
Reiter, R., Book review of *Computational Semantics* (Eugene Charniak and Yorick Wilks, eds.) 8 (1977) 365–372
Reiter, R., A logic for default reasoning 13 (1980) 81–132
Reiter, R., A theory of diagnosis from first principles 32 (1987) 57– 95
Reiter, R., Proving properties of states in the situation calculus (Research Note) 64 (1993) 337–351
Reiter, R. and A.K. Mackworth, A logical framework for depiction and image interpretation 41 (1990) 125–155
Reiter, R., see Brachman, R.J. 49 (1991) 1– 3
Reiter, R., see De Kleer, J. 56 (1992) 197–222
Reiter, R., see Minicozzi, E. 3 (1972) 175–180
Rendell, L., A new basis for state-space learning systems and a successful implementation 20 (1983) 369–392
Reynard, D., see Blake, A. 78 (1995) 179–212
Reynolds, D. and J. Gomatam, Stochastic modelling of Genetic Algorithms 82 (1996) 303–330

Reynolds, D. and J. Gomatam, Similarities and distinctions in sampling strategies for Genetic Algorithms (Research Note) 86 (1996) 375–390
Rich, A., see Siklóssy, L. 4 (1973) 1– 27
Ridinger, P., see Reinefeld, A. 71 (1994) 397–408
Rieger III, C.J., see Schank, R.C. 5 (1974) 373–412
Rieger, C., On organization of knowledge for problem solving and language comprehension 7 (1976) 89–127
Rieger, J.H., The geometry of view space of opaque objects bounded by smooth surfaces 44 (1990) 1– 40
Riloff, E., An empirical study of automated dictionary construction for information extraction in three domains 85 (1996) 101–134
Ripken, K., see Haralick, R.M. 6 (1975) 75– 99
Rist, T., see Wahlster, W. 63 (1993) 387–427
Ritchie, G.D. and F.K. Hanna, AM: a case study in AI methodology 23 (1984) 249–268
Rivest, R.L., Game tree searching by min/max approximation 34 (1988) 77– 96
Rivlin, E., see Basri, R. 78 (1995) 327–354
Roach, J., see Joslin, D. 41 (1990) 97–106
Roach, J., see Siklóssy, L. 6 (1975) 41– 52
Robin, J. and K. McKeown, Empirically designing and evaluating a new revision-based model for summary generation 85 (1996) 135–179
Rock, S., Book review of *Robot Technology*, Volume 1: *Modelling and Control*; Volume 2: *Interaction with the Environment* (Philippe Coiffet) 33 (1987) 141–142
Rock, S., Book review of *On Machine Intelligence*, 2nd ed. (Donald Michie) 34 (1988) 386–387
Roizen, I. and J. Pearl, A minimax algorithm better than alpha-beta? Yes and no 21 (1983) 199–220
Roos, N., A logic for reasoning with inconsistent knowledge 57 (1992) 69–103
Rose, D.E., Book review of Advances in Connectionist and Neural Computation Theory, Volume 1: *High-Level Connectionist Models* (J.A. Barnden and J.B. Pollack, eds.) 62 (1993) 129–139
Rosenbloom, P.S., A world-championship-level Othello program 19 (1982) 279–320
Rosenbloom, P.S., J.E. Laird, A. Newell and R. McCarl, A preliminary analysis of the Soar architecture as a basis for general intelligence 47 (1991) 289–325
Rosenbloom, P.S. and J.E. Laird, On *Unified Theories of Cognition*: a response to the reviews 59 (1993) 389–413
Rosenbloom, P.S., see Golding, A.R. 87 (1996) 215–254
Rosenbloom, P.S., see Laird, J.E. 33 (1987) 1– 64
Rosenbloom, P.S., see Tambe, M. 68 (1994) 155–199
Rosenfeld, A., Book review of *The Psychology of Computer Vision* (Patrick Henry Winston, ed.) 7 (1976) 279–282
Rosenfeld, A., see Davis, L.S. 17 (1981) 245–263

Rosenfeld, A., see Lee, C.-H. 26 (1985) 125–143
Rosenschein, J.S., see Ephrati, E. 87 (1996) 21– 74
Rosenschein, J.S., see Zlotkin, G. 84 (1996) 151–176
Rosenschein, J.S., see Zlotkin, G. 86 (1996) 195–244
Rosenschein, S.J. and L.P. Kaelbling, A situated view of representation and control 73 (1995) 149–173
Rosenschein, S.J., see Hobbs, J.R. 9 (1977) 287–306
Rossi, F., see Montanari, U. 48 (1991) 143–170
Roth, D., On the hardness of approximate reasoning 82 (1996) 273–302
Roth, D., see Khardon, R. 87 (1996) 187–213
Roth, Y. and R. Jain, Knowledge caching for sensor-based systems 71 (1994) 257–280
Rothwell, C., see Zisserman, A. 78 (1995) 239–288
Ruspini, E.H., see Saffioti, A. 76 (1995) 481–526
Russell, D.M., Book review of *Planning and Understanding: A Computational Approach to Human Reasoning* (R. Wilensky) 23 (1984) 239–242
Russell, S., see Zilberstein, S. 82 (1996) 181–213
Russell, S. and E. Wefald, Principles of metareasoning 49 (1991) 361–395
Ruth, G.R., Intelligent program analysis 7 (1976) 65– 85
Rymon, R., Goal-directed diagnosis—a diagnostic reasoning framework for exploratory-corrective domains 84 (1996) 257–297

Sablon, G., L. De Raedt and M. Bruynooghe, Iterative versionspaces (Research Note) 69 (1994) 393–409
Sacerdoti, E.D., Planning in a hierarchy of abstraction spaces 5 (1974) 115–135
Sacerdoti, E.D., see Stefik, M.J. 18 (1982) 135–173
Sacerdoti, E.D., see Stefik, M.J. 59 (1993) 221–224
Sacks, E.P., Automatic qualitative analysis of dynamic systems using piecewise linear approximations 41 (1990) 313–364
Sacks, E.P., A dynamic systems perspective on qualitative simulation 42 (1990) 349–362
Sacks, E.P., Automatic analysis of one-parameter planar ordinary differential equations by intelligent numeric simulation 48 (1991) 27– 56
Sacks, E.P., What's in a linkage? Review of: Glenn Kramer, *Solving Geometric Constraint Systems* 61 (1993) 343–349
Sacks, E.P., see Joskowicz, L. 51 (1991) 381–416
Sadeh, N., K. Sycara and Y. Xiong, Backtracking techniques for the job scheduling constraint satisfaction problem 76 (1995) 455–480
Sadeh, N. and M.S. Fox, Variable and value ordering heuristics for the job shop scheduling constraint satisfaction problem 86 (1996) 1– 41
Saffioti, A., K. Konolige and E.H. Ruspini, A multivalued logic approach to integrating planning and control 76 (1995) 481–526
Safir, A., see Weiss, S.M. 11 (1978) 145–172

Sandewall, E., Formal methods in the design of question-answering systems 2 (1971) 129–145
Sandewall, E., see Beckman, L. 7 (1976) 319–357
Santos Jr, E. and E.S. Santos, Polynomial solvability of cost-based abduction (Research Note) 86 (1996) 157–170
Santos Jr, E., A linear constraint satisfaction approach to cost-based abduction 65 (1994) 1– 27
Santos, E.S., see Santos Jr, E. 86 (1996) 157–170
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and S.C. DeSarkar, Reducing reexpansions in iterative-deepening search by controlling cutoff bounds (Research Note) 50 (1991) 207–221
Sato, S., MBT2: a method for combining fragments of examples in example-based translation 75 (1995) 31– 49
Satta, G. and O. Stock, Bidirectional context-free grammar parsing for natural language processing 69 (1994) 123–164
Saund, E., Putting knowledge into a visual shape representation 54 (1992) 71–119
Say, A.C.C. and S. Kuru, Qualitative system identification: deriving structure from behavior 83 (1996) 75–141
Scandura, J.M., J.H. Durnin and W.H. Wulfeck II, Higher order rule characterization of heuristics for compass and straight edge constructions in geometry 5 (1974) 149–183
Schaeffer, J., see Marsland, T.A. 31 (1987) 185–199
Schaeffer, J., Conspiracy numbers 43 (1990) 67– 84
Schaeffer, J., J. Culberson, N. Treloar, B. Knight, P. Lu and D. Szafron, A world championship caliber checkers program (Research Note) 53 (1992) 273–289
Schaeffer, W., see Plaat, A. 87 (1996) 255–293
Schaerf, M. and M. Cadoli, Tractable reasoning via approximation 74 (1995) 249–310
Schaerf, M., see Cadoli, M. 88 (1996) 215–251
Schank, R.C., Interestingness: controlling inferences 12 (1979) 273–297
Schank, R.C. and D.A. Foster, The engineering of creativity: a review of Boden's *The Creative Mind* 79 (1995) 129–143
Schank, R.C. and M.Y. Jona, Issues for psychology, AI, and education: a review of Newell's *Unified Theories of Cognition* 59 (1993) 375–388
Schank, R.C. and D.B. Leake, Creativity and learning in a case-based explainer 40 (1989) 353–385
Schank, R.C. and C.J. Rieger III, Inference and the computer understanding of natural language 5 (1974) 373–412
Schaub, T., see Delgrande, J.P. 70 (1994) 167–237
Schlechta, K., see Makinson, D. 48 (1991) 199–209
Schmidt, C.F., N.S. Sridharan and J.L. Goodson, The plan recognition problem: an intersection of psychology and artificial intelligence 11 (1978) 45– 83

Schmidt-Schauß, M. and G. Smolka, Attributive concept descriptions with complements	48	(1991)	1– 26
Schmitt, P.H., see Beierle, C.	55	(1992)	149–191
Schoppers, M., The use of dynamics in an intelligent controller for a space faring rescue robot	73	(1995)	175–230
Schor, M.I., see Lee, H.S.	54	(1992)	249–274
Schrag, R. and J.M. Crawford, Implicates and prime implicates in Random 3-SAT	81	(1996)	199–222
Schreiber, P.P., Book review of *Neural Assemblies—An Alternative Approach to Artificial Intelligence, Part* I [*Studies of Brain Function* 7] (Günther Palm)	21	(1983)	358–359
Schubert, L., see Gerevini, A.	70	(1994)	347–361
Schubert, L., see Gerevini, A.	74	(1995)	207–248
Schubert, L.K., Extending the expressive power of semantic networks	7	(1976)	163–198
Erratum	7	(1976)	369
Schukin, Y., Book review of *Natural and Artificial Intelligence (Conceptual Approach)—Materials of the Fourth International Joint Conference on Artificial Intelligence* (in Russian) (V.V. Chavchanidze et al., eds.)	8	(1977)	233–238
Schunck, B.G., see Horn, B.K.P.	17	(1981)	185–203
Schunck, B.G., see Horn, B.K.P.	59	(1993)	81– 87
Schwartz, J.T. and M. Sharir, A survey of motion planning and related geometric algorithms	37	(1988)	157–169
Schwarz, G., On embedding default logic into Moore's autoepistemic logic (Research Note)	80	(1996)	349–359
Schwarz, G., In search of a "true" logic of knowledge: the nonmonotonic perspective	79	(1995)	39– 63
Schwarz, G. and M. Truszczyński, Minimal knowledge problem: a new approach	67	(1994)	113–141
Sebastiani, R., see Bundy, A.	88	(1996)	39– 67
Segre, A. and C. Elkan, A high-performance explanation-based learning algorithm	69	(1994)	1– 50
Segre, A. and G. Gordon, Book review of *Computer Systems That Learn* (Sholom M. Weiss and C.A. Kulikowski)	62	(1993)	363–378
Segre, A.M., G.J. Gordon and C.P. Elkan, Exploratory analysis of speedup learning data using expectation maximization	85	(1996)	301–319
Sejnowski, T.J., see Tesauro, G.	39	(1989)	357–390
Self, J.A., Concept teaching	9	(1977)	197–221
Selfridge, M., A computer model of child language learning	29	(1986)	171–216
Selman, B., see Kautz, H.A.	49	(1991)	243–279
Selman, B., see Kautz, H.	74	(1995)	129–146
Selman, B. and H.A. Kautz, Model-preference default theories	45	(1990)	287–322
Selman, B. and S. Kirkpatrick, Critical behavior in the computational cost of satisfiability testing	81	(1996)	273–295

Selman, B. and H.J. Levesque, The complexity of path-based defeasible inheritance 62 (1993) 303–339
Selman, B. and H.J. Levesque, Support set selection for abductive and default reasoning 82 (1996) 259–272
Selman, B., D.G. Mitchell and H.J. Levesque, Generating hard satisfiability problems 81 (1996) 17– 29
Sen, A.K. and A. Bagchi, Graph search methods for non-order-preserving evaluation functions: applications to job sequencing problems 86 (1996) 43– 73
Serafini, L., see Giunchiglia, F. 65 (1994) 29– 70
Shachter, R.D., see Peot, M.A. 48 (1991) 299–318
Shafer, G. and R. Logan, Implementing Dempster's rule for hierarchical evidence 33 (1987) 271–298
Shafer, S.A., see Reece, D.A. 78 (1995) 397–430
Shahar, Y., see Eriksson, H. 79 (1995) 293–326
Shallice, T., see Cooper, R. 85 (1996) 3– 44
Shanahan, M., Default reasoning about spatial occupancy (Research Note) 74 (1995) 147–163
Shanahan, M., A circumscriptive calculus of events 77 (1995) 249–284
Shankar, N., Book review of *Ontic: A Knowledge Representation System for Mathematics* (David A. McAllester) 62 (1993) 355–362
Shapiro, S.C., Book review of *Artificial Intelligence* (Earl B. Hunt) 7 (1976) 199–201
Shapiro, S.C., see Martins, J.P. 35 (1988) 25– 79
Sharir, M., see Schwartz, J.T. 37 (1988) 157–169
Shastri, L., Default reasoning in semantic networks: a formalization of recognition and inheritance 39 (1989) 283–355
Shavlik, J.W., see Towell, G.G. 70 (1994) 119–165
Shavlik, J.W. and G.F. DeJong, Learning in mathematically-based domains: understanding and generalizing obstacle cancellations 45 (1990) 1– 45
Shaw, D.E., On the range of applicability of an artificial intelligence machine 32 (1987) 151–172
Shekhar, S., see Latombe, J.-C. 52 (1991) 1– 47
Shen, W., Functional transformations in AI discovery systems 41 (1990) 257–272
Shen, Z., Book review of *Fuzzy Sets and Applications: Selected Papers by L.A. Zadeh* (R.R. Yager, S. Ovchinnikov, R.M. Tong and H.T. Nguyen, eds.) 61 (1993) 351–358
Shimaya, A., Interpreting non-3-D line drawings 77 (1995) 1– 41
Shimony, S.E., see Charniak, E. 66 (1994) 345–374
Shimony, S.E., Finding MAPs for belief networks is NP-hard (Research Note) 68 (1994) 399–410
Shimura, M. and F.H. George, Rule-oriented methods in problem solving 4 (1973) 203–223
Shin, K.G., see Musliner, D.J. 74 (1995) 83–128

Shirai, K., Guest editor's preface	75	(1995)	1– 2
Shirai, Y., A context sensitive line finder for recognition of polyhedra	4	(1973)	95–119
Shoham, Y., Agent-oriented programming	60	(1993)	51– 92
Shoham, Y., Temporal logics in AI: semantical and ontological considerations	33	(1987)	89–104
Shoham, Y., Chronological ignorance: experiments in non-monotonic temporal reasoning	36	(1988)	279–331
Shoham, Y. and D. McDermott, Problems in formal temporal reasoning	36	(1988)	49– 61
Shoham, Y. and M. Tennenholtz, On social laws for artificial agent societies: off-line design	73	(1995)	231–252
Shoham, Y., see Lin, F.	57	(1992)	271–289
Shoham, Y., see Moses, Y.	64	(1993)	299–321
Shortliffe, E.H., see Davis, R.	8	(1977)	15– 45
Shortliffe, E.H., see Gordon, J.	26	(1985)	323–357
Shortliffe, E.H., see Gordon, J.	59	(1993)	43– 47
Shortliffe, E.H., see Davis, R.	59	(1993)	181–189
Shortliffe, E.H., see Klein, D.A.	67	(1994)	201–243
Shostak, R.E., see Bledsoe, W.W.	27	(1985)	255–288
Shostak, R.E., Refutation graphs	7	(1976)	51– 64
Corrigendum	7	(1976)	283
Shrager, J., Book review of *Universal Subgoaling and Chunking: The Automatic Generation and Learning of Goal Hierarchies* (John Laird, Paul Rosenbloom and Allen Newell)	32	(1987)	269–273
Shrager, J., Book review of *Induction: Process of Inference, Leaming and Discovery* (John H. Holland, Keith J. Holyoak, Richard E. Nisbett, and Paul R. Thagard)	41	(1990)	249–252
Shvarts, G.F., Fixed points in the propositional nonmonotonic logic (Research Note)	38	(1989)	199–206
Sideri, M., see Papadimitriou, C.H.	69	(1994)	347–357
Siegel, P., see Bossu, G.	25	(1985)	13– 63
Siekmann, J., see Beierle, C.	55	(1992)	149–191
Siklóssy, L., A. Rich and V. Marinov, Breadth-first search: some surprising results	4	(1973)	1– 27
Siklóssy, L. and J. Roach, Model verification and improvement using DISPROVER	6	(1975)	41– 52
Silver, B., see Bundy, A.	27	(1985)	137–181
Simari, G.R. and R.P. Loui, A mathematical treatment of defeasible reasoning and its implementation	53	(1992)	125–157
Simmons, R.G., The roles of associational and causal reasoning in problem solving	53	(1992)	159–207
Simon, H.A., The structure of ill structured problems	4	(1973)	181–201
Simon, H.A., Search and reasoning in problem solving	21	(1983)	7– 29
Simon, H.A., Artificial intelligence: an empirical science	77	(1995)	95–127

Simon, H.A., Allen Newell: the entry into complex information processing	59	(1993)	251–259
Simon, H.A. and J.B. Kadane, Optimal problem-solving search: all-or-none solutions	6	(1975)	235–247
Simon, H.A., see Iwasaki, Y.	29	(1986)	3– 32
Simon, H.A., see Iwasaki, Y.	29	(1986)	63– 72
Simon, H.A., see Iwasaki, Y.	59	(1993)	141–146
Simon, H.A., see Iwasaki, Y.	67	(1994)	143–194
Simonet, G., On Sandewall's paper: Nonmonotonic inference rules for multiple inheritance with exceptions (Research Note)	86	(1996)	359–374
Simonet, G. and R. Ducournau, On Stein's paper: resolving ambiguity in nonmonotonic inheritance hierarchies (Research Note)	71	(1994)	183–193
Simonis, H., see Van Hentenryck, P.	58	(1992)	113–159
Singh, S.P., see Barto, A.G.	72	(1995)	81–138
Sirovich, F., see Levi, G.	7	(1976)	243–259
Skuce, D., Book review of *Building Large Knowledge-Based Systems*: *Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha)	61	(1993)	81– 94
Slagle, J.R., see Chang, C.L.	2	(1971)	117–128
Slagle, J.R., see Chang, C.L.	12	(1979)	159–178
Sleeman, D.H. and M.J. Smith, Modelling student's problem solving	16	(1981)	171–188
Sloman, A., Interactions between philosophy and artificial intelligence: the role of intuition and non-logical reasoning in intelligence	2	(1971)	209–225
Sloman, A., The emperor's real mind: review of Roger Penrose's *The Emperor's New Mind*: *Concerning Computers, Minds and the Laws of Physics*	56	(1992)	355–396
Smaill, A., see Bundy, A.	62	(1993)	185–253
Smets, P. and R. Kennes, The transferable belief model	66	(1994)	191–234
Smith, B.C., The owl and the electric encyclopedia	47	(1991)	251–288
Smith, B.M. and M.E. Dyer, Locating the phase transition in binary constraint satisfaction problems	81	(1996)	155–181
Smith, B., see Wos, L.	22	(1984)	303–356
Smith, B.A., see Greiner, R.	41	(1990)	79– 88
Smith, D.E., Controlling backward inference	39	(1989)	145–208
Smith, D.E. and M.R. Genesereth, Ordering conjunctive queries	26	(1985)	171–215
Smith, D.E., M.R. Genesereth and M.L. Ginsberg, Controlling recursive inference	30	(1986)	343–389
Smith, D.E., see Ginsberg, M.L.	35	(1988)	165–195
Smith, D.E., see Ginsberg, M.L.	35	(1988)	311–342

Smith, D.R., Top-down synthesis of divide-and-conquer algorithms 27 (1985) 43– 96
Smith, E.E., Cognitive psychology (Correspondent's Report) 25 (1985) 247–253
Smith, M.J., see Sleeman, D.H. 16 (1981) 171–188
Smith, R.G., Book review of *Machine Intelligence* 10 (J.E. Hayes, D. Michie and Y.-H. Pao, eds.) 21 (1983) 351–357
Smith, R.G., see Davis, R. 20 (1983) 63–109
Smolensky, P., Tensor product variable binding and the representation of symbolic structures in connectionist systems 46 (1990) 159–216
Smoliar, S.W., Book review of *Conceptual Structures: Information Processing in Mind and Machine* (J.F. Sowa) 33 (1987) 259–266
Smoliar, S.W., Book review of *Epistemology and Cognition* (A.I. Goldman) 34 (1988) 251–264
Smoliar, S.W., Book review of *The Robot's Dilemma: The Frame Problem in Artificial Intelligence* (Zenon W. Pylyshyn, ed.) 36 (1988) 131–137
Smoliar, S.W., Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson) 38 (1989) 119–124
Smoliar, S.W., Book review of *Neural Darwinism: The Theory of Neuronal Group Selection* (Gerald M. Edelman) 39 (1989) 121–136
Smoliar, S.W., Book review of *Models of Musical Communication and Cognition* (Marc Leman, ed.) 44 (1990) 361–371
Smoliar, S.W., Book review of *How to Build a Person: A Prolegomenon* (John Pollock) 48 (1991) 253–256
Smoliar, S.W., Book review of *The Society of Mind* (Marvin Minsky) 48 (1991) 349–370
Smoliar, S.W., Book review of *The Remembered Present: A Biological Theory of Consciousness* (Gerald M. Edelman) 52 (1991) 295–318
Smoliar, S.W., Book review of *Artificial Life* (Christopher G. Langton, ed.), *Artificial Life II* (Christopher G. Langton, Charles Taylor, J. Doyne Farmer and Steen Rasmussen, eds.) and *Artificial Life II*: Video Proceedings (Christopher G. Langton, ed.) 73 (1995) 371–377
Smoliar, S.W., Book review of *Creative Cognition* (Ronald Finke, Thomas Ward, Steven Smith) 79 (1995) 183–196
Smoliar, S.W., The music collection (Editorial) 79 (1995) 341–342
Smoliar, S.W., Book review of *Music, Mind and Machine: Studies in Computer Music, Music Cognition and Artificial Intelligence* (Peter Desain and Henkjan Honing) 79 (1995) 361–371
Smoliar, S.W. and M.J. Stefik, Eight reviews on connectionism (Editorial) 62 (1993) 89– 91
Smoliar, S.W., see Stefik, M.J. 59 (1993) 261–263
Smoliar, S.W., see Stefik, M.J. 61 (1993) 37– 40
Smoliar, S.W., see Stefik, M.J. 79 (1995) 65– 67

Smoliar, S.W., see Stefik, M.J.	80	(1996)	95– 97
Smolka, G., see Schmidt-Schauß, M.	48	(1991)	1– 26
Sobel, I., On calibrating computer controlled cameras for perceiving 3-D scenes (Technical Note)	5	(1974)	185–198
Soloway, E., see Clancey, W.J.	42	(1990)	1– 6
Sowa, J.F., On *Conceptual Structures*: a response to the review by S.W. Smoliar	34	(1988)	388–394
Sowa, J.F., Book review of *Logical Foundations of Artificial Intelligence* (Michael R. Genesereth and Nils J. Nilsson)	38	(1989)	125–131
Sowa, J.F., Book review of *Building Large Knowledge-Based Systems*: *Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha)	61	(1993)	95–104
Spaccamela, A.M., see Donini, F.M.	53	(1992)	309–327
Spector, L. and J. Hendler, Book review of *Minimal Rationality* (Christopher Cherniak)	39	(1989)	137–139
Sproull, R., Book review of *Artificial Intelligence and Pattern Recognition in Computer Aided Design* (J.C. Latombe, ed.)	15	(1980)	125–126
Sridharan, N.S., see Schmidt, C.F.	11	(1978)	45– 83
Srihari, S.N. and R.M. Božinović, A multi-level perception approach to reading cursive script	33	(1987)	217–255
Srinivasan, A., S.H. Muggleton, M.J.E. Sternberg and R.D. King, Theories for mutagenicity: a study in first-order and feature-based induction	85	(1996)	277–299
St. John, M.F. and J.L. McClelland, Learning and applying contextual constraints in sentence comprehension	46	(1990)	217–257
Stabler Jr, E.P., Parsing as non-Horn deduction	63	(1993)	225–264
Stallman, R.M. and G.J. Sussman, Forward reasoning and dependency-directed backtracking in a system for computer-aided circuit analysis	9	(1977)	135–196
Stalnaker, R., A note on non-monotonic modal logic	64	(1993)	183–196
Steele Jr, G.L., see Sussman, G.J.	14	(1980)	1– 39
Stefik, M.J., Inferring DNA structures from segmentation data	11	(1978)	85–114
Stefik, M.J., Planning with constraints (MOLGEN: Part 1)	16	(1981)	111–139
Stefik, M.J., Planning and meta-planning (MOLGEN: Part 2)	16	(1981)	141–170
Stefik, M.J., Book review of *The Sciences of the Artificial*, 2nd Ed. (H.A. Simon)	22	(1984)	95– 97
Stefik, M.J., Book review of *The Fifth Generation: Artificial Intelligence and Japan's Computer Challenge to the World* (E.A. Feigenbaum and P. McCorduck)	22	(1984)	219–222
Stefik, M.J., Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell, eds.)	25	(1985)	236–238
Stefik, M.J., Book review of *Intelligent Tutoring Systems* (D. Sleeman and J.S. Brown, eds.)	26	(1985)	238–245

Stefik, M.J., Book review of *Minds, Machines, and Evolution* (C. Hookway, ed.) 27 (1985) 237–245
Stefik, M.J., Book review of *Vehicles: Experiments in Synthetic Psychology* (V. Braitenberg) 27 (1985) 246–248
Stefik, M.J., Book reviews of *Artificial Intelligence Applications for Business Management* (R.K. Miller), *Artificial Intelligence Applications for Business, Proceedings of the NYU Symposium, May 1983* (W. Reitman, ed.), and *The AI Business: Commercial Uses of Artificial Intelligence* (P.H. Winston and K.A. Prendergast, eds.) 28 (1986) 345–348
Stefik, M.J., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z.W. Pylyshyn) 38 (1989) 241–247
Stefik, M.J., J.S. Aikens, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, The organization of expert systems, a tutorial 18 (1982) 135–173
Stefik, M.J., J.S. Aikins, R. Balzer, J. Benoit, L. Birnbaum, F. Hayes-Roth and E.D. Sacerdoti, Retrospective on "The organization of expert systems, a tutorial" 59 (1993) 221–224
Stefik, M.J. and D.G. Bobrow, Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores) 31 (1987) 220–226
Stefik, M.J. and S.W. Smoliar, Eight reviews of *Unified Theories of Cognition* and a response (Editorial) 59 (1993) 261–263
Stefik, M.J. and S.W. Smoliar, The commonsense reviews (Editorial) 61 (1993) 37– 40
Stefik, M.J. and S.W. Smoliar, *The Creative Mind: Myths and Mechanisms*—an introduction 79 (1995) 65– 67
Stefik, M.J. and S.W. Smoliar, *What Computers Still Can't Do*: five reviews and a response (Editorial) 80 (1996) 95– 97
Stefik, M.J., see Smoliar, S.W. 62 (1993) 89– 91
Stein, L.A., Resolving ambiguity in nonmonotonic inheritance hierarchies 55 (1992) 259–310
Stein, L.A. and L. Morgenstern, Motivated action theory: a formal theory of causal reasoning 71 (1994) 1– 42
Steinberg, L. and N. Langrana, EVEXED and MEET for mechanical design: testing structural decomposition and constraint propagation 84 (1996) 37– 56
Steinberg, L., see Mahadevan, S. 64 (1993) 1– 52
Štěpánková, O. and I.M. Havel, A logical theory of robot problem solving 7 (1976) 129–161
Stepp, R.E. and R.S. Michalski, Conceptual clustering of structured objects: a goal-oriented approach 28 (1986) 43– 69
Sternberg, M.J.E., see Srinivasan, A. 85 (1996) 277–299
Stevens, A., see Bundy, A. 62 (1993) 185–253

Stevens, K.A., The visual interpretation of surface contours	17	(1981)	47– 73
Stickel, M.E., see Hobbs, J.R.	63	(1993)	69–142
Stock, O., see Satta, G.	69	(1994)	123–164
Stockman, G.C., A minimax algorithm better than alpha–beta?	12	(1979)	179–196
Strom, J.D. and L. Darden, Is artificial intelligence a degenerating programme?: a review of Hubert Dreyfus' *What Computers Still Can't Do*	80	(1996)	151–170
Subrahmanian, V.S., see Erol, K.	76	(1995)	75– 88
Sucar, L.E., D.F. Gillies and D.A. Gillies, Objective probabilities in expert systems	61	(1993)	187–208
Suchman, L.A., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores)	31	(1987)	227–232
Suermondt, H.J. and G.F. Cooper, Initialization for the method of conditioning in Bayesian belief networks (Research Note)	50	(1991)	83– 94
Suganuma, Y., Learning structures of visual patterns from single instances	50	(1991)	1– 36
Sugihara, K., Range-data analysis guided by a junction dictionary	12	(1979)	41– 69
Sugihara, K., An algebraic approach to shape-from-image problems	23	(1984)	59– 95
Sun, R., Robust reasoning: integrating rule-based and similarity-based reasoning	75	(1995)	241–295
Sussman, G.J., see Stallman, R.M.	9	(1977)	135–196
Sussman, G.J. and G.L. Steele Jr, CONSTRAINTS—a language for expressing almost hierarchical descriptions	14	(1980)	1– 39
Sutcliffe, G., Compulsory reduction in linear derivation systems (Letter to the Editor)	50	(1991)	131–132
Swain, M.J., see Cooper, P.R.	58	(1992)	207–235
Swartout, W.R., XPLAIN: a system for creating and explaining expert consulting programs	21	(1983)	285–325
Swartout, W.R., Book review of *Rule-Based Expert Systems: The MYCIN Experiments of the Stanford Heuristic Programming Project* (B.G. Buchanan and E.H. Shortliffe, eds.)	26	(1985)	364–366
Sycara, K., see Miyashita, K.	76	(1995)	377–426
Sycara, K., see Sadeh, N.	76	(1995)	455–480
Szafron, D., see Schaeffer, J.	53	(1992)	273–289
Szolovits, P. and S.G. Pauker, Categorical and probabilistic reasoning in medical diagnosis	11	(1978)	115–144
Szolovits, P. and S.G. Pauker, Categorical and probabilistic reasoning in medicine revisited	59	(1993)	167–180
Tadepalli, P.V., see Weiss, S.M.	45	(1990)	47– 71
Tadepalli, P.V., see Mahadevan, S.	64	(1993)	1– 52

Tambe, M. and P.S. Rosenbloom, Investigating production system representations for non-combinatorial match 68 (1994) 155–199
Tanner, M.C., see Bylander, T. 49 (1991) 25– 60
Tappert, C.C. and N.R. Dixon, A procedure for adaptive control of the interaction between acoustic classification and linguistic decoding in automatic recognition of continuous speech 5 (1974) 95–113
Tärnlund, S.-Å., see Brown, F.M. 12 (1979) 207–229
Tate, A., see Currie, K. 52 (1991) 49– 86
Tenenbaum, J.M. and H.G. Barrow, Experiments in interpretation-guided segmentation 8 (1977) 241–274
Tenenbaum, J.M., see Barrow, H.G. 17 (1981) 75–116
Tenenbaum, J.M., see Barrow, H.G. 59 (1993) 71– 80
Tenenberg, J., see Bacchus, F. 52 (1991) 87–108
Teng, C.-M., see Van Hentenryck, P. 57 (1992) 291–321
Tennenholtz, M., see Shoham, Y. 73 (1995) 231–252
Tennenholtz, M., see Moses, Y. 83 (1996) 229–239
Terenziani, P., see Brusoni, V. 74 (1995) 367–379
Terzopoulos, D., A.P. Witkin and M. Kass, Constraints on deformable models: recovering 3D shape and nonrigid motion 36 (1988) 91–123
Tesauro, G. and T.J. Sejnowski, A parallel network that learns to play backgammon 39 (1989) 357–390
Tessem, B., Approximation for efficient computation in the theory of evidence (Research Note) 61 (1993) 315–329
Thagard, P., K.J. Holyoak, G. Nelson and D. Gochfeld, Analog retrieval by constraint satisfaction 46 (1990) 259–310
Thielscher, M., On prediction in Theorist (Research Note) 60 (1993) 283–292
Thielscher, M., Ramification and causality 89 (1997) 317–364
Thielscher, M., see Brüning, S. 64 (1993) 353–354
Thirunarayan, K. and M. Kifer, A theory of nonmonotonic inheritance based on annotated logic 60 (1993) 23– 50
Thomason, R.H., see Horty, J.F. 42 (1990) 311–348
Thompson, H., see Bobrow, D.G. 8 (1977) 155–173
Thompson, W.B., see Wick, M.R. 54 (1992) 33– 70
Throop, D.R., see Kuipers, B.J. 51 (1991) 343–379
Todd, P.M., Book review of *Emergent Computation: Self-Organizing, Collective, and Cooperative Phenomena in Natural and Artificial Computing Networks* (Stephanie Forrest, ed.) 60 (1993) 171–183
Torre, V., see Parodi, P. 70 (1994) 239–276
Toth, J.A., Book review of *Reasoning Agents in a Dynamic World: The Frame Problem* (Kenneth M. Ford and Patrick J. Hayes, eds.) 73 (1995) 323–369

Touretzky, D.S., BoltzCONS: dynamic symbol structures in a connectionist network 46 (1990) 5– 46
Touretzky, D.S., Book review of *Neural Networks in Artificial Intelligence* (Matthew Zeidenberg) 62 (1993) 163–164
Touretzky, D.S., see Horty, J.F. 42 (1990) 311–348
Towell, G.G. and J.W. Shavlik, Knowledge-based artificial neural networks 70 (1994) 119–165
Traverso, P., see Giunchiglia, F. 80 (1996) 197–241
Treloar, N., see Schaeffer, J. 53 (1992) 273–289
Truszczyński, M., see Schwarz, G. 67 (1994) 113–141
Tsotsos, J.K., Behaviorist intelligence and the scaling problem 75 (1995) 135–160
Tsotsos, J.K., S.M. Culhane, W.Y.K. Wai, Y. Lai, N. Davis and F. Nuflo, Modeling visual attention via selective tuning 78 (1995) 507–545
Tu, S.W., see Eriksson, H. 79 (1995) 293–326
Turner, S.R., Book review of *The Creative Mind: Myths and Mechanisms* (Margaret Boden) 79 (1995) 145–159
Tuttle, M.S., Book review of *Representations of Commonsense Knowledge* (E. Davis) and *Building Large Knowledge-Based Systems: Representation and Inference in the Cyc Project* (D.B. Lenat and R.V. Guha) 61 (1993) 121–148

Uhr, L., Book review of *Computer Models of Thought and Language* (Roger C. Schank and Kenneth Mark Colby, eds.) 6 (1975) 289–292
Ulupınar, F. and R. Nevatia, Recovery of 3-D objects with multiple curved surfaces from 2-D contours 67 (1994) 1– 28
Uzcátegui, C., see Lobo, J. 89 (1997) 149–171

Valdés-Pérez, R.E., Conjecturing hidden entities by means of simplicity and conservation laws: machine discovery in chemistry 65 (1994) 247–280
Valdés-Pérez, R.E., A new theorem in particle physics enabled by machine discovery (Research Note) 82 (1996) 331–339
Valdés-Pérez, R., Machine discovery in chemistry: new results (Research Note) 74 (1995) 191–201
Valtorta, M., see Hansson, O. 55 (1992) 129–143
Van Baalen, J., Automated design of specialized representations 54 (1992) 121–198
Van Beek, P., Reasoning about qualitative temporal information 58 (1992) 297–326
Van Beek, P., see Kondrak, G. 89 (1997) 365–387
Van den Herik, H.J., see Dekker, S.T. 43 (1990) 111–123
Van den Herik, H.J., see Allis, L.V. 66 (1994) 91–124
Van der Meulen, M., see Allis, L.V. 66 (1994) 91–124
Van Harmelen, F., see Bundy, A. 62 (1993) 185–253
Van Harmelen, F. and A. Bundy, Explanation-based generalisation = partial evaluation (Research Note) 36 (1988) 401–412

Van Hentenryck, P., Y. Deville and C.-M. Teng, A generic arc-consistency algorithm and its specializations	57	(1992)	291–321
Van Hentenryck, P., H. Simonis and M. Dincbas, Constraint satisfaction using constraint logic programming	58	(1992)	113–159
VanLehn, K., Book review of *Machine Learning: An Artificial Intelligence Approach* (R.S. Michalski, J.G. Carbonell and T.M. Mitchell, eds.)	25	(1985)	233–236
VanLehn, K., Book review of *The Architecture of Cognition* (John R. Anderson)	28	(1986)	235–240
VanLehn, K., Learning one subprocedure per lesson	31	(1987)	1– 40
Vardi, M.Y., see Fagin, R.	79	(1995)	203–240
Velardi, P., see Basili, R.	85	(1996)	59– 99
Vellino, A., Book review of *Artificial Intelligence: The Very Idea* (J. Haugeland)	29	(1986)	349–353
Vellino, A., Book review of *Understanding Computers and Cognition: A New Foundation for Design* (T. Winograd and F. Flores)	31	(1987)	213–220
Vencovská, A., see Paris, J.B.	64	(1993)	197–241
Vere, S.A., Relational production systems	8	(1977)	47– 68
Vere, S.A., Multilevel counterfactuals for generalizations of relational concepts and productions	14	(1980)	139–164
Veroff, R., see Wos, L.	22	(1984)	303–356
Verschaetse, K., see De Schreye, D.	41	(1990)	237–248
Vila, L. and H. Reichgelt, The token reification approach to temporal reasoning	83	(1996)	59– 74
Voge, W.M., see Weischedel, R.M.	10	(1978)	225–240
Voorbraak, F., On the justification of Dempster's rule of combination	48	(1991)	171–197
Vose, M.D., see Battle, D.L.	60	(1993)	155–165
Vose, M.D., Generalizing the notion of schema in genetic algorithms (Research Note)	50	(1991)	385–396
Wahlster, W., E. André, W. Finkler, H.-J. Profitlich and T. Rist, Plan-based integration of natural language and graphics generation	63	(1993)	387–427
Wai, W.Y.K., see Tsotsos, J.K.	78	(1995)	507–545
Waldinger, R.J., see Manna, Z.	6	(1975)	175–208
Waldinger, R.J. and K.N. Levitt, Reasoning about programs	5	(1974)	235–316
Walker, E.L. and M. Herman, Geometric reasoning for constructing 3D scene descriptions from images	37	(1988)	275–290
Walker, M.A., The effect of resource limits and task complexity on collaborative planning in dialogue	85	(1996)	181–243
Wallace, R.J., see Freuder, E.C.	58	(1992)	21– 70
Walley, P., Measures of uncertainty in expert systems	83	(1996)	1– 58
Walsh, T., see Giunchiglia, F.	57	(1992)	323–389

Walsh, T., see Bundy, A.	88	(1996)	39– 67
Walsh, T., see Gent, I.P.	70	(1994)	335–345
Walsh, T., see Gent, I.P.	81	(1996)	59– 80
Walsh. T., see Gent, I.P.	88	(1996)	349–358
Walther, C., A mechanical solution of Schubert's steamroller by many-sorted resolution	26	(1985)	217–224
Walther, C., On proving the termination of algorithms by machine	71	(1994)	101–157
Wang, T.-C., A typed resolution principle for deduction with conditional typing theory	75	(1995)	161–194
Ward, N., Book review of *Computation and Cognition: Toward a Foundation for Cognitive Science* (Z. Pylyshyn)	33	(1987)	415–417
Ward, N., A parallel approach to syntax for generation	57	(1992)	183–225
Warren, D.H.D., see Pereira, F.C.N.	13	(1980)	231–278
Waterman, D.A., Generalization learning techniques for automating the learning of heuristics	1	(1970)	121–170
Waterman, D.A. and A. Newell, Protocol analysis as a task for artificial intelligence	2	(1971)	285–318
Webb, J.A. and J.K. Aggarwal, Structure from motion of rigid and jointed objects	19	(1982)	107–130
Webber, B., N. Badler, B. Di Eugenio, C. Geib, L. Levison and M. Moore, Instructions, intentions and expectations	73	(1995)	253–269
Weber, S., see Colby, K.M.	2	(1971)	1– 25
Weber, S., see Colby, K.M.	3	(1972)	199–221
Wefald, E., see Russell, S.	49	(1991)	361–395
Weigend, A.S., Book review of *Introduction to the Theory of Neural Computation* (John A. Hertz, Anders S. Krogh and Richard G. Palmer)	62	(1993)	93–111
Weiner, J.L., BLAH, a system which explains its reasoning	15	(1980)	19– 48
Weir, C., see Palmer, M.S.	63	(1993)	17– 68
Weischedel, R.M., W.M. Voge and M. James, An artificial intelligence approach to language instruction	10	(1978)	225–240
Weiss, S.M., see Politakis, P.	22	(1984)	23– 48
Weiss, S.M., see Ginsberg, A.	35	(1988)	197–226
Weiss, S.M., R.S. Galen and P.V. Tadepalli, Maximizing the predictive value of production rules	45	(1990)	47– 71
Weiss, S.M., C.A. Kulikowski, S. Amarel and A. Safir, A model-based method for computer-aided medical decision-making	11	(1978)	145–172
Weld, D.S., The use of aggregation in causal simulation	30	(1986)	1– 34
Weld, D.S., Comparative analysis	36	(1988)	333–373
Weld, D.S., Exaggeration	43	(1990)	311–368
Weld, D.S., Reasoning about model accuracy	56	(1992)	255–300
Weld, D.S., Book review of *Representations of Commonsense Knowledge* (E. Davis)	61	(1993)	113–120

Weld, D.S., Book review of *Women, Fire, and Dangerous Things* (George Lakoff)	35 (1988)	137–141
Weld, D.S., Book review of *The Psychology of Everyday Things* (Donald A. Norman)	41 (1990)	111–114
Weld, D.S., see Barrett, A.	67 (1994)	71–112
Weld, D.S., see Kushmerick, N.	76 (1995)	239–286
Weld, D.S., see Etzioni, O.	89 (1997)	113–148
Welham, B., see Bundy, A.	16 (1981)	189–212
Wellman, M.P., Book review of *Expert Critiquing Systems: Practice-Based Medical Consultation by Computer* (P.L. Miller)	35 (1988)	273–276
Wellman, M.P., Fundamental concepts of qualitative probabilistic networks	44 (1990)	257–303
Wellman, M.P., Book review of *The Ecology of Computation* (B.A. Huberman, ed.)	52 (1991)	205–218
Wellman, M.P., see Doyle, J.	49 (1991)	97–128
Weyhrauch, R.W., Prolegomena to a theory of mechanized formal reasoning	13 (1980)	133–170
White, B.Y. and J.R. Frederiksen, Causal model progressions as a foundation for intelligent learning environments	42 (1990)	99–157
Whitehead, S.D. and L.-J. Lin, Reinforcement learning of non-Markov decision processes	73 (1995)	271–306
Whitney, D., S. Rana, J. Dzubera and K. Mathias, Evaluating evolutionary algorithms	85 (1996)	245–276
Wick, M.R. and W.B. Thompson, Reconstructive expert system explanation	54 (1992)	33– 70
Wiggins, G.A., Book review of *Understanding Music with AI—Perspectives on Cognitive Musicology* (M. Balaban, K. Ebcioglu and O. Laske, eds.)	79 (1995)	373–385
Wilkenfeld, J., see Kraus, S.	75 (1995)	297–345
Wilkerson, R.W., see Greiner, R.	41 (1990)	79– 88
Wilkins, D.C. and Y. Ma, The refinement of probabilistic rule sets: sociopathic interactions	70 (1994)	1– 32
Wilkins, D.E., Using patterns and plans in chess	14 (1980)	165–203
Wilkins, D.E., Using knowledge to control tree searching	18 (1982)	1– 51
Wilkins, D.E., Domain-independent planning: representation and plan generation	22 (1984)	269–301
Wilks, Y., A preferential, pattern-seeking, semantics for natural language inference	6 (1975)	53– 74
Wilks, Y., Making preferences more active	11 (1978)	197–223
Will, P.M. and K.S. Pennington, Grid coding: a preprocessing technique for robot and machine vision	2 (1971)	319–329
Williams, B.C., Qualitative analysis of MOS circuits	24 (1984)	281–346
Williams, B.C., A theory of interactions: unifying qualitative and quantitative algebraic reasoning	51 (1991)	39– 94

Williams, B.C. and J. De Kleer, Qualitative reasoning about physical systems: a return to roots 51 (1991) 1– 9
Williams, B.C., see De Kleer, J. 32 (1987) 97–130
Williams, C.P., see Hogg, T. 69 (1994) 359–377
Williams, C.P., see Hogg, T. 81 (1996) 1– 15
Williams, C.P. and T. Hogg, Exploiting the deep structure of constraint problems 70 (1994) 73–117
Wills, L., see Ram, A. 79 (1995) 111–128
Wills, L.M., Automated program recognition: a feasibility demonstration 45 (1990) 113–171
Wilson, R.H. and J.-C. Latombe, Geometric reasoning about mechanical assembly 71 (1994) 371–396
Winker, S., see Wos, L. 22 (1984) 303–356
Winograd, T., see Bobrow, D.G. 8 (1977) 155–173
Winograd, T., Extended inference modes in reasoning by computer systems 13 (1980) 5– 26
Winograd, T. and F. Flores, On *Understanding Computers and Cognition: A New Foundation for Design*, a response to the reviews by A. Vellino, M. Stefik and D.G. Bobrow, L.A. Suchman, and W.J. Clancey 31 (1987) 250–261
Winston, P.H., see Michalski, R.S. 29 (1986) 121–146
Winston, P.H., Learning by creating and justifying transfer frames 10 (1978) 147–172
Winston, P.H., Learning new principles from precedents and exercises 19 (1982) 321–350
Wipke, W.T., G.I. Ouchi and S. Krishnan, Simulation and evaluation of chemical synthesis—SECS: and application of artificial intelligence techniques 11 (1978) 173–193
Witkin, A.P., Recovering surface shape and orientation from texture 17 (1981) 17– 45
Witkin, A.P., see Terzopoulos, D. 36 (1988) 91–123
Witteveen, C. and G. Brewka, Skeptical reason maintenance and belief revision 61 (1993) 1– 36
Wong, JooFung, Norvig's *Paradigms of Artificial Intelligence Programming*: a student's perspective (Book review) 64 (1993) 161–167
Woodham, R.J., Analysing images of curved surfaces 17 (1981) 117–140
Woods, W.A., Optimal search strategies for speech understanding control 18 (1982) 295–326
Woods, W.A. and J. Makhoul, Mechanical inference problems in continuous speech understanding 5 (1974) 73– 91
Wos, L., S. Winker, B. Smith, R. Veroff and L. Henschen, A new use of an automated reasoning assistant: open questions in equivalential calculus and the study of infinite domains 22 (1984) 303–356
Wulfeck II, W.H., see Scandura, J.M. 5 (1974) 149–183

Xiang, Y., A probabilistic framework for cooperative multi-agent distributed interpretation and optimization of communication 87 (1996) 295–342
Xiong, Y., see Sadeh, N. 76 (1995) 455–480
Xu, H., Computing marginals for arbitrary subsets from marginal representation in Markov trees (Research Note) 74 (1995) 177–189

Yager, R.R., Using approximate reasoning to represent default knowledge (Research Note) 31 (1987) 99–112
Yakimovsky, Y., see Feldman, J.A. 5 (1974) 349–371
Yang, C.J., see Lehnert, W.G. 20 (1983) 15– 62
Yang, Q., A theory of conflict resolution in planning 58 (1992) 361–392
Yang, Q., see Bacchus, F. 71 (1994) 43–100
Yang, Q., see Foulser, D.E. 57 (1992) 143–181
Yang, Q., see Kambhampati, S. 76 (1995) 167–238
Yang, Q., see Fink, E. 89 (1997) 285–315
Yang, Y. and A.L. Yuille, Multilevel enhancement and detection of stereo disparity surfaces 78 (1995) 121–145
Yanover, P.L., see McLeod, D. 48 (1992) 245–252
Yates, R.A., B. Raphael and T.P. Hart, Resolution graphs 1 (1970) 257–289
Yeap, W.K., see Lam, F.C. 53 (1992) 245–254
Yeap, W.K., Towards a computational theory of cognitive maps 34 (1988) 297–360
Yip, K.M.-K., Understanding complex dynamics by visual and symbolic reasoning 51 (1991) 179–221
Yip, K.M.-K., Model simplification by asymptotic order of magnitude reasoning 80 (1996) 309–348
York, J., Use of the Gibbs sampler in expert systems 56 (1992) 115–130
Addendum 56 (1992) 397–398
Yoshida, K. and H. Motoda, CLIP: concept learning from inference patterns 75 (1995) 63– 92
Young, R., Book review of *Pattern-Directed Inference Systems* (R. Hayes-Roth and D. Waterman, eds.) 12 (1979) 197–202
Yuille, A.L., see Yang, Y. 78 (1995) 121–145

Zhang, C., Cooperation under uncertainty in distributed expert systems 56 (1992) 21– 69
Zhang, M.C., see Lee, S.J. 26 (1985) 145–169
Zhang Mingyi, see Gottlob, G. 69 (1994) 329–345
Zhang, N.L., Irrelevance and parameter learning in Bayesian networks (Research Note) 88 (1996) 359–373
Zhang, W. and R.E. Korf, Performance of linear-space search algorithms 79 (1995) 293–326
Zhang, W., see Pemberton, J.C. 81 (1996) 297–325
Zhang, W. and R.E. Korf, A study of complexity transitions on the asymmetric traveling salesman problem 81 (1996) 223–239

Zhang, Z., R. Deriche, O. Faugeras and Q.-T. Luong, A robust technique for matching two uncalibrated images through the recovery of the unknown epipolar geometry 78 (1995) 87–119
Zhao, F., Extracting and representing qualitative behaviors of complex systems in phase space 69 (1994) 51– 92
Zilberstein, S. and S. Russell, Optimal composition of real-time systems 82 (1996) 181–213
Zimmer, R.M., see Holte, R. 85 (1996) 321–361
Zisserman, A., D. Forsyth, J. Mundy, C. Rothwell, J. Liu and N. Pillow, 3D object recognition using invariance 78 (1995) 239–288
Zlotkin, G. and J.S. Rosenschein, Compromise in negotiation: exploiting worth functions over states 84 (1996) 151–176
Zlotkin, G. and J.S. Rosenschein, Mechanism design for automated negotiation, and its application to task oriented domains 86 (1996) 195–244
Zlotkin, G., see Kraus, S. 75 (1995) 297–345
Zobrist, A.L., Book review of *Pattern Recognition, Learning and Thought* (Leonard Uhr) 6 (1975) 373–376
Zucker, S.W., see Pednault, E.P.D. 16 (1981) 213–222
Zweben, M., E. Davis, B. Daun, E. Drascher, M. Deale and M. Eskey, Learning to improve constraint-based scheduling 58 (1992) 271–296
Zytkow, J.M., see Langley, P. 40 (1989) 283–312